

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 262/360 = 0.72$

$H^*_ = G75B_$


Dati del dispositivo (d) o colori elementari (e):

$HIC^*_$

codice di tonalità per i colori questa pagina:

$H^*_ = G75B_$

triangolo chiarezza  $T^*$



**ORS18a; dati atti CIELAB (a)**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R_.,Ma	47.9	65.3	50.5	82.6
Y_.,Ma	90.3	-10.2	91.7	92.3
G_.,Ma	50.9	-62.8	34.9	71.9
C_.,Ma	58.6	-30.3	-45.0	54.2
B_.,Ma	25.7	31.0	-44.4	54.2
M_.,Ma	48.1	75.2	-8.3	75.7
N_.,Ma	18.0	0.0	0.0	0.0
W_.,Ma	95.4	0.0	0.0	0.0
R_.,CIE	39.9	58.7	27.9	65.0
Y_.,CIE	81.2	-2.8	71.5	71.6
G_.,CIE	52.2	-42.4	13.6	44.5
B_.,CIE	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{-,Ma}$ : 45 -5 -44 44 262

$HIC^*_{-,Ma}$ : G75B\_100\_100\_

$rgbic^*_{-,Ma}$ :



0.0 0.5 1.0 1.0 1.0

triangolo chiarezza  $T^*$

%Gamma  
 $u^*_{rel} = 92$   
 %Regularità  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

**ORS20a; dati atti CIELAB (a)**

$H^*_$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



vedere dei file simili: http://130.149.60.45/~farbmetrik/RI05/RI05.HTM  
 informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI05/RI05L0NA.TXT /.PS  
 la domanda per la misura uscita nella stampa di offset


TUB materiale: code=rh4ta

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 244/360 = 0.67$

$H^*_e = G75B_e$

Dati del dispositivo (d) o colori elementari (e):  
 $HIC^*_e$

codice di tonalità per i colori questa pagina:  
 $H^*_e = G75B_e$   
triangolo chiarezza  $T^*$



**ORS20a; dati atti CIELAB (a)**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271



Il dati per il massimo colore (Ma):  
 $LabCh^*_{e, Ma}: 52 \ -21 \ -44 \ 48 \ 244$

$HIC^*_{e, Ma}: G75B\_100\_100_e$   
 $rgbic^*_{e, Ma}: 0.0 \ 0.78 \ 1.0 \ 1.0 \ 1.0$

triangolo chiarezza  $T^*$   
%Gamma  
 $u^*_{rel} = 92$   
%Regularità  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$


**ORS20a; dati atti CIELAB (a)**

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352






vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI05/RI05.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI05/RI05L0NA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmykn6 (CMYK)  
TUB materiale: code=rh4ta





vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI05/RI05.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



4-013230-L0 RI050-71





grafico TUB-RI05; codice di tinte:  $H^*_e=G75B_e$   
grafico conformemente a DIN 33872, 3D=0, de=1, cmyk

immettere:  $rgb/cmyk \rightarrow rgb_e$   
uscita: trasferire a  $cmyk_e$

4-013230-F0



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI05/RI05.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>





4-013330-L0 RI050-71


grafico TUB-RI05; codice di tinte:  $H^*_e=G75B_e$   
grafico conformemente a DIN 33872, 3D=0, de=1, cmyk

immettere:  $rgb/cmyk \rightarrow rgb_e$   
uscita: trasferire a  $cmyk_e$

4-013330-F0



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI05/RI05.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



4-013430-L0 RI050-71

grafico TUB-RI05; codice di tinte:  $H^*_e=G75B_e$   
grafico conformemente a DIN 33872, 3D=0, de=1, cmyk


immettere:  $rgb/cmyk \rightarrow rgb_e$   
uscita: trasferire a  $cmyk_e$

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 244/360 = 0.67$

$H^*_e = G75B_e$

Dati del dispositivo (d) o colori elementari (e):

$HIC^*_e$   
codice di tonalità per i colori questa pagina:  
 $H^*_e = G75B_e$   
triangolo chiarezza  $T^*$



**ORS20a; dati atti CIELAB (a)**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9	25
Ye,Ma	82.9	-3.5	87.8	87.9	92
Ge,Ma	52.4	-67.1	21.5	70.5	162
Ce,Ma	56.6	-39.7	-29.9	49.8	216
Be,Ma	37.9	1.3	-45.4	45.4	271
Me,Ma	34.8	49.2	-30.0	57.7	328
Ne,Ma	17.7	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{e, Ma}: 52 \ -21 \ -44 \ 48 \ 244$

$HIC^*_{e, Ma}: G75B\_100\_100_e$



$rgbic^*_{e, Ma}: 0.0 \ 0.78 \ 1.0 \ 1.0 \ 1.0$

triangolo chiarezza  $T^*$

**ORS20a; dati atti CIELAB (a)**

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352

%Gamma  
 $u^*_{rel} = 92$   
%Regularità  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI05/RI05.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>




TUB iscrizione: 20130201-RI05/RI05L0NA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmykn6 (CMYK)  
TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

vedere dei file simili: http://130.149.60.45/~farbmetrik/RI05/RI05.HTM  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI05/RI05LONA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6 (CMYK)  
TUB materiale: code=rh4ta



(a\*<sub>d</sub> b\*<sub>d</sub>), (a\*<sub>s</sub> b\*<sub>s</sub>), (a\*<sub>e</sub> b\*<sub>e</sub>)  
rgb\*<sub>e</sub> LCH\*<sub>e</sub> LAB\*<sub>e</sub>  
h<sub>ab,s</sub> rgb\*<sub>s</sub>  
h<sub>ab,s</sub> = atan [ r\*<sub>d</sub> cos(30) + g\*<sub>d</sub> cos(150) ] / [ r\*<sub>d</sub> sin(30) + g\*<sub>d</sub> sin(150) + b\*<sub>d</sub> sin(270) ] (1)

h<sub>ab,s</sub>  
s: h<sub>ab,i</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)

h<sub>48ab,sij</sub> = h<sub>ab,si</sub> + j [h<sub>ab,si+1</sub> - h<sub>ab,si</sub>] / 8 (i = 0, 1, ..., 5; j = 0, 1, ..., 7) (2)

h<sub>360ab,sij</sub> = h<sub>ab,si</sub> + j [h<sub>ab,si+1</sub> - h<sub>ab,si</sub>] / 60 (i = 0, 1, ..., 5; j = 0, 1, ..., 59) (3)

h<sub>ab,e</sub>  
e: h<sub>ab,i</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)

h<sub>48ab,eij</sub> = h<sub>ab,ei</sub> + j [h<sub>ab,ei+1</sub> - h<sub>ab,ei</sub>] / 8 (i = 0, 1, ..., 5; j = 0, 1, ..., 7) (4)

h<sub>360ab,eij</sub> = h<sub>ab,ei</sub> + j [h<sub>ab,ei+1</sub> - h<sub>ab,ei</sub>] / 60 (i = 0, 1, ..., 5; j = 0, 1, ..., 59) (5)


h<sub>ab,i</sub> h<sub>ab,d</sub>  
rgb\*<sub>de</sub>



http://130.149.60.45/~farbmetrik/RI05/RI05LONA.TXT /PS; uscita di trasferimento  
N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 8/33

Data of maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 12 columns: h\_ab,d, h\_ab,s, h\_ab,e, r\_gb\*dd64M, LAB\*ddx64M (x=LabCh), r\_gb\*ddx361M, LAB\*ddx361M (x=LabCh), r\_gb\*dsx361M, LAB\*dsx361M (x=LabCh), r\_gb\*dex361M, LAB\*dex361M (x=LabCh), r\_gb\*de, r\_gb\*ds, r\_gb\*de. Rows contain numerical data for various color points.



vedere dei file simili: http://130.149.60.45/~farbmetrik/RI05/RI05.HTM  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik



TUB iscrizione: 20130201-RI05/RI05LONA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6 (CMYK)  
TUB materiale: code=rh4ta

4-013730-L0 RI050-71 LAB\*ta0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3. LAB\*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

uscita: Offset standard print; separation cmy6\*, D65, pagina 8/33

grafico TUB-RI05; codice di tinte: H\*e=G75Be  
cerchio delle tinte a 48 passi; rgb-LabCh\*tavole


immettere: rgb/cmyk -> rgb\_e  
uscita: trasferire a cmyk\_e





Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>c</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.8	30.0	25.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 25
40.4	37.5	33.8	1.0 0.125 0.0	51.2 54.9 46.7 72.1 40.4	1.0 0.007 0.0	47.6 63.4 41.6 75.8 33
50.0	45.0	42.1	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50.0	1.0 0.148 0.0	52.1 53.0 48.1 71.6 42
61.1	52.5	50.5	1.0 0.375 0.0	61.4 33.2 60.3 68.8 61.1	1.0 0.25 0.0	56.0 44.5 53.0 69.2 49
71.4	60.0	58.8	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71.4	1.0 0.35 0.0	60.3 35.6 59.0 69.0 58
81.7	67.5	67.2	1.0 0.625 0.0	73.6 11.0 76.1 76.9 81.7	1.0 0.442 0.0	64.5 27.8 64.5 70.2 66
88.5	75.0	75.6	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88.5	1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
93.6	82.5	83.9	1.0 0.875 0.0	84.2 -5.7 89.4 89.6 93.6	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
97.1	90.0	92.3	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97.1	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
100.3	97.5	101.0	0.875 1.0 0.0	85.8 -16.2 88.6 90.0 100.3	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
103.3	105.0	109.7	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103.3	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
108.3	112.5	118.5	0.625 1.0 0.0	77.0 -25.2 76.3 80.4 108.3	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117
115.3	120.0	127.2	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115.3	0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127
122.4	127.5	136.0	0.375 1.0 0.0	68.9 -36.9 58.1 68.8 122.4	0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135
134.9	135.0	144.7	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134.9	0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144
144.6	142.5	153.4	0.125 1.0 0.0	57.4 -54.9 38.9 67.3 144.6	0.047 1.0 0.0	54.0 -63.8 32.7 71.7 152
157.7	150.0	162.2	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157.7	0.0 1.0 0.093	52.4 -67.0 21.5 70.5 162
163.7	157.5	169.0	0.0 1.0 0.125	52.5 -66.4 19.3 69.1 163.7	0.0 1.0 0.209	53.1 -63.5 12.8 64.9 168
170.9	165.0	175.9	0.0 1.0 0.25	53.2 -61.9 9.8 62.7 170.9	0.0 1.0 0.311	53.7 -59.7 4.3 59.9 175
181.0	172.5	182.7	0.0 1.0 0.375	54.1 -56.9 -1.0 56.9 181.0	0.0 1.0 0.387	54.2 -56.4 -2.2 56.5 182
193.5	180.0	189.6	0.0 1.0 0.5	54.8 -51.0 -12.3 52.5 193.5	0.0 1.0 0.46	54.6 -53.1 -8.9 54.0 189
205.9	187.5	196.4	0.0 1.0 0.625	55.8 -45.1 -21.9 50.1 205.9	0.0 1.0 0.524	55.0 -50.0 -14.3 52.1 195
218.4	195.0	203.2	0.0 1.0 0.75	56.7 -38.9 -30.9 49.7 218.4	0.0 1.0 0.598	55.6 -46.5 -19.9 50.7 203
227.3	202.5	210.1	0.0 1.0 0.875	57.5 -34.3 -37.2 50.6 227.3	0.0 1.0 0.662	56.1 -43.4 -24.7 50.1 209
236.1	210.0	216.9	0.0 1.0 1.0	58.3 -29.2 -43.7 52.6 236.1	0.0 1.0 0.736	56.7 -39.7 -29.9 49.8 216
240.3	217.5	223.8	0.0 0.875 1.0	55.2 -25.0 -43.9 50.5 240.3	0.0 1.0 0.819	57.2 -36.4 -34.4 50.3 223
245.8	225.0	230.6	0.0 0.75 1.0	51.7 -19.7 -44.1 48.3 245.8	0.0 1.0 0.922	57.9 -32.5 -39.7 51.4 230
252.5	232.5	237.5	0.0 0.625 1.0	47.7 -13.9 -44.4 46.5 252.5	0.0 0.974 1.0	57.7 -28.3 -43.7 52.2 237
262.3	240.0	244.3	0.0 0.5 1.0	42.7 -6.0 -45.0 45.4 262.3	0.0 0.785 1.0	52.7 -21.1 -44.1 49.0 244
271.7	247.5	251.2	0.0 0.375 1.0	37.9 1.3 -45.4 45.4 271.7	0.0 0.659 1.0	48.9 -15.4 -44.3 47.1 250
281.6	255.0	258.0	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281.6	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258
290.3	262.5	264.8	0.0 0.125 1.0	28.6 17.4 -46.9 50.1 290.3	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264
296.4	270.0	271.7	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296.4	0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271
306.7	277.5	278.8	0.125 0.0 1.0	29.3 31.8 -42.6 53.1 306.7	0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278
312.7	285.0	285.9	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312.7	0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285
326.7	292.5	293.0	0.375 0.0 1.0	33.8 47.6 -31.2 56.9 326.7	0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292
333.9	300.0	300.1	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333.9	0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300
339.6	307.5	307.2	0.625 0.0 1.0	40.9 58.8 -21.8 62.7 339.6	0.0 0.126 0.0 1.0	29.4 31.9 -42.5 53.2 306
347.2	315.0	314.3	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347.2	0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314
350.2	322.5	321.4	0.875 0.0 1.0	45.9 69.4 -11.9 70.5 350.2	0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321
353.3	330.0	328.6	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353.3	0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328
356.5	337.5	335.7	1.0 0.0 0.875	48.2 71.6 -4.3 71.7 356.5	0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335
360.3	345.0	342.8	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360.3	0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342
365.8	352.5	349.9	1.0 0.0 0.625	48.0 68.9 7.1 69.3 365.8	0.842 0.0 1.0	45.2 68.6 -12.7 69.8 349
371.6	360.0	357.0	1.0 0.0 0.5	47.7 67.7 14.0 69.1 371.6	0.949 0.0 1.0	47.3 71.5 -9.9 72.2 352
378.2	367.5	364.1	1.0 0.0 0.375	47.7 66.1 21.8 69.6 378.2	1.0 0.0 0.765	48.2 70.6 -0.1 70.6 359
383.9	375.0	371.2	1.0 0.0 0.25	47.7 65.0 28.9 71.2 383.9	1.0 0.0 0.563	47.9 68.4 10.6 69.2 368
388.6	382.5	378.3	1.0 0.0 0.125	47.4 64.4 35.1 73.4 388.6	1.0 0.0 0.408	47.8 66.7 19.8 69.6 376
392.8	390.0	385.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 392.8	1.0 0.0 0.209	47.6 64.9 30.9 71.9 385



vedere dei file simili: http://130.149.60.45/~farbmetrik/RI05/RI05.HTM  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI05/RI05L0NA.TXT /.PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyn6 (CMYK)  
TUB materiale: code=rh4ta


Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R <sub>d</sub>	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R <sub>s</sub>	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	R <sub>e</sub>	rgb* dd361Mi	rgb* ds	rgb* de	rgb* ds	rgb* de
32	30	25	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32	1.0	1.0 0.0 0.084 47.4 64.3 37.1 74.3 30	1.0	1.0 0.0 0.0	1.0 0.0 0.209 47.6 64.9 30.9 71.9 25	1.0	1.0 0.0 0.0					
33	31	26	1.0 0.016 0.0	47.8 62.7 42.0 75.4 33	1.0	1.0 0.0 0.054 47.4 64.2 38.6 74.9 31	1.0	1.0 0.017 0.0	1.0 0.0 0.18 47.6 64.8 32.4 72.5 26	1.0	1.0 0.017 0.0					
34	32	27	1.0 0.033 0.0	48.3 61.5 42.8 74.9 34	1.0	1.0 0.0 0.025 47.4 64.0 40.0 75.5 32	1.0	1.0 0.033 0.0	1.0 0.0 0.15 47.5 64.6 33.9 73.0 27	1.0	1.0 0.033 0.0					
35	33	28	1.0 0.05 0.0	48.9 60.3 43.6 74.4 35	1.0	1.0 0.003 0.0 47.5 63.7 41.3 75.9 33	1.0	1.0 0.05 0.0	1.0 0.0 0.119 47.5 64.4 35.5 73.6 28	1.0	1.0 0.05 0.0					
36	34	29	1.0 0.066 0.0	49.4 59.1 44.3 73.9 36	1.0	1.0 0.019 0.0 48.0 62.5 42.2 75.4 34	1.0	1.0 0.067 0.0	1.0 0.0 0.086 47.4 64.3 37.0 74.2 29	1.0	1.0 0.067 0.0					
37	35	31	1.0 0.083 0.0	49.9 57.9 45.1 73.4 37	1.0	1.0 0.036 0.0 48.5 61.4 43.0 74.9 35	1.0	1.0 0.083 0.0	1.0 0.0 0.053 47.4 64.2 38.6 74.9 31	1.0	1.0 0.083 0.0					
38	36	32	1.0 0.1 0.0	50.4 56.7 45.7 72.9 38	1.0	1.0 0.052 0.0 49.0 60.2 43.7 74.4 36	1.0	1.0 0.1 0.0	1.0 0.0 0.02 47.4 64.0 40.2 75.6 32	1.0	1.0 0.1 0.0					
39	37	33	1.0 0.116 0.0	50.9 55.5 46.4 72.3 39	1.0	1.0 0.069 0.0 49.5 59.0 44.5 73.9 37	1.0	1.0 0.117 0.0	1.0 0.007 0.0 47.6 63.4 41.6 75.8 33	1.0	1.0 0.117 0.0					
41	38	34	1.0 0.133 0.0	51.5 54.2 47.2 71.9 41	1.0	1.0 0.085 0.0 50.0 57.8 45.2 73.4 38	1.0	1.0 0.133 0.0	1.0 0.026 0.0 48.2 62.1 42.5 75.2 34	1.0	1.0 0.133 0.0					
42	39	35	1.0 0.15 0.0	52.1 52.8 48.1 71.5 42	1.0	1.0 0.101 0.0 50.5 56.6 45.9 72.9 39	1.0	1.0 0.15 0.0	1.0 0.044 0.0 48.7 60.8 43.4 74.6 35	1.0	1.0 0.15 0.0					
43	40	36	1.0 0.166 0.0	52.8 51.4 49.0 71.1 43	1.0	1.0 0.118 0.0 51.0 55.4 46.5 72.4 40	1.0	1.0 0.167 0.0	1.0 0.062 0.0 49.3 59.5 44.2 74.1 36	1.0	1.0 0.167 0.0					
44	41	37	1.0 0.183 0.0	53.4 50.1 49.9 70.7 44	1.0	1.0 0.132 0.0 51.5 54.3 47.2 72.0 41	1.0	1.0 0.183 0.0	1.0 0.081 0.0 49.8 58.1 45.0 73.5 37	1.0	1.0 0.183 0.0					
46	42	38	1.0 0.2 0.0	54.1 48.7 50.7 70.3 46	1.0	1.0 0.145 0.0 52.0 53.2 47.9 71.7 42	1.0	1.0 0.2 0.0	1.0 0.099 0.0 50.4 56.8 45.8 72.9 38	1.0	1.0 0.2 0.0					
47	43	39	1.0 0.216 0.0	54.7 47.3 51.5 69.9 47	1.0	1.0 0.158 0.0 52.5 52.2 48.7 71.3 43	1.0	1.0 0.217 0.0	1.0 0.117 0.0 51.0 55.5 46.5 72.4 39	1.0	1.0 0.217 0.0					
48	44	41	1.0 0.233 0.0	55.3 45.8 52.2 69.5 48	1.0	1.0 0.172 0.0 53.0 51.1 49.3 71.0 44	1.0	1.0 0.233 0.0	1.0 0.133 0.0 51.5 54.2 47.3 71.9 41	1.0	1.0 0.233 0.0					
50	45	42	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50	1.0	1.0 0.185 0.0 53.5 50.0 50.0 70.7 45	1.0	1.0 0.25 0.0	1.0 0.148 0.0 52.1 53.0 48.1 71.6 42	1.0	1.0 0.25 0.0					
51	46	43	1.0 0.266 0.0	56.7 43.0 54.1 69.1 51	1.0	1.0 0.198 0.0 54.0 48.9 50.7 70.4 46	1.0	1.0 0.267 0.0	1.0 0.162 0.0 52.7 51.9 48.9 71.2 43	1.0	1.0 0.267 0.0					
52	47	44	1.0 0.283 0.0	57.4 41.5 55.1 69.1 52	1.0	1.0 0.211 0.0 54.5 47.8 51.3 70.1 47	1.0	1.0 0.283 0.0	1.0 0.177 0.0 53.2 50.6 49.6 70.9 44	1.0	1.0 0.283 0.0					
54	48	45	1.0 0.3 0.0	58.2 40.1 56.2 69.0 54	1.0	1.0 0.224 0.0 55.0 46.7 51.9 69.8 48	1.0	1.0 0.3 0.0	1.0 0.191 0.0 53.8 49.4 50.4 70.6 45	1.0	1.0 0.3 0.0					
55	49	46	1.0 0.316 0.0	58.9 38.6 57.1 69.0 55	1.0	1.0 0.237 0.0 55.5 45.6 52.4 69.5 49	1.0	1.0 0.317 0.0	1.0 0.206 0.0 54.3 48.2 51.1 70.2 46	1.0	1.0 0.317 0.0					
57	50	47	1.0 0.333 0.0	59.6 37.1 58.1 68.9 57	1.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 50	1.0	1.0 0.333 0.0	1.0 0.22 0.0 54.9 47.0 51.7 69.9 47	1.0	1.0 0.333 0.0					
58	51	48	1.0 0.35 0.0	60.3 35.5 59.0 68.9 58	1.0	1.0 0.261 0.0 56.5 43.5 53.7 69.2 51	1.0	1.0 0.35 0.0	1.0 0.235 0.0 55.5 45.7 52.4 69.5 48	1.0	1.0 0.35 0.0					
60	52	49	1.0 0.366 0.0	61.0 34.0 59.9 68.9 60	1.0	1.0 0.272 0.0 57.0 42.6 54.5 69.1 52	1.0	1.0 0.367 0.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 49	1.0	1.0 0.367 0.0					
61	53	51	1.0 0.383 0.0	61.8 32.5 60.8 69.0 61	1.0	1.0 0.283 0.0 57.5 41.6 55.2 69.1 53	1.0	1.0 0.383 0.0	1.0 0.262 0.0 56.6 43.4 53.8 69.1 51	1.0	1.0 0.383 0.0					
63	54	52	1.0 0.4 0.0	62.5 31.2 61.9 69.3 63	1.0	1.0 0.295 0.0 58.0 40.6 55.9 69.1 54	1.0	1.0 0.4 0.0	1.0 0.275 0.0 57.1 42.4 54.6 69.1 52	1.0	1.0 0.4 0.0					
64	55	53	1.0 0.416 0.0	63.3 29.8 62.9 69.6 64	1.0	1.0 0.306 0.0 58.5 39.6 56.6 69.1 55	1.0	1.0 0.417 0.0	1.0 0.287 0.0 57.6 41.3 55.4 69.1 53	1.0	1.0 0.417 0.0					
65	56	54	1.0 0.433 0.0	64.1 28.4 63.9 70.0 65	1.0	1.0 0.317 0.0 58.9 38.6 57.2 69.0 56	1.0	1.0 0.433 0.0	1.0 0.3 0.0 58.2 40.2 56.2 69.1 54	1.0	1.0 0.433 0.0					
67	57	55	1.0 0.45 0.0	64.9 27.0 64.9 70.3 67	1.0	1.0 0.328 0.0 59.4 37.6 57.9 69.0 57	1.0	1.0 0.45 0.0	1.0 0.312 0.0 58.7 39.0 56.9 69.0 55	1.0	1.0 0.45 0.0					
68	58	56	1.0 0.466 0.0	65.6 25.6 65.8 70.6 68	1.0	1.0 0.34 0.0 59.9 36.6 58.5 69.0 58	1.0	1.0 0.467 0.0	1.0 0.325 0.0 59.3 37.9 57.7 69.0 56	1.0	1.0 0.467 0.0					
70	59	57	1.0 0.483 0.0	66.4 24.1 66.7 70.9 70	1.0	1.0 0.351 0.0 60.4 35.5 59.1 69.0 59	1.0	1.0 0.483 0.0	1.0 0.337 0.0 59.8 36.8 58.4 69.0 57	1.0	1.0 0.483 0.0					
71	60	58	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71	1.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.5 0.0	1.0 0.35 0.0 60.3 35.6 59.0 69.0 58	1.0	1.0 0.5 0.0					
72	61	60	1.0 0.516 0.0	68.0 21.2 68.8 72.0 72	1.0	1.0 0.373 0.0 61.4 33.4 60.3 68.9 61	1.0	1.0 0.517 0.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60	1.0	1.0 0.517 0.0					
74	62	61	1.0 0.533 0.0	68.9 19.7 70.0 72.8 74	1.0	1.0 0.385 0.0 61.9 32.4 61.0 69.1 62	1.0	1.0 0.533 0.0	1.0 0.375 0.0 61.4 33.3 60.3 68.9 61	1.0	1.0 0.533 0.0					
75	63	62	1.0 0.55 0.0	69.7 18.2 71.2 73.5 75	1.0	1.0 0.397 0.0 62.5 31.5 61.8 69.3 63	1.0	1.0 0.55 0.0	1.0 0.388 0.0 62.0 32.2 61.2 69.1 62	1.0	1.0 0.55 0.0					
76	64	63	1.0 0.566 0.0	70.6 16.7 72.4 74.3 76	1.0	1.0 0.409 0.0 63.0 30.5 62.5 69.6 64	1.0	1.0 0.567 0.0	1.0 0.402 0.0 62.7 31.1 62.0 69.4 63	1.0	1.0 0.567 0.0					
78	65	64	1.0 0.583 0.0	71.5 15.1 73.5 75.0 78	1.0	1.0 0.421 0.0 63.6 29.5 63.2 69.8 65	1.0	1.0 0.583 0.0	1.0 0.415 0.0 63.3 30.0 62.9 69.7 64	1.0	1.0 0.583 0.0					
79	66	65	1.0 0.6 0.0	72.3 13.5 74.6 75.8 79	1.0	1.0 0.434 0.0 64.2 28.5 64.0 70.0 66	1.0	1.0 0.6 0.0	1.0 0.428 0.0 63.9 28.9 63.7 69.9 65	1.0	1.0 0.6 0.0					
81	67	66	1.0 0.616 0.0	73.2 11.8 75.6 76.6 81	1.0	1.0 0.446 0.0 64.7 27.4 64.7 70.3 67	1.0	1.0 0.617 0.0	1.0 0.442 0.0 64.5 27.8 64.5 70.2 66	1.0	1.0 0.617 0.0					
82	68	67	1.0 0.633 0.0	74.0 10.4 76.6 77.3 82	1.0	1.0 0.458 0.0 65.3 26.4 65.4 70.5 68	1.0	1.0 0.633 0.0	1.0 0.455 0.0 65.2 26.6 65.2 70.4 67	1.0	1.0 0.633 0.0					
83	69	68	1.0 0.65 0.0	74.7 9.3 77.6 78.2 83	1.0	1.0 0.47 0.0 65.8 25.3 66.0 70.7 69	1.0	1.0 0.65 0.0	1.0 0.469 0.0 65.8 25.4 66.0 70.7 68	1.0	1.0 0.65 0.0					
84	70	70	1.0 0.666 0.0	75.5 8.2 78.6 79.0 84	1.0	1.0 0.482 0.0 66.4 24.3 66.7 70.9 70	1.0	1.0 0.667 0.0	1.0 0.482 0.0 66.4 24.2 66.7 71.0 70	1.0	1.0 0.667 0.0					
84	71	71	1.0 0.683 0.0	76.2 7.0 79.5 79.8 84	1.0	1.0 0.494 0.0 66.9 23.2 67.3 71.2 71	1.0	1.0 0.683 0.0	1.0 0.496 0.0 67.0 23.0 67.4 71.2 71	1.0	1.0 0.683 0.0					
85	72	72	1.0 0.7 0.0	77.0 5.8 80.4 80.6 85	1.0	1.0 0.506 0.0 67.5 22.1 68.1 71.6 72	1.0	1.0 0.7 0.0	1.0 0.509 0.0 67.7 21.9 68.3 71.7 72	1.0	1.0 0.7 0.0					
86	73	73	1.0 0.716 0.0	77.7 4.5 81.3 81.4 86	1.0	1.0 0.518 0.0 68.2 21.1 69.0 72.1 73	1.0	1.0 0.717 0.0	1.0 0.523 0.0 68.4 20.7 69.3 72.3 73	1.0	1.0 0.717 0.0					
87	74	74	1.0 0.733 0.0	78.5 3.3 82.2 82.3 87	1.0	1.0 0.531 0.0 68.8 20.0 69.9 72.7 74	1.0	1.0 0.733 0.0	1.0 0.537 0.0 69.1 19.5 70.3 73.0 74	1.0	1.0 0.733 0.0					
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88	1.0	1.0 0.543 0.0 69.4 19.0 70.7 73.2 75	1.0	1.0 0.75 0.0	1.0 0.55 0.0 69.8 18.3 71.3 73.6 75	1.0	1.0 0.75 0.0					

vedere dei file simili: http://130.149.60.45/~farbmetrik/RI05/RI05.HTM  
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-RI05/RI05LONA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyn6 (CMYK)  
TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dd361Mi	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88	1.0 0.543 0.0	69.4 19.0 70.7 73.2 75	1.0 0.75 0.0	1.0 0.555 0.0	69.8 18.3 71.3 73.6 75	1.0 0.767 0.0	1.0 0.564 0.0	70.5 17.0 72.2 74.2 76	1.0 0.767 0.0			
89	76	76	1.0 0.766 0.0	79.9 1.0 83.9 83.9 89	1.0 0.567 0.0	70.7 16.7 72.4 74.3 77	1.0 0.783 0.0	1.0 0.577 0.0	71.2 15.8 73.1 74.8 77	1.0 0.783 0.0	1.0 0.577 0.0	71.2 15.8 73.1 74.8 77	1.0 0.783 0.0			
89	77	77	1.0 0.783 0.0	80.6 0.0 84.8 84.8 89	1.0 0.579 0.0	71.3 15.6 73.3 74.9 78	1.0 0.8 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78	1.0 0.8 0.0	1.0 0.591 0.0	71.9 14.5 74.0 75.4 78	1.0 0.8 0.0			
90	78	78	1.0 0.8 0.0	81.2 -0.9 85.7 85.7 90	1.0 0.591 0.0	71.9 14.4 74.1 75.5 79	1.0 0.817 0.0	1.0 0.604 0.0	72.6 13.1 74.9 76.0 80	1.0 0.817 0.0	1.0 0.604 0.0	72.6 13.1 74.9 76.0 80	1.0 0.817 0.0			
91	79	80	1.0 0.816 0.0	81.9 -1.9 86.5 86.5 91	1.0 0.604 0.0	72.5 13.2 74.9 76.0 80	1.0 0.833 0.0	1.0 0.618 0.0	73.3 11.8 75.8 76.7 81	1.0 0.833 0.0	1.0 0.618 0.0	73.3 11.8 75.8 76.7 81	1.0 0.833 0.0			
91	80	81	1.0 0.833 0.0	82.6 -3.0 87.4 87.4 91	1.0 0.616 0.0	73.2 12.0 75.6 76.6 81	1.0 0.85 0.0	1.0 0.635 0.0	74.1 10.4 76.8 77.5 82	1.0 0.85 0.0	1.0 0.635 0.0	74.1 10.4 76.8 77.5 82	1.0 0.85 0.0			
92	81	82	1.0 0.85 0.0	83.2 -4.0 88.2 88.3 92	1.0 0.629 0.0	73.8 10.7 76.5 77.2 82	1.0 0.867 0.0	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83	1.0 0.867 0.0	1.0 0.655 0.0	75.0 9.0 77.9 78.5 83	1.0 0.867 0.0			
93	82	83	1.0 0.866 0.0	83.9 -5.1 89.0 89.2 93	1.0 0.648 0.0	74.7 9.5 77.5 78.1 83	1.0 0.883 0.0	1.0 0.675 0.0	75.9 7.6 79.1 79.5 84	1.0 0.883 0.0	1.0 0.675 0.0	75.9 7.6 79.1 79.5 84	1.0 0.883 0.0			
93	83	84	1.0 0.883 0.0	84.5 -6.1 89.8 90.0 93	1.0 0.666 0.0	75.5 8.3 78.6 79.0 84	1.0 0.9 0.0	1.0 0.696 0.0	76.8 6.1 80.2 80.5 85	1.0 0.9 0.0	1.0 0.696 0.0	76.8 6.1 80.2 80.5 85	1.0 0.9 0.0			
94	84	85	1.0 0.9 0.0	85.1 -6.9 90.6 90.8 94	1.0 0.684 0.0	76.3 7.0 79.6 79.9 85	1.0 0.917 0.0	1.0 0.716 0.0	77.8 4.6 81.3 81.5 86	1.0 0.917 0.0	1.0 0.716 0.0	77.8 4.6 81.3 81.5 86	1.0 0.917 0.0			
94	85	86	1.0 0.916 0.0	85.6 -7.7 91.3 91.7 94	1.0 0.703 0.0	77.1 5.6 80.6 80.8 86	1.0 0.933 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87	1.0 0.933 0.0	1.0 0.736 0.0	78.7 3.1 82.4 82.5 87	1.0 0.933 0.0			
95	86	87	1.0 0.933 0.0	86.1 -8.5 92.1 92.5 95	1.0 0.721 0.0	78.0 4.3 81.6 81.7 87	1.0 0.95 0.0	1.0 0.759 0.0	79.7 1.5 83.6 83.6 88	1.0 0.95 0.0	1.0 0.759 0.0	79.7 1.5 83.6 83.6 88	1.0 0.95 0.0			
95	87	88	1.0 0.95 0.0	86.7 -9.3 92.9 93.3 95	1.0 0.739 0.0	78.8 2.9 82.5 82.6 88	1.0 0.967 0.0	1.0 0.787 0.0	80.8 0.0 85.0 85.0 90	1.0 0.967 0.0	1.0 0.787 0.0	80.8 0.0 85.0 85.0 90	1.0 0.967 0.0			
96	88	90	1.0 0.966 0.0	87.2 -10.2 93.6 94.2 96	1.0 0.76 0.0	79.7 1.5 83.6 83.6 89	1.0 0.983 0.0	1.0 0.814 0.0	81.9 -1.7 86.5 86.5 91	1.0 0.983 0.0	1.0 0.814 0.0	81.9 -1.7 86.5 86.5 91	1.0 0.983 0.0			
96	89	91	1.0 0.983 0.0	87.8 -11.1 94.3 95.0 96	Y <sub>d</sub>	1.0 0.785 0.0	80.7 0.0 84.9 84.9 90	Y <sub>s</sub>	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92	Y <sub>e</sub>	1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92	1.0 0.842 0.0		
97	90	92	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97	1.0 0.809 0.0	81.7 -1.4 86.2 86.2 91	0.983 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2 89.4 93	0.983 1.0 0.0	1.0 0.871 0.0	84.1 -5.3 89.2 89.4 93	0.983 1.0 0.0			
97	91	93	0.983 1.0 0.0	88.0 -12.5 94.2 95.1 97	1.0 0.834 0.0	82.7 -3.0 87.5 87.5 92	0.967 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1 91.4 94	0.967 1.0 0.0	1.0 0.91 0.0	85.4 -7.3 91.1 91.4 94	0.967 1.0 0.0			
98	92	94	0.966 1.0 0.0	87.7 -13.1 93.4 94.3 98	1.0 0.859 0.0	83.6 -4.5 88.7 88.8 93	0.95 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0 93.4 95	0.95 1.0 0.0	1.0 0.951 0.0	86.8 -9.4 93.0 93.4 95	0.95 1.0 0.0			
98	93	95	0.95 1.0 0.0	87.3 -13.7 92.5 93.5 98	1.0 0.887 0.0	84.7 -6.2 90.0 90.3 94	0.933 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8 95.1 96	0.933 1.0 0.0	1.0 0.993 0.0	88.1 -11.5 94.8 95.1 96	0.933 1.0 0.0			
98	94	96	0.933 1.0 0.0	87.0 -14.3 91.6 92.7 98	1.0 0.923 0.0	85.8 -7.9 91.7 92.0 95	0.917 1.0 0.0	0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98	0.917 1.0 0.0	0.963 1.0 0.0	87.6 -13.2 93.2 94.1 98	0.917 1.0 0.0			
99	95	98	0.916 1.0 0.0	86.6 -14.8 90.8 92.0 99	1.0 0.958 0.0	87.0 -9.7 93.3 93.8 96	0.9 1.0 0.0	0.917 1.0 0.0	86.7 -14.8 90.8 92.0 99	0.9 1.0 0.0	0.917 1.0 0.0	86.7 -14.8 90.8 92.0 99	0.9 1.0 0.0			
99	96	99	0.9 1.0 0.0	86.3 -15.4 89.9 91.2 99	1.0 0.994 0.0	88.2 -11.5 94.8 95.6 97	0.883 1.0 0.0	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100	0.883 1.0 0.0	0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100	0.883 1.0 0.0			
100	97	100	0.883 1.0 0.0	86.0 -15.9 89.0 90.4 100	0.968 1.0 0.0	87.7 -13.0 93.5 94.4 98	0.867 1.0 0.0	0.823 1.0 0.0	84.7 -17.7 86.3 88.1 101	0.867 1.0 0.0	0.823 1.0 0.0	84.7 -17.7 86.3 88.1 101	0.867 1.0 0.0			
100	98	101	0.866 1.0 0.0	85.6 -16.4 88.2 89.7 100	0.929 1.0 0.0	86.9 -14.4 91.4 92.6 99	0.85 1.0 0.0	0.774 1.0 0.0	83.5 -19.0 84.1 86.2 102	0.85 1.0 0.0	0.774 1.0 0.0	83.5 -19.0 84.1 86.2 102	0.85 1.0 0.0			
100	99	102	0.85 1.0 0.0	85.2 -16.9 87.4 89.1 100	0.89 1.0 0.0	86.2 -15.7 89.4 90.8 100	0.833 1.0 0.0	0.735 1.0 0.0	82.3 -20.3 82.2 84.7 103	0.833 1.0 0.0	0.735 1.0 0.0	82.3 -20.3 82.2 84.7 103	0.833 1.0 0.0			
101	100	103	0.833 1.0 0.0	84.8 -17.4 86.7 88.4 101	0.849 1.0 0.0	85.3 -16.9 87.5 89.1 101	0.817 1.0 0.0	0.706 1.0 0.0	80.9 -21.7 80.7 83.6 105	0.817 1.0 0.0	0.706 1.0 0.0	80.9 -21.7 80.7 83.6 105	0.817 1.0 0.0			
101	101	105	0.816 1.0 0.0	84.5 -17.9 86.0 87.8 101	0.807 1.0 0.0	84.3 -18.1 85.6 87.5 102	0.8 1.0 0.0	0.676 1.0 0.0	79.5 -23.0 79.1 82.4 106	0.8 1.0 0.0	0.676 1.0 0.0	79.5 -23.0 79.1 82.4 106	0.8 1.0 0.0			
102	102	106	0.8 1.0 0.0	84.1 -18.3 85.2 87.2 102	0.765 1.0 0.0	83.3 -19.2 83.7 85.9 103	0.783 1.0 0.0	0.647 1.0 0.0	78.1 -24.3 77.5 81.3 107	0.783 1.0 0.0	0.647 1.0 0.0	78.1 -24.3 77.5 81.3 107	0.783 1.0 0.0			
102	103	107	0.783 1.0 0.0	83.7 -18.8 84.5 86.5 102	0.734 1.0 0.0	82.2 -20.4 82.2 84.7 104	0.767 1.0 0.0	0.62 1.0 0.0	76.9 -25.5 75.9 80.1 108	0.767 1.0 0.0	0.62 1.0 0.0	76.9 -25.5 75.9 80.1 108	0.767 1.0 0.0			
102	104	108	0.766 1.0 0.0	83.3 -19.2 83.7 85.9 102	0.709 1.0 0.0	81.0 -21.6 80.9 83.7 105	0.75 1.0 0.0	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109	0.75 1.0 0.0	0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109	0.75 1.0 0.0			
103	105	109	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103	0.684 1.0 0.0	79.9 -22.7 79.5 82.7 106	0.733 1.0 0.0	0.578 1.0 0.0	75.5 -27.7 72.6 77.7 110	0.733 1.0 0.0	0.578 1.0 0.0	75.5 -27.7 72.6 77.7 110	0.733 1.0 0.0			
104	106	110	0.733 1.0 0.0	82.2 -20.5 82.1 84.6 104	0.658 1.0 0.0	78.7 -23.8 78.2 81.7 107	0.717 1.0 0.0	0.558 1.0 0.0	74.8 -28.7 70.9 76.5 112	0.717 1.0 0.0	0.558 1.0 0.0	74.8 -28.7 70.9 76.5 112	0.717 1.0 0.0			
104	107	112	0.716 1.0 0.0	81.4 -21.3 81.2 84.0 104	0.633 1.0 0.0	77.5 -24.9 76.8 80.8 108	0.7 1.0 0.0	0.537 1.0 0.0	74.1 -29.7 69.2 75.3 113	0.7 1.0 0.0	0.537 1.0 0.0	74.1 -29.7 69.2 75.3 113	0.7 1.0 0.0			
105	108	113	0.7 1.0 0.0	80.6 -22.0 80.3 83.3 105	0.613 1.0 0.0	76.7 -25.9 75.4 79.7 109	0.683 1.0 0.0	0.517 1.0 0.0	73.4 -30.6 67.5 74.1 114	0.683 1.0 0.0	0.517 1.0 0.0	73.4 -30.6 67.5 74.1 114	0.683 1.0 0.0			
106	109	114	0.683 1.0 0.0	79.8 -22.8 79.5 82.7 106	0.595 1.0 0.0	76.1 -26.8 74.0 78.7 110	0.667 1.0 0.0	0.496 1.0 0.0	72.7 -31.5 65.8 73.0 115	0.667 1.0 0.0	0.496 1.0 0.0	72.7 -31.5 65.8 73.0 115	0.667 1.0 0.0			
106	110	115	0.666 1.0 0.0	79.0 -23.5 78.6 82.0 106	0.578 1.0 0.0	75.5 -27.7 72.5 77.7 111	0.65 1.0 0.0	0.475 1.0 0.0	72.0 -32.5 64.5 72.3 116	0.65 1.0 0.0	0.475 1.0 0.0	72.0 -32.5 64.5 72.3 116	0.65 1.0 0.0			
107	111	116	0.65 1.0 0.0	78.2 -24.2 77.7 81.4 107	0.56 1.0 0.0	74.9 -28.6 71.1 76.6 112	0.633 1.0 0.0	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117	0.633 1.0 0.0	0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117	0.633 1.0 0.0			
107	112	117	0.633 1.0 0.0	77.4 -24.9 76.8 80.7 107	0.542 1.0 0.0	74.2 -29.4 69.6 75.6 113	0.617 1.0 0.0	0.434 1.0 0.0	70.7 -34.4 61.9 70.9 119	0.617 1.0 0.0	0.434 1.0 0.0	70.7 -34.4 61.9 70.9 119	0.617 1.0 0.0			
108	113	119	0.616 1.0 0.0	76.8 -25.7 75.6 79.9 108	0.525 1.0 0.0	73.6 -30.2 68.1 74.6 114	0.6 1.0 0.0	0.413 1.0 0.0	70.1 -35.3 60.6 70.2 120	0.6 1.0 0.0	0.413 1.0 0.0	70.1 -35.3 60.6 70.2 120	0.6 1.0 0.0			
109	114	120	0.6 1.0 0.0	76.2 -26.6 74.3 78.9 109	0.507 1.0 0.0	73.0 -31.0 66.7 73.5 115	0.583 1.0 0.0	0.393 1.0 0.0	69.5 -36.1 59.2 69.4 121	0.583 1.0 0.0	0.393 1.0 0.0	69.5 -36.1 59.2 69.4 121	0.583 1.0 0.0			
110	115	121	0.583 1.0 0.0	75.6 -27.5 72.9 78.0 110	0.489 1.0 0.0	72.5 -31.8 65.4 72.8 116	0.567 1.0 0.0	0.373 1.0 0.0	68.8 -37.0 58.0 68.8 122	0.567 1.0 0.0	0.373 1.0 0.0	68.8 -37.0 58.0 68.8 122	0.567 1.0 0.0			
111	116	122	0.566 1.0 0.0	75.0 -28.3 71.6 77.0 111	0.471 1.0 0.0	71.9 -32.7 64.3 72.2 117	0.55 1.0 0.0	0.362 1.0 0.0	68.1 -38.1 57.1 68.7 123	0.55 1.0 0.0	0.362 1.0 0.0	68.1 -38.1 57.1 68.7 123	0.55 1.0 0.0			
112	117	123	0.55 1.0 0.0	74.5 -29.1 70.2 76.0 112	0.454 1.0 0.0	71.4 -33.5 63.2 71.5 118	0.533 1.0 0.0	0.35 1.0 0.0	67.3 -39.2 56.2 68.6 124	0.533 1.0 0.0	0.35 1.0 0.0	67.3 -39.2 56.2				

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de																		
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.5	1.0	0.0	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	0.5	1.0	0.0
116	121	128	0.483	1.0	0.0	72.2	-32.1	65.0	72.5	116	0.4	1.0	0.0	69.7	-35.8	59.8	69.7	121	0.483	1.0	0.0	0.315	1.0	0.0	65.1	-42.3	53.5	68.3	128	0.483	1.0	0.0
117	122	129	0.466	1.0	0.0	71.7	-32.9	63.9	71.9	117	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	122	0.467	1.0	0.0	0.303	1.0	0.0	64.3	-43.3	52.5	68.2	129	0.467	1.0	0.0
118	123	130	0.45	1.0	0.0	71.2	-33.7	62.9	71.4	118	0.369	1.0	0.0	68.5	-37.4	57.7	68.8	123	0.45	1.0	0.0	0.292	1.0	0.0	63.6	-44.3	51.5	68.1	130	0.45	1.0	0.0
119	124	131	0.433	1.0	0.0	70.7	-34.5	61.8	70.8	119	0.359	1.0	0.0	67.9	-38.3	56.9	68.7	124	0.433	1.0	0.0	0.28	1.0	0.0	62.8	-45.3	50.6	67.9	131	0.433	1.0	0.0
120	125	133	0.416	1.0	0.0	70.2	-35.2	60.8	70.2	120	0.349	1.0	0.0	67.3	-39.2	56.2	68.6	125	0.417	1.0	0.0	0.269	1.0	0.0	62.1	-46.2	49.5	67.8	133	0.417	1.0	0.0
121	126	134	0.4	1.0	0.0	69.6	-35.9	59.7	69.6	121	0.339	1.0	0.0	66.6	-40.2	55.4	68.5	126	0.4	1.0	0.0	0.257	1.0	0.0	61.3	-47.2	48.5	67.7	134	0.4	1.0	0.0
121	127	135	0.383	1.0	0.0	69.1	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.383	1.0	0.0	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	0.383	1.0	0.0
123	128	136	0.366	1.0	0.0	68.3	-37.7	57.4	68.7	123	0.319	1.0	0.0	65.3	-42.0	53.8	68.3	128	0.367	1.0	0.0	0.229	1.0	0.0	60.3	-49.0	46.5	67.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	67.3	-39.2	56.2	68.6	124	0.309	1.0	0.0	64.7	-42.8	53.0	68.2	129	0.35	1.0	0.0	0.214	1.0	0.0	59.9	-49.9	45.4	67.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	66.2	-40.8	54.9	68.4	126	0.299	1.0	0.0	64.1	-43.7	52.2	68.1	130	0.333	1.0	0.0	0.199	1.0	0.0	59.5	-50.8	44.4	67.5	138	0.333	1.0	0.0
128	131	140	0.316	1.0	0.0	65.1	-42.3	53.6	68.2	128	0.289	1.0	0.0	63.4	-44.5	51.3	68.0	131	0.317	1.0	0.0	0.184	1.0	0.0	59.1	-51.7	43.3	67.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	64.0	-43.7	52.2	68.1	129	0.28	1.0	0.0	62.8	-45.4	50.5	67.9	132	0.3	1.0	0.0	0.169	1.0	0.0	58.6	-52.5	42.2	67.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	63.0	-45.1	50.8	67.9	131	0.27	1.0	0.0	62.1	-46.2	49.6	67.8	133	0.283	1.0	0.0	0.154	1.0	0.0	58.2	-53.3	41.1	67.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	61.9	-46.5	49.3	67.8	133	0.26	1.0	0.0	61.5	-47.0	48.7	67.8	134	0.267	1.0	0.0	0.139	1.0	0.0	57.8	-54.1	40.0	67.4	143	0.267	1.0	0.0
134	135	144	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.25	1.0	0.0	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	60.4	-48.8	46.7	67.6	136	0.237	1.0	0.0	60.5	-48.5	47.0	67.6	136	0.233	1.0	0.0	0.113	1.0	0.0	56.9	-56.2	38.1	68.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	59.9	-49.8	45.6	67.5	137	0.224	1.0	0.0	60.1	-49.3	46.1	67.6	137	0.217	1.0	0.0	0.102	1.0	0.0	56.4	-57.5	37.3	68.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	59.4	-50.8	44.4	67.5	138	0.211	1.0	0.0	59.8	-50.1	45.2	67.6	138	0.2	1.0	0.0	0.091	1.0	0.0	55.9	-58.8	36.4	69.2	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	59.0	-51.8	43.2	67.4	140	0.198	1.0	0.0	59.4	-50.9	44.3	67.5	139	0.183	1.0	0.0	0.08	1.0	0.0	55.4	-60.0	35.6	69.9	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	58.5	-52.7	42.0	67.4	141	0.185	1.0	0.0	59.1	-51.6	43.4	67.5	140	0.167	1.0	0.0	0.069	1.0	0.0	55.0	-61.3	34.6	70.5	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	58.1	-53.6	40.8	67.4	142	0.172	1.0	0.0	58.7	-52.3	42.5	67.5	141	0.15	1.0	0.0	0.058	1.0	0.0	54.5	-62.5	33.7	71.1	151	0.15	1.0	0.0
144	142	152	0.133	1.0	0.0	57.6	-54.5	39.5	67.3	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.133	1.0	0.0	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	57.0	-55.9	38.3	67.8	145	0.147	1.0	0.0	58.0	-53.7	40.6	67.4	143	0.117	1.0	0.0	0.035	1.0	0.0	53.5	-65.0	31.7	72.4	154	0.117	1.0	0.0
147	144	155	0.1	1.0	0.0	56.3	-57.8	37.1	68.7	147	0.134	1.0	0.0	57.7	-54.4	39.6	67.4	144	0.1	1.0	0.0	0.024	1.0	0.0	53.0	-66.2	30.6	73.0	155	0.1	1.0	0.0
149	145	156	0.083	1.0	0.0	55.5	-59.7	35.8	69.6	149	0.122	1.0	0.0	57.3	-55.2	38.7	67.5	145	0.083	1.0	0.0	0.013	1.0	0.0	52.5	-67.4	29.5	73.6	156	0.083	1.0	0.0
150	146	157	0.066	1.0	0.0	54.8	-61.6	34.4	70.6	150	0.112	1.0	0.0	56.9	-56.3	38.1	68.0	146	0.067	1.0	0.0	0.002	1.0	0.0	52.0	-68.5	28.3	74.2	157	0.067	1.0	0.0
152	147	158	0.049	1.0	0.0	54.1	-63.4	32.9	71.5	152	0.103	1.0	0.0	56.4	-57.4	37.4	68.6	147	0.05	1.0	0.0	0.0	1.0	0.02	52.1	-68.4	26.7	73.6	158	0.05	1.0	0.0
154	148	159	0.033	1.0	0.0	53.4	-65.3	31.4	72.4	154	0.093	1.0	0.0	56.0	-58.5	36.6	69.1	148	0.033	1.0	0.0	0.0	1.0	0.044	52.2	-68.0	24.9	72.5	159	0.033	1.0	0.0
156	149	161	0.016	1.0	0.0	52.6	-67.1	29.8	73.4	156	0.084	1.0	0.0	55.6	-59.6	35.9	69.7	149	0.017	1.0	0.0	0.0	1.0	0.069	52.3	-67.6	23.2	71.5	161	0.017	1.0	0.0
157	150	162	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157	G <sub>d</sub> 0.074	1.0	0.0	55.2	-60.7	35.1	70.2	150	G <sub>s</sub> 0.0	1.0	0.0	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162	G <sub>e</sub> 0.0	1.0	0.0
158	151	163	0.0	1.0	0.016	52.0	-68.5	26.9	73.6	158	0.065	1.0	0.0	54.8	-61.8	34.3	70.7	151	0.0	1.0	0.017	0.0	1.0	0.112	52.5	-66.6	20.2	69.7	163	0.0	1.0	0.017
159	152	164	0.0	1.0	0.033	52.1	-68.3	25.7	72.9	159	0.055	1.0	0.0	54.4	-62.8	33.5	71.3	152	0.0	1.0	0.033	0.0	1.0	0.13	52.6	-66.2	18.9	68.9	164	0.0	1.0	0.033
160	153	164	0.0	1.0	0.05	52.2	-68.0	24.5	72.2	160	0.046	1.0	0.0	53.9	-63.9	32.6	71.8	153	0.0	1.0	0.05	0.0	1.0	0.146	52.7	-65.7	17.7	68.1	164	0.0	1.0	0.05
160	154	165	0.0	1.0	0.066	52.2	-67.6	23.3	71.6	160	0.036	1.0	0.0	53.5	-64.9	31.7	72.3	154	0.0	1.0	0.067	0.0	1.0	0.162	52.8	-65.2	16.4	67.3	165	0.0	1.0	0.067
161	155	166	0.0	1.0	0.083	52.3	-67.3	22.1	70.9	161	0.027	1.0	0.0	53.1	-65.9	30.8	72.9	155	0.0	1.0	0.083	0.0	1.0	0.178	52.9	-64.6	15.2	66.5	166	0.0	1.0	0.083
162	156	167	0.0	1.0	0.1	52.4	-66.9	21.0	70.2	162	0.017	1.0	0.0	52.7	-67.0	29.9	73.4	156	0.0	1.0	0.1	0.0	1.0	0.193	53.0	-64.1	14.0	65.7	167	0.0	1.0	0.1
163	157	168	0.0	1.0	0.116	52.5	-66.6	19.9	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.117	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168	0.0	1.0	0.117
164	158	169	0.0	1.0	0.133	52.6	-66.1	18.6	68.7	164	0.0	1.0	0.004	52.0	-68.7	27.8	74.2	158	0.0	1.0	0.133	0.0	1.0	0.225	53.2	-62.9	11.6	64.1	169	0.0	1.0	0.133
165	159	170	0.0	1.0	0.15	52.7	-65.6	17.3	67.9	165	0.0	1.0	0.025	52.1	-68.3	26.3	73.3	159	0.0	1.0	0.15	0.0	1.0	0.241	53.2	-62.3	10.5	63.3	170	0.0	1.0	0.15
166	160	171	0.0	1.0	0.166	52.8																										





Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM <sub>d</sub> : h <sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM <sub>e</sub> : h <sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																										
h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>*</sup> <sub>dd361M</sub>	LAB <sup>*</sup> <sub>ddx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>ds361Mi</sub>	LAB <sup>*</sup> <sub>dsx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	LAB <sup>*</sup> <sub>de361Mi</sub>	rgb <sup>*</sup> <sub>dex361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	rgb <sup>*</sup> <sub>dd</sub>	rgb <sup>*</sup> <sub>ds</sub>	rgb <sup>*</sup> <sub>de</sub>																													
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	0.666	56.1	-43.2	-24.9	50.0	210	C <sub>s</sub>	0.0	1.0	1.0	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216	C <sub>e</sub>	0.0	1.0	1.0	0.0	1.0	0.983	1.0	0.0	1.0	0.983	1.0
236	211	217	0.0	0.983	1.0	57.9	-28.7	-43.7	52.3	236	0.0	1.0	0.676	56.2	-42.8	-25.7	50.0	211	0.0	0.983	1.0	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217	0.0	0.983	1.0	0.0	1.0	0.967	1.0	0.0	1.0	0.967	1.0		
237	212	218	0.0	0.966	1.0	57.5	-28.1	-43.8	52.0	237	0.0	1.0	0.686	56.3	-42.3	-26.4	50.0	212	0.0	0.967	1.0	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218	0.0	0.967	1.0	0.0	1.0	0.951	1.0	0.0	1.0	0.951	1.0		
237	213	219	0.0	0.951	1.0	57.1	-27.5	-43.8	51.8	237	0.0	1.0	0.696	56.4	-41.8	-27.1	49.9	213	0.0	0.951	1.0	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219	0.0	0.951	1.0	0.0	1.0	0.933	1.0	0.0	1.0	0.933	1.0		
238	214	220	0.0	0.933	1.0	56.7	-26.9	-43.9	51.5	238	0.0	1.0	0.706	56.4	-41.3	-27.8	49.9	214	0.0	0.933	1.0	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220	0.0	0.933	1.0	0.0	1.0	0.917	1.0	0.0	1.0	0.917	1.0		
238	215	221	0.0	0.916	1.0	56.2	-26.4	-43.9	51.2	238	0.0	1.0	0.716	56.5	-40.8	-28.5	49.9	215	0.0	0.917	1.0	0.0	1.0	0.794	57.0	-37.4	-33.1	50.1	221	0.0	0.917	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.867	1.0		
239	216	222	0.0	0.9	1.0	55.8	-25.8	-43.9	50.9	239	0.0	1.0	0.726	56.6	-40.2	-29.2	49.8	216	0.0	0.9	1.0	0.0	1.0	0.807	57.1	-36.9	-33.8	50.2	222	0.0	0.9	1.0	0.0	1.0	0.833	1.0	0.0	1.0	0.833	1.0		
240	217	223	0.0	0.883	1.0	55.4	-25.2	-43.9	50.7	240	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	217	0.0	0.883	1.0	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223	0.0	0.883	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.867	1.0		
240	218	224	0.0	0.866	1.0	55.0	-24.6	-43.9	50.4	240	0.0	1.0	0.746	56.7	-39.1	-30.5	49.8	218	0.0	0.867	1.0	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224	0.0	0.867	1.0	0.0	1.0	0.845	1.0	0.0	1.0	0.845	1.0		
241	219	225	0.0	0.85	1.0	54.5	-23.9	-44.0	50.1	241	0.0	1.0	0.758	56.8	-38.6	-31.2	49.8	219	0.0	0.85	1.0	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225	0.0	0.85	1.0	0.0	1.0	0.833	1.0	0.0	1.0	0.833	1.0		
242	220	226	0.0	0.833	1.0	54.1	-23.2	-44.0	49.8	242	0.0	1.0	0.772	56.9	-38.1	-32.0	49.9	220	0.0	0.833	1.0	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226	0.0	0.833	1.0	0.0	1.0	0.817	1.0	0.0	1.0	0.817	1.0		
242	221	227	0.0	0.816	1.0	53.6	-22.5	-44.1	49.5	242	0.0	1.0	0.786	57.0	-37.7	-32.7	50.0	221	0.0	0.817	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	0.817	1.0	0.0	1.0	0.884	1.0	0.0	1.0	0.884	1.0		
243	222	227	0.0	0.8	1.0	53.1	-21.8	-44.1	49.2	243	0.0	1.0	0.8	57.1	-37.2	-33.4	50.1	222	0.0	0.8	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	0.8	1.0	0.0	1.0	0.896	1.0	0.0	1.0	0.896	1.0		
244	223	228	0.0	0.783	1.0	52.7	-21.1	-44.1	48.9	244	0.0	1.0	0.814	57.2	-36.6	-34.2	50.2	223	0.0	0.783	1.0	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228	0.0	0.783	1.0	0.0	1.0	0.909	1.0	0.0	1.0	0.909	1.0		
245	224	229	0.0	0.766	1.0	52.2	-20.4	-44.1	48.6	245	0.0	1.0	0.828	57.3	-36.1	-34.9	50.3	224	0.0	0.767	1.0	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229	0.0	0.767	1.0	0.0	1.0	0.922	1.0	0.0	1.0	0.922	1.0		
245	225	230	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245	0.0	1.0	0.842	57.4	-35.6	-35.6	50.4	225	0.0	0.75	1.0	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	0.0	0.75	1.0	0.0	1.0	0.935	1.0	0.0	1.0	0.935	1.0		
246	226	231	0.0	0.733	1.0	51.2	-18.9	-44.2	48.1	246	0.0	1.0	0.856	57.5	-35.0	-36.3	50.5	226	0.0	0.733	1.0	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231	0.0	0.733	1.0	0.0	1.0	0.948	1.0	0.0	1.0	0.948	1.0		
247	227	232	0.0	0.716	1.0	50.7	-18.1	-44.3	47.8	247	0.0	1.0	0.87	57.5	-34.4	-36.9	50.7	227	0.0	0.717	1.0	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232	0.0	0.717	1.0	0.0	1.0	0.961	1.0	0.0	1.0	0.961	1.0		
248	228	233	0.0	0.7	1.0	50.1	-17.4	-44.3	47.6	248	0.0	1.0	0.884	57.6	-33.9	-37.7	50.8	228	0.0	0.7	1.0	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233	0.0	0.7	1.0	0.0	1.0	0.974	1.0	0.0	1.0	0.974	1.0		
249	229	234	0.0	0.683	1.0	49.6	-16.6	-44.3	47.4	249	0.0	1.0	0.899	57.7	-33.4	-38.4	51.1	229	0.0	0.683	1.0	0.0	1.0	0.974	58.2	-30.4	-42.3	52.2	234	0.0	0.683	1.0	0.0	1.0	0.987	1.0	0.0	1.0	0.987	1.0		
250	230	235	0.0	0.666	1.0	49.1	-15.8	-44.4	47.1	250	0.0	1.0	0.913	57.8	-32.9	-39.2	51.3	230	0.0	0.667	1.0	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235	0.0	0.667	1.0	0.0	1.0	0.999	1.0	0.0	1.0	0.999	1.0		
251	231	236	0.0	0.65	1.0	48.5	-15.0	-44.4	46.9	251	0.0	1.0	0.927	57.9	-32.3	-39.9	51.5	231	0.0	0.65	1.0	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236	0.0	0.65	1.0	0.0	1.0	0.974	1.0	0.0	1.0	0.974	1.0		
252	232	237	0.0	0.633	1.0	48.0	-14.3	-44.4	46.6	252	0.0	1.0	0.941	58.0	-31.7	-40.7	51.7	232	0.0	0.633	1.0	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	0.633	1.0	0.0	1.0	0.947	1.0	0.0	1.0	0.947	1.0	
253	233	237	0.0	0.616	1.0	47.4	-13.4	-44.5	46.4	253	0.0	1.0	0.955	58.1	-31.2	-41.4	51.9	233	0.0	0.617	1.0	0.0	1.0	0.947	1.0	57.0	-27.4	-43.8	51.8	237	0.0	0.617	1.0	0.0	1.0	0.919	1.0	0.0	1.0	0.919	1.0	
254	234	238	0.0	0.6	1.0	46.7	-12.3	-44.6	46.3	254	0.0	1.0	0.969	58.2	-30.6	-42.1	52.2	234	0.0	0.6	1.0	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238	0.0	0.6	1.0	0.0	1.0	0.892	1.0	0.0	1.0	0.892	1.0	
255	235	239	0.0	0.583	1.0	46.1	-11.3	-44.7	46.1	255	0.0	1.0	0.983	58.2	-29.9	-42.8	52.4	235	0.0	0.583	1.0	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239	0.0	0.583	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.867	1.0	
257	236	240	0.0	0.566	1.0	45.4	-10.2	-44.8	46.0	257	0.0	1.0	0.997	58.3	-29.3	-43.5	52.6	236	0.0	0.567	1.0	0.0	1.0	0.867	1.0	55.0	-24.6	-43.9	50.4	240	0.0	0.567	1.0	0.0	1.0	0.847	1.0	0.0	1.0	0.847	1.0	
258	237	241	0.0	0.55	1.0	44.7	-9.1	-44.9	45.8	258	0.0	1.0	0.976	1.0	57.7	-28.4	-43.7	52.2	237	0.0	0.55	1.0	0.0	1.0	0.847	1.0	54.5	-23.7	-44.0	50.1	241	0.0	0.55	1.0	0.0	1.0	0.826	1.0	0.0	1.0	0.826	1.0
259	238	242	0.0	0.533	1.0	44.1	-8.1	-45.0	45.7	259	0.0	1.0	0.946	1.0	57.0	-27.3	-43.8	51.7	238	0.0	0.533	1.0	0.0	1.0	0.826	1.0	53.9	-22.8	-44.0	49.7	242	0.0	0.533	1.0	0.0	1.0	0.805	1.0	0.0	1.0	0.805	1.0
261	239	243	0.0	0.516	1.0	43.4	-7.0	-45.0	45.5	261	0.0	1.0	0.916	1.0	56.3	-26.3	-43.8	51.2	239	0.0	0.517	1.0	0.0	1.0	0.805	1.0	53.3	-22.0	-44.0	49.3	243	0.0	0.517	1.0	0.0	1.0	0.785	1.0	0.0	1.0	0.785	1.0
262	240	244	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262	0.0	1.0	0.886	1.0	55.5	-25.3	-43.8	50.7	240	0.0	0.5	1.0	0.0	1.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244	0.0	0.5	1.0	0.0	1.0	0.764	1.0	0.0	1.0	0.764	1.0
263	241	245	0.0	0.483	1.0	42.1	-5.0	-45.1	45.4	263	0.0	1.0	0.861	1.0	54.9	-24.3	-43.9	50.3	241	0.0	0.483	1.0	0.0	1.0	0.764	1.0	52.2	-20.2	-44.1	48.6	245	0.0	0.483	1.0	0.0	1.0	0.745	1.0	0.0	1.0	0.745	1.0
264	242	246	0.0	0.466	1.0	41.4																																				

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM<sub>d</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM<sub>c</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* de361Mi	rgb* ds361Mi	rgb* de361Mi															
281	255	258	0.0	0.25 1.0	33.3	9.4	-46.0	47.0	281	0.0	0.594 1.0	46.5	-11.9	-44.6	46.3	255	0.0	0.25 1.0	0.0	0.555 1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25 1.0
282	256	258	0.0	0.233 1.0	32.7	10.5	-46.2	47.4	282	0.0	0.581 1.0	46.0	-11.1	-44.7	46.2	256	0.0	0.233 1.0	0.0	0.543 1.0	44.5	-8.7	-44.9	45.8	258	0.0	0.233 1.0
283	257	259	0.0	0.216 1.0	32.0	11.5	-46.4	47.8	283	0.0	0.568 1.0	45.5	-10.3	-44.8	46.1	257	0.0	0.217 1.0	0.0	0.532 1.0	44.1	-7.9	-44.9	45.7	259	0.0	0.217 1.0
285	258	260	0.0	0.2 1.0	31.4	12.5	-46.5	48.2	285	0.0	0.556 1.0	45.0	-9.5	-44.8	45.9	258	0.0	0.2 1.0	0.0	0.52 1.0	43.6	-7.2	-44.9	45.6	260	0.0	0.2 1.0
286	259	261	0.0	0.183 1.0	30.8	13.6	-46.7	48.6	286	0.0	0.543 1.0	44.5	-8.6	-44.9	45.8	259	0.0	0.183 1.0	0.0	0.508 1.0	43.1	-6.5	-44.9	45.5	261	0.0	0.183 1.0
287	260	262	0.0	0.166 1.0	30.1	14.7	-46.8	49.0	287	0.0	0.53 1.0	44.0	-7.8	-44.9	45.7	260	0.0	0.167 1.0	0.0	0.497 1.0	42.7	-5.7	-45.0	45.4	262	0.0	0.167 1.0
288	261	263	0.0	0.15 1.0	29.5	15.8	-46.9	49.4	288	0.0	0.517 1.0	43.5	-7.0	-44.9	45.6	261	0.0	0.15 1.0	0.0	0.484 1.0	42.2	-5.0	-45.0	45.4	263	0.0	0.15 1.0
289	262	264	0.0	0.133 1.0	28.9	16.8	-46.9	49.9	289	0.0	0.505 1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.133 1.0	0.0	0.472 1.0	41.7	-4.3	-45.1	45.4	264	0.0	0.133 1.0
290	263	265	0.0	0.116 1.0	28.3	17.8	-47.0	50.3	290	0.0	0.491 1.0	42.5	-5.4	-45.0	45.4	263	0.0	0.117 1.0	0.0	0.46 1.0	41.2	-3.6	-45.2	45.4	265	0.0	0.117 1.0
291	264	266	0.0	0.1 1.0	27.9	18.6	-47.1	50.6	291	0.0	0.478 1.0	41.9	-4.6	-45.1	45.4	264	0.0	0.1 1.0	0.0	0.448 1.0	40.8	-2.9	-45.2	45.4	266	0.0	0.1 1.0
292	265	267	0.0	0.083 1.0	27.5	19.4	-47.1	51.0	292	0.0	0.465 1.0	41.4	-3.9	-45.2	45.4	265	0.0	0.083 1.0	0.0	0.436 1.0	40.3	-2.1	-45.3	45.4	267	0.0	0.083 1.0
293	266	268	0.0	0.066 1.0	27.0	20.2	-47.1	51.4	293	0.0	0.451 1.0	40.9	-3.1	-45.2	45.4	266	0.0	0.067 1.0	0.0	0.423 1.0	39.8	-1.4	-45.3	45.4	268	0.0	0.067 1.0
293	267	269	0.0	0.049 1.0	26.6	21.0	-47.3	51.7	293	0.0	0.438 1.0	40.4	-2.3	-45.3	45.4	267	0.0	0.05 1.0	0.0	0.411 1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.05 1.0
294	268	269	0.0	0.033 1.0	26.2	21.8	-47.3	52.1	294	0.0	0.425 1.0	39.9	-1.5	-45.3	45.4	268	0.0	0.033 1.0	0.0	0.399 1.0	38.9	0.0	-45.3	45.4	269	0.0	0.033 1.0
295	269	270	0.0	0.016 1.0	25.7	22.6	-47.3	52.5	295	0.0	0.411 1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.017 1.0	0.0	0.387 1.0	38.4	0.7	-45.3	45.4	270	0.0	0.017 1.0
296	270	271	0.0	0.0 1.0	25.3	23.5	-47.3	52.8	296	0.0	0.398 1.0	38.8	0.0	-45.3	45.4	270	0.0	0.0 1.0	0.0	0.375 1.0	37.9	1.4	-45.3	45.5	271	0.0	0.0 1.0
297	271	272	0.016	0.0 1.0	25.8	24.6	-46.8	52.9	297	0.0	0.385 1.0	38.3	0.8	-45.3	45.4	271	0.017	0.0 1.0	0.0	0.363 1.0	37.5	2.1	-45.5	45.6	272	0.017	0.0 1.0
299	272	273	0.033	0.0 1.0	26.3	25.8	-46.2	52.9	299	0.0	0.371 1.0	37.8	1.6	-45.4	45.5	272	0.033	0.0 1.0	0.0	0.351 1.0	37.1	2.9	-45.6	45.8	273	0.033	0.0 1.0
300	273	274	0.05	0.0 1.0	26.9	26.9	-45.6	52.9	300	0.0	0.359 1.0	37.3	2.4	-45.5	45.7	273	0.05	0.0 1.0	0.0	0.339 1.0	36.6	3.7	-45.7	45.9	274	0.05	0.0 1.0
301	274	275	0.066	0.0 1.0	27.4	28.0	-45.0	53.0	301	0.0	0.346 1.0	36.9	3.2	-45.6	45.8	274	0.067	0.0 1.0	0.0	0.327 1.0	36.2	4.4	-45.7	46.0	275	0.067	0.0 1.0
303	275	276	0.083	0.0 1.0	27.9	29.1	-44.3	53.0	303	0.0	0.334 1.0	36.4	4.0	-45.7	46.0	275	0.083	0.0 1.0	0.0	0.315 1.0	35.7	5.2	-45.8	46.2	276	0.083	0.0 1.0
304	276	277	0.1	0.0 1.0	28.5	30.2	-43.6	53.1	304	0.0	0.321 1.0	36.0	4.8	-45.8	46.1	276	0.1	0.0 1.0	0.0	0.303 1.0	35.3	6.0	-45.9	46.3	277	0.1	0.0 1.0
306	277	278	0.116	0.0 1.0	29.0	31.2	-42.9	53.1	306	0.0	0.309 1.0	35.5	5.6	-45.8	46.3	277	0.117	0.0 1.0	0.0	0.291 1.0	34.9	6.8	-45.9	46.5	278	0.117	0.0 1.0
307	278	279	0.133	0.0 1.0	29.4	32.1	-42.3	53.1	307	0.0	0.296 1.0	35.0	6.5	-45.9	46.4	278	0.133	0.0 1.0	0.0	0.279 1.0	34.4	7.6	-45.9	46.6	279	0.133	0.0 1.0
307	279	280	0.15	0.0 1.0	29.7	32.7	-41.9	53.2	307	0.0	0.283 1.0	34.6	7.3	-45.9	46.6	279	0.15	0.0 1.0	0.0	0.267 1.0	34.0	8.3	-45.9	46.8	280	0.15	0.0 1.0
308	280	281	0.166	0.0 1.0	30.0	33.3	-41.5	53.2	308	0.0	0.271 1.0	34.1	8.1	-45.9	46.7	280	0.167	0.0 1.0	0.0	0.256 1.0	33.5	9.1	-45.9	46.9	281	0.167	0.0 1.0
309	281	282	0.183	0.0 1.0	30.3	33.9	-41.0	53.2	309	0.0	0.258 1.0	33.6	8.9	-45.9	46.9	281	0.183	0.0 1.0	0.0	0.243 1.0	33.1	9.9	-46.0	47.2	282	0.183	0.0 1.0
310	282	283	0.2	0.0 1.0	30.6	34.5	-40.6	53.3	310	0.0	0.245 1.0	33.1	9.8	-46.0	47.1	282	0.2	0.0 1.0	0.0	0.229 1.0	32.5	10.8	-46.2	47.5	283	0.2	0.0 1.0
311	283	284	0.216	0.0 1.0	30.9	35.0	-40.1	53.3	311	0.0	0.231 1.0	32.6	10.7	-46.2	47.5	283	0.217	0.0 1.0	0.0	0.215 1.0	32.0	11.6	-46.3	47.9	284	0.217	0.0 1.0
311	284	285	0.233	0.0 1.0	31.2	35.6	-39.6	53.3	311	0.0	0.216 1.0	32.1	11.6	-46.3	47.8	284	0.233	0.0 1.0	0.0	0.202 1.0	31.5	12.5	-46.5	48.2	285	0.233	0.0 1.0
312	285	285	0.25	0.0 1.0	31.5	36.2	-39.2	53.4	312	0.0	0.202 1.0	31.5	12.5	-46.5	48.2	285	0.25	0.0 1.0	0.0	0.188 1.0	31.0	13.3	-46.6	48.5	285	0.25	0.0 1.0
314	286	286	0.266	0.0 1.0	31.8	37.8	-38.3	53.8	314	0.0	0.188 1.0	31.0	13.4	-46.6	48.6	286	0.267	0.0 1.0	0.0	0.175 1.0	30.5	14.2	-46.7	48.9	286	0.267	0.0 1.0
316	287	287	0.283	0.0 1.0	32.1	39.4	-37.4	54.3	316	0.0	0.173 1.0	30.4	14.3	-46.7	48.9	287	0.283	0.0 1.0	0.0	0.161 1.0	30.0	15.1	-46.8	49.2	287	0.283	0.0 1.0
318	288	288	0.3	0.0 1.0	32.4	40.9	-36.4	54.8	318	0.0	0.159 1.0	29.9	15.2	-46.8	49.3	288	0.3	0.0 1.0	0.0	0.147 1.0	29.5	16.0	-46.8	49.6	288	0.3	0.0 1.0
320	289	289	0.316	0.0 1.0	32.7	42.4	-35.3	55.3	320	0.0	0.145 1.0	29.4	16.2	-46.8	49.6	289	0.317	0.0 1.0	0.0	0.134 1.0	28.9	16.9	-46.9	49.9	289	0.317	0.0 1.0
322	290	290	0.333	0.0 1.0	33.0	43.9	-34.2	55.7	322	0.0	0.13 1.0	28.8	17.1	-46.9	50.0	290	0.333	0.0 1.0	0.0	0.118 1.0	28.4	17.8	-46.9	50.3	290	0.333	0.0 1.0
323	291	291	0.35	0.0 1.0	33.3	45.4	-33.1	56.2	323	0.0	0.112 1.0	28.3	18.1	-47.0	50.4	291	0.35	0.0 1.0	0.0	0.098 1.0	27.9	18.7	-47.0	50.7	291	0.35	0.0 1.0
325	292	292	0.366	0.0 1.0	33.6	46.9	-31.8	56.7	325	0.0	0.091 1.0	27.7	19.1	-47.1	50.9	292	0.367	0.0 1.0	0.0	0.079 1.0	27.4	19.6	-47.1	51.1	292	0.367	0.0 1.0
327	293	293	0.383	0.0 1.0	34.0	48.0	-30.9	57.1	327	0.0	0.07 1.0	27.2	20.1	-47.1	51.3	293	0.383	0.0 1.0	0.0	0.059 1.0	26.9	20.6	-47.2	51.6	293	0.383	0.0 1.0
328	294	294	0.4	0.0 1.0	34.6	48.9	-30.3	57.5	328	0.0	0.05 1.0	26.6	21.1	-47.2	51.8	294	0.4	0.0 1.0	0.0	0.04 1.0	26.4	21.6	-47.2	52.0	294	0.4	0.0 1.0
329	295	295	0.416	0.0 1.0	35.1	49.7	-29.7	57.9	329	0.0	0.029 1.0	26.1	22.1	-47.2	52.2	295	0.417	0.0 1.0	0.0	0.02 1.0	25.9	22.5	-47.3	52.4	295	0.417	0.0 1.0
330	296	296	0.433	0.0 1.0	35.7	50.5	-29.0	58.3	330	0.0	0.008 1.0	25.6	23.1	-47.3	52.7	296	0.433	0.0 1.0	0.0	0.001 1.0	25.3	23.5	-47.3	52.9	296	0.433	0.0 1.0
331	297	297	0.45	0.0 1.0	36.2	51.4	-28.4	58.7	331	0.007	0.0 1.0	25.6	24.0	-47.0	52.9	297	0.45	0.0 1.0	0.011	0.0 1.0	25.7	24.3	-46.9	52.9	297	0.45	0.0 1.0
332	298	298	0.466	0.0 1.0	36.7	52.2	-27.7	59.1	332	0.019	0.0 1.0	25.9	24.8	-46.6	52.9	298	0.467	0.0 1.0</									



Data of Maximum color M in colorimetric system Offset standard print; separation cmy6\*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)																		
333	300	300	0.5	1.0	37.8	53.8	-26.3	59.9	333	0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300	0.5	0.0	1.0	0.046	0.0	1.0	26.8	26.6	-45.7	53.0	300	0.5	0.0	1.0	
334	301	301	0.516	0.0	1.0	38.3	54.5	-25.7	60.3	334	0.056	0.0	1.0	27.1	27.3	-45.3	53.0	301	0.517	0.0	1.0	0.057	0.0	1.0	27.2	27.4	-45.3	53.0	301	0.517	0.0	1.0
335	302	302	0.533	0.0	1.0	38.7	55.2	-25.2	60.6	335	0.068	0.0	1.0	27.5	28.1	-44.9	53.0	302	0.533	0.0	1.0	0.068	0.0	1.0	27.5	28.2	-44.8	53.0	302	0.533	0.0	1.0
336	303	303	0.55	0.0	1.0	39.1	55.8	-24.6	61.0	336	0.08	0.0	1.0	27.9	28.9	-44.4	53.1	303	0.55	0.0	1.0	0.08	0.0	1.0	27.9	28.9	-44.4	53.1	303	0.55	0.0	1.0
336	304	303	0.566	0.0	1.0	39.5	56.5	-24.0	61.4	336	0.092	0.0	1.0	28.3	29.7	-43.9	53.1	304	0.567	0.0	1.0	0.091	0.0	1.0	28.3	29.7	-43.9	53.1	303	0.567	0.0	1.0
337	305	304	0.583	0.0	1.0	39.9	57.2	-23.4	61.8	337	0.104	0.0	1.0	28.7	30.5	-43.4	53.1	305	0.583	0.0	1.0	0.103	0.0	1.0	28.6	30.4	-43.5	53.1	304	0.583	0.0	1.0
338	306	305	0.6	0.0	1.0	40.3	57.8	-22.8	62.2	338	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.6	0.0	1.0	0.114	0.0	1.0	29.0	31.1	-43.0	53.1	305	0.6	0.0	1.0
339	307	306	0.616	0.0	1.0	40.7	58.5	-22.1	62.5	339	0.13	0.0	1.0	29.4	32.0	-42.4	53.2	307	0.617	0.0	1.0	0.126	0.0	1.0	29.4	31.9	-42.5	53.2	306	0.617	0.0	1.0
340	308	307	0.633	0.0	1.0	41.1	59.3	-21.4	63.0	340	0.151	0.0	1.0	29.8	32.8	-41.8	53.2	308	0.633	0.0	1.0	0.146	0.0	1.0	29.7	32.6	-42.0	53.2	307	0.633	0.0	1.0
341	309	308	0.65	0.0	1.0	41.4	60.3	-20.5	63.7	341	0.172	0.0	1.0	30.2	33.5	-41.3	53.3	309	0.65	0.0	1.0	0.166	0.0	1.0	30.1	33.3	-41.5	53.2	308	0.65	0.0	1.0
342	310	309	0.666	0.0	1.0	41.7	61.3	-19.7	64.3	342	0.193	0.0	1.0	30.6	34.3	-40.7	53.3	310	0.667	0.0	1.0	0.186	0.0	1.0	30.4	34.0	-40.9	53.3	309	0.667	0.0	1.0
343	311	310	0.683	0.0	1.0	41.9	62.2	-18.8	65.0	343	0.214	0.0	1.0	30.9	35.0	-40.2	53.3	311	0.683	0.0	1.0	0.205	0.0	1.0	30.8	34.7	-40.4	53.3	310	0.683	0.0	1.0
344	312	311	0.7	0.0	1.0	42.2	63.2	-17.8	65.6	344	0.234	0.0	1.0	31.3	35.7	-39.6	53.4	312	0.7	0.0	1.0	0.225	0.0	1.0	31.1	35.4	-39.8	53.4	311	0.7	0.0	1.0
345	313	312	0.716	0.0	1.0	42.5	64.1	-16.9	66.3	345	0.252	0.0	1.0	31.6	36.5	-39.0	53.5	313	0.717	0.0	1.0	0.245	0.0	1.0	31.5	36.1	-39.3	53.4	312	0.717	0.0	1.0
346	314	313	0.733	0.0	1.0	42.8	65.0	-15.9	66.9	346	0.261	0.0	1.0	31.8	37.3	-38.5	53.7	314	0.733	0.0	1.0	0.256	0.0	1.0	31.7	36.8	-38.8	53.6	313	0.733	0.0	1.0
347	315	314	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347	0.27	0.0	1.0	31.9	38.2	-38.1	54.0	315	0.75	0.0	1.0	0.265	0.0	1.0	31.8	37.7	-38.4	53.8	314	0.75	0.0	1.0
347	316	315	0.766	0.0	1.0	43.5	66.4	-14.5	68.0	347	0.279	0.0	1.0	32.1	39.0	-37.6	54.2	316	0.767	0.0	1.0	0.273	0.0	1.0	32.0	38.5	-37.9	54.1	315	0.767	0.0	1.0
348	317	316	0.783	0.0	1.0	43.8	66.9	-14.1	68.4	348	0.288	0.0	1.0	32.3	39.8	-37.1	54.5	317	0.783	0.0	1.0	0.282	0.0	1.0	32.1	39.3	-37.4	54.3	316	0.783	0.0	1.0
348	318	317	0.8	0.0	1.0	44.2	67.3	-13.7	68.7	348	0.297	0.0	1.0	32.4	40.7	-36.5	54.7	318	0.8	0.0	1.0	0.29	0.0	1.0	32.3	40.0	-36.9	54.5	317	0.8	0.0	1.0
348	319	318	0.816	0.0	1.0	44.6	67.8	-13.3	69.1	348	0.306	0.0	1.0	32.6	41.5	-36.0	55.0	319	0.817	0.0	1.0	0.299	0.0	1.0	32.4	40.8	-36.4	54.8	318	0.817	0.0	1.0
349	320	319	0.833	0.0	1.0	45.0	68.3	-12.9	69.5	349	0.315	0.0	1.0	32.7	42.3	-35.4	55.2	320	0.833	0.0	1.0	0.307	0.0	1.0	32.6	41.6	-35.9	55.0	319	0.833	0.0	1.0
349	321	320	0.85	0.0	1.0	45.3	68.8	-12.5	69.9	349	0.324	0.0	1.0	32.9	43.1	-34.8	55.5	321	0.85	0.0	1.0	0.315	0.0	1.0	32.7	42.4	-35.4	55.3	320	0.85	0.0	1.0
350	322	321	0.866	0.0	1.0	45.7	69.2	-12.1	70.3	350	0.333	0.0	1.0	33.1	43.9	-34.2	55.8	322	0.867	0.0	1.0	0.324	0.0	1.0	32.9	43.2	-34.8	55.5	321	0.867	0.0	1.0
350	323	321	0.883	0.0	1.0	46.1	69.7	-11.7	70.7	350	0.342	0.0	1.0	33.2	44.7	-33.6	56.0	323	0.883	0.0	1.0	0.332	0.0	1.0	33.0	43.9	-34.2	55.7	321	0.883	0.0	1.0
350	324	322	0.9	0.0	1.0	46.4	70.1	-11.2	71.0	350	0.351	0.0	1.0	33.4	45.5	-33.0	56.3	324	0.9	0.0	1.0	0.341	0.0	1.0	33.2	44.7	-33.7	56.0	322	0.9	0.0	1.0
351	325	323	0.916	0.0	1.0	46.7	70.6	-10.8	71.4	351	0.359	0.0	1.0	33.5	46.3	-32.3	56.5	325	0.917	0.0	1.0	0.349	0.0	1.0	33.4	45.4	-33.1	56.2	323	0.917	0.0	1.0
351	326	324	0.933	0.0	1.0	47.0	71.0	-10.3	71.8	351	0.368	0.0	1.0	33.7	47.1	-31.6	56.8	326	0.933	0.0	1.0	0.358	0.0	1.0	33.5	46.2	-32.4	56.5	324	0.933	0.0	1.0
352	327	325	0.95	0.0	1.0	47.3	71.5	-9.9	72.2	352	0.379	0.0	1.0	34.0	47.9	-31.0	57.1	327	0.95	0.0	1.0	0.366	0.0	1.0	33.7	46.9	-31.8	56.7	325	0.95	0.0	1.0
352	328	326	0.966	0.0	1.0	47.6	71.9	-9.4	72.5	352	0.397	0.0	1.0	34.5	48.7	-30.4	57.5	328	0.967	0.0	1.0	0.375	0.0	1.0	33.8	47.6	-31.2	57.0	326	0.967	0.0	1.0
352	329	327	0.983	0.0	1.0	47.9	72.4	-9.0	72.9	352	0.414	0.0	1.0	35.1	49.6	-29.7	57.9	329	0.983	0.0	1.0	0.391	0.0	1.0	34.3	48.4	-30.6	57.3	327	0.983	0.0	1.0
353	330	328	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353	0.432	0.0	1.0	35.7	50.5	-29.1	58.3	330	1.0	0.0	1.0	0.407	0.0	1.0	34.9	49.3	-30.0	57.7	328	1.0	0.0	1.0
353	331	329	1.0	0.0	0.983	48.2	72.7	-7.9	73.1	353	0.449	0.0	1.0	36.2	51.4	-28.4	58.7	331	1.0	0.0	0.983	0.424	0.0	1.0	35.4	50.1	-29.4	58.1	329	1.0	0.0	0.983
354	332	330	1.0	0.0	0.966	48.2	72.5	-7.4	72.9	354	0.467	0.0	1.0	36.8	52.2	-27.7	59.1	332	1.0	0.0	0.967	0.441	0.0	1.0	35.9	50.9	-28.7	58.5	330	1.0	0.0	0.967
354	333	331	1.0	0.0	0.95	48.2	72.4	-6.8	72.7	354	0.484	0.0	1.0	37.4	53.1	-26.9	59.6	333	1.0	0.0	0.95	0.457	0.0	1.0	36.5	51.8	-28.1	58.9	331	1.0	0.0	0.95
355	334	332	1.0	0.0	0.933	48.2	72.2	-6.2	72.5	355	0.502	0.0	1.0	37.9	53.9	-26.2	60.0	334	1.0	0.0	0.933	0.474	0.0	1.0	37.0	52.6	-27.4	59.3	332	1.0	0.0	0.933
355	335	333	1.0	0.0	0.916	48.2	72.0	-5.7	72.3	355	0.524	0.0	1.0	38.5	54.8	-25.5	60.5	335	1.0	0.0	0.917	0.49	0.0	1.0	37.6	53.4	-26.7	59.7	333	1.0	0.0	0.917
355	336	334	1.0	0.0	0.9	48.2	71.9	-5.1	72.1	355	0.546	0.0	1.0	39.0	55.7	-24.7	61.0	336	1.0	0.0	0.9	0.508	0.0	1.0	38.1	54.2	-26.0	60.1	334	1.0	0.0	0.9
356	337	335	1.0	0.0	0.883	48.2	71.7	-4.6	71.8	356	0.567	0.0	1.0	39.6	56.6	-23.9	61.5	337	1.0	0.0	0.883	0.529	0.0	1.0	38.6	55.0	-25.3	60.6	335	1.0	0.0	0.883
356	338	336	1.0	0.0	0.866	48.2	71.5	-4.0	71.7	356	0.589	0.0	1.0	40.1	57.5	-23.1	62.0	338	1.0	0.0	0.867	0.55	0.0	1.0	39.1	55.9	-24.6	61.1	336	1.0	0.0	0.867
357	339	337	1.0	0.0	0.85	48.2	71.4	-3.3	71.5	357	0.611	0.0	1.0	40.7	58.3	-22.3	62.5	339	1.0	0.0	0.85	0.57	0.0	1.0	39.6	56.7	-23.8	61.5	337	1.0	0.0	0.85
357	340	338	1.0	0.0	0.833	48.2	71.3	-2.7	71.3	357	0.631	0.0																				































RI0501L

TUB iscrizione: 20130201-RI05/RI05LONA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmy6 (CMYK)

TUB materiale: code=rha4ta

n	HC*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	DF*Fe	H*Amc	rgb*Fe	LabCH*Fe	DF*Fe	H*Amc	rgb*Fe	LabCH*Fe	DF*Fe	H*Amc
729	NW_100k	0.875	1.0	1.0	0.875	1.0	1.0	1.0	0.875	1.0	1.0	1.0	0.875	1.0	1.0	1.0
730	GS0B_100.012k	0.75	1.0	1.0	0.75	1.0	1.0	1.0	0.75	1.0	1.0	1.0	0.75	1.0	1.0	1.0
731	GS0B_100.025k	0.625	1.0	1.0	0.625	1.0	1.0	1.0	0.625	1.0	1.0	1.0	0.625	1.0	1.0	1.0
732	GS0B_100.037k	0.5	1.0	1.0	0.5	1.0	1.0	1.0	0.5	1.0	1.0	1.0	0.5	1.0	1.0	1.0
733	GS0B_100.050k	0.375	1.0	1.0	0.375	1.0	1.0	1.0	0.375	1.0	1.0	1.0	0.375	1.0	1.0	1.0
734	GS0B_100.062k	0.25	1.0	1.0	0.25	1.0	1.0	1.0	0.25	1.0	1.0	1.0	0.25	1.0	1.0	1.0
735	GS0B_100.075k	0.125	1.0	1.0	0.125	1.0	1.0	1.0	0.125	1.0	1.0	1.0	0.125	1.0	1.0	1.0
736	GS0B_100.087k	0.0	1.0	1.0	0.0	1.0	1.0	1.0	0.0	1.0	1.0	1.0	0.0	1.0	1.0	1.0
737	GS0B_100.100k	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
738	ROY_100.012k	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
739	NW_087k	0.75	0.875	0.875	0.75	0.875	0.875	0.875	0.75	0.875	0.875	0.875	0.75	0.875	0.875	0.875
740	GS0B_087.012k	0.625	0.875	0.875	0.625	0.875	0.875	0.875	0.625	0.875	0.875	0.875	0.625	0.875	0.875	0.875
741	GS0B_087.025k	0.5	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875	0.875
742	GS0B_087.037k	0.375	0.875	0.875	0.375	0.875	0.875	0.875	0.375	0.875	0.875	0.875	0.375	0.875	0.875	0.875
743	GS0B_087.050k	0.25	0.875	0.875	0.25	0.875	0.875	0.875	0.25	0.875	0.875	0.875	0.25	0.875	0.875	0.875
744	GS0B_087.062k	0.125	0.875	0.875	0.125	0.875	0.875	0.875	0.125	0.875	0.875	0.875	0.125	0.875	0.875	0.875
745	GS0B_087.075k	0.0	0.875	0.875	0.0	0.875	0.875	0.875	0.0	0.875	0.875	0.875	0.0	0.875	0.875	0.875
746	GS0B_087.087k	0.875	0.75	0.875	0.875	0.75	0.875	0.875	0.875	0.75	0.875	0.875	0.875	0.75	0.875	0.875
747	ROY_100.012k	0.875	0.75	0.875	0.875	0.75	0.875	0.875	0.875	0.75	0.875	0.875	0.875	0.75	0.875	0.875
748	ROY_100.025k	0.75	0.75	0.875	0.75	0.75	0.875	0.875	0.75	0.75	0.875	0.875	0.75	0.75	0.875	0.875
749	GS0B_075.012k	0.625	0.75	0.875	0.625	0.75	0.875	0.875	0.625	0.75	0.875	0.875	0.625	0.75	0.875	0.875
750	GS0B_075.025k	0.5	0.75	0.875	0.5	0.75	0.875	0.875	0.5	0.75	0.875	0.875	0.5	0.75	0.875	0.875
751	GS0B_075.037k	0.375	0.75	0.875	0.375	0.75	0.875	0.875	0.375	0.75	0.875	0.875	0.375	0.75	0.875	0.875
752	GS0B_075.050k	0.25	0.75	0.875	0.25	0.75	0.875	0.875	0.25	0.75	0.875	0.875	0.25	0.75	0.875	0.875
753	GS0B_075.062k	0.125	0.75	0.875	0.125	0.75	0.875	0.875	0.125	0.75	0.875	0.875	0.125	0.75	0.875	0.875
754	GS0B_075.075k	0.0	0.75	0.875	0.0	0.75	0.875	0.875	0.0	0.75	0.875	0.875	0.0	0.75	0.875	0.875
755	ROY_100.037k	0.875	0.625	0.875	0.875	0.625	0.875	0.875	0.875	0.625	0.875	0.875	0.875	0.625	0.875	0.875
756	ROY_100.050k	0.875	0.625	0.875	0.875	0.625	0.875	0.875	0.875	0.625	0.875	0.875	0.875	0.625	0.875	0.875
757	ROY_100.062k	0.875	0.625	0.875	0.875	0.625	0.875	0.875	0.875	0.625	0.875	0.875	0.875	0.625	0.875	0.875
758	NW_062k	0.625	0.625	0.875	0.625	0.625	0.875	0.875	0.625	0.625	0.875	0.875	0.625	0.625	0.875	0.875
759	GS0B_062.012k	0.5	0.625	0.875	0.5	0.625	0.875	0.875	0.5	0.625	0.875	0.875	0.5	0.625	0.875	0.875
760	GS0B_062.025k	0.375	0.625	0.875	0.375	0.625	0.875	0.875	0.375	0.625	0.875	0.875	0.375	0.625	0.875	0.875
761	GS0B_062.037k	0.25	0.625	0.875	0.25	0.625	0.875	0.875	0.25	0.625	0.875	0.875	0.25	0.625	0.875	0.875
762	GS0B_062.050k	0.125	0.625	0.875	0.125	0.625	0.875	0.875	0.125	0.625	0.875	0.875	0.125	0.625	0.875	0.875
763	GS0B_062.062k	0.0	0.625	0.875	0.0	0.625	0.875	0.875	0.0	0.625	0.875	0.875	0.0	0.625	0.875	0.875
764	GS0B_062.075k	0.875	0.5	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875
765	ROY_100.050k	0.875	0.5	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875
766	ROY_087.037k	0.875	0.5	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875
767	ROY_087.050k	0.875	0.5	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875
768	ROY_087.062k	0.875	0.5	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875	0.875	0.5	0.875	0.875
769	NW_050k	0.625	0.5	0.875	0.625	0.5	0.875	0.875	0.625	0.5	0.875	0.875	0.625	0.5	0.875	0.875
770	GS0B_050.012k	0.5	0.5	0.875	0.5	0.5	0.875	0.875	0.5	0.5	0.875	0.875	0.5	0.5	0.875	0.875
771	GS0B_050.025k	0.375	0.5	0.875	0.375	0.5	0.875	0.875	0.375	0.5	0.875	0.875	0.375	0.5	0.875	0.875
772	GS0B_050.037k	0.25	0.5	0.875	0.25	0.5	0.875	0.875	0.25	0.5	0.875	0.875	0.25	0.5	0.875	0.875
773	GS0B_050.050k	0.125	0.5	0.875	0.125	0.5	0.875	0.875	0.125	0.5	0.875	0.875	0.125	0.5	0.875	0.875
774	ROY_100.062k	0.875	0.375	0.875	0.875	0.375	0.875	0.875	0.875	0.375	0.875	0.875	0.875	0.375	0.875	0.875
775	ROY_087.050k	0.875	0.375	0.875	0.875	0.375	0.875	0.875	0.875	0.375	0.875	0.875	0.875	0.375	0.875	0.875
776	ROY_087.062k	0.875	0.375	0.875	0.875	0.375	0.875	0.875	0.875	0.375	0.875	0.875	0.875	0.375	0.875	0.875
777	ROY_087.075k	0.875	0.375	0.875	0.875	0.375	0.875	0.875	0.875	0.375	0.875	0.875	0.875	0.375	0.875	0.875
778	ROY_050.012k	0.625	0.375	0.875	0.625	0.375	0.875	0.875	0.625	0.375	0.875	0.875	0.625	0.375	0.875	0.875
779	NW_037k	0.375	0.375	0.875	0.375	0.375	0.875	0.875	0.375	0.375	0.875	0.875	0.375	0.375	0.875	0.875
780	GS0B_037.012k	0.25	0.375	0.875	0.25	0.375	0.875	0.875	0.25	0.375	0.875	0.875	0.25	0.375	0.875	0.875
781	GS0B_037.025k	0.125	0.375	0.875	0.125	0.375	0.875	0.875	0.125	0.375	0.875	0.875	0.125	0.375	0.875	0.875
782	ROY_100.075k	0.875	0.25	0.875	0.875	0.25	0.875	0.875	0.875	0.25	0.875	0.875	0.875	0.25	0.875	0.875
783	ROY_100.100k	0.875	0.25	0.875	0.875	0.25	0.875	0.875	0.875	0.25	0.875	0.875	0.875	0.25	0.875	0.875
784	ROY_087.075k	0.875	0.25	0.875	0.875	0.25	0.875	0.875	0.875	0.25	0.875	0.875	0.875	0.25	0.875	0.875
785	GS0B_025.012k	0.625	0.25	0.875	0.625	0.25	0.875	0.875	0.625	0.25	0.875	0.875	0.625	0.25	0.875	0.875
786	GS0B_025.025k	0.5	0.25	0.875	0.5	0.25	0.875	0.875	0.5	0.25	0.875	0.875	0.5	0.25	0.875	0.875
787	GS0B_025.037k	0.375	0.25	0.875	0.375	0.25	0.875	0.875	0.375	0.25	0.875	0.875	0.375	0.25	0.875	0.875
788	ROY_087.012k	0.875	0.25	0.875	0.875	0.25	0.875	0.875	0.875	0.25	0.875	0.875	0.875	0.25	0.875	0.875
789	NW_025k	0.25	0.25	0.875	0.25	0.25	0.875	0.875	0.25	0.25	0.875	0.875	0.25	0.25	0.875	0.875
790	GS0B_025.012k	0.125	0.25	0.875	0.125	0.25	0.875	0.875	0.125	0.25	0.875	0.875	0.125	0.25	0.875	0.875
791	GS0B_025.025k	0.0	0.25	0.875	0.0	0.25	0.875	0.875	0.0	0.25	0.875	0.875	0.0	0.25	0.875	0.875
792	ROY_100.087k	0.875	0.125	0.875	0.875	0.125	0.875	0.875	0.875	0.125	0.875	0.875	0.875	0.125	0.875	0.875
793	ROY_087.062k	0.875	0.125	0.875	0.875	0.125	0.875	0.875	0.875	0.125	0.875	0.875	0.875	0.125	0.875	0.875
794	ROY_062.050k	0.625	0.125	0.875	0.625	0.125	0.875	0.875	0.625	0.125	0.875	0.875	0.625	0.125	0.875	0.875
795	ROY_050.037k	0.5	0.125	0.875	0.5	0.125	0.875	0.875	0.5	0.125	0.875	0.875	0.5	0.125	0.875	0.875
796	ROY_037.025k	0.375	0.125	0.875	0.375	0.125	0.875	0.875	0.375	0.125	0.875	0.875	0.375	0.125	0.875	0.875
797	ROY_025.012k	0.25	0.125	0.875	0.25	0.125	0.875	0.875	0.25	0.125	0.875	0.875	0.25	0.125	0.875	0.875
798	NW_012k	0.125	0.125	0.875	0.125	0.125	0.875	0.875	0.							





n	HC*Fc	rgp*Fc	icr*Fc	hsa*Fc	rgp*Fe	LabC*Fe	LabCh*Fe	DF*Fe	HaM*	rgp*Me	LabCh*Me	LabC*Me	0.0
891	NW_100k	1.0	1.0	1.0	0.925	1.0	95.4	0.0	139.6	1.0	95.4	0.0	0.0
892	B50R_100.012k	1.0	0.875	1.0	0.875	1.0	95.4	0.0	342.7	1.0	95.4	0.0	0.0
893	B50R_100.025k	1.0	0.75	1.0	0.803	1.0	90.7	6.1	342.7	1.0	90.7	6.1	0.0
894	B50R_100.037k	1.0	0.625	1.0	0.777	1.0	84.8	13.8	342.7	1.0	84.8	13.8	0.0
895	B50R_100.050k	1.0	0.5	1.0	0.703	1.0	79.2	21.3	342.7	1.0	79.2	21.3	0.0
896	B50R_100.062k	1.0	0.375	1.0	0.629	1.0	73.5	28.8	342.7	1.0	73.5	28.8	0.0
897	B50R_100.075k	1.0	0.25	1.0	0.555	1.0	67.8	36.3	342.7	1.0	67.8	36.3	0.0
898	B50R_100.087k	1.0	0.125	1.0	0.481	1.0	62.1	43.8	342.7	1.0	62.1	43.8	0.0
899	B50R_100.100k	1.0	0.0	1.0	0.407	1.0	56.4	51.3	342.7	1.0	56.4	51.3	0.0
900	NW_087e	1.0	0.875	1.0	0.875	1.0	88.6	0.0	136.9	1.0	88.6	0.0	0.0
901	B50R_087.012k	1.0	0.875	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
902	B50R_087.025k	1.0	0.75	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
903	B50R_087.037k	1.0	0.625	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
904	B50R_087.050k	1.0	0.5	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
905	B50R_087.062k	1.0	0.375	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
906	B50R_087.075k	1.0	0.25	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
907	B50R_087.087k	1.0	0.125	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
908	B50R_087.100k	1.0	0.0	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
909	GOB1_008.012k	0.75	1.0	0.75	0.875	1.0	84.7	16.7	136.9	1.0	84.7	16.7	0.0
910	GOB1_008.025k	0.75	0.875	1.0	0.875	1.0	84.7	16.7	136.9	1.0	84.7	16.7	0.0
911	GOB1_008.037k	0.75	0.75	1.0	0.875	1.0	84.7	16.7	136.9	1.0	84.7	16.7	0.0
912	GOB1_008.050k	0.75	0.625	1.0	0.875	1.0	84.7	16.7	136.9	1.0	84.7	16.7	0.0
913	GOB1_008.062k	0.75	0.5	1.0	0.875	1.0	84.7	16.7	136.9	1.0	84.7	16.7	0.0
914	GOB1_008.075k	0.75	0.375	1.0	0.875	1.0	84.7	16.7	136.9	1.0	84.7	16.7	0.0
915	GOB1_008.087k	0.75	0.25	1.0	0.875	1.0	84.7	16.7	136.9	1.0	84.7	16.7	0.0
916	GOB1_008.100k	0.75	0.125	1.0	0.875	1.0	84.7	16.7	136.9	1.0	84.7	16.7	0.0
917	GOB1_008.012k	0.625	1.0	0.625	1.0	0.659	79.3	25.1	136.9	1.0	0.659	79.3	0.0
918	GOB1_008.025k	0.625	0.875	1.0	0.625	1.0	79.3	25.1	136.9	1.0	79.3	25.1	0.0
919	GOB1_008.037k	0.625	0.75	1.0	0.625	1.0	79.3	25.1	136.9	1.0	79.3	25.1	0.0
920	GOB1_008.050k	0.625	0.625	1.0	0.625	1.0	79.3	25.1	136.9	1.0	79.3	25.1	0.0
921	GOB1_008.062k	0.625	0.5	1.0	0.625	1.0	79.3	25.1	136.9	1.0	79.3	25.1	0.0
922	GOB1_008.075k	0.625	0.375	1.0	0.625	1.0	79.3	25.1	136.9	1.0	79.3	25.1	0.0
923	GOB1_008.087k	0.625	0.25	1.0	0.625	1.0	79.3	25.1	136.9	1.0	79.3	25.1	0.0
924	GOB1_008.100k	0.625	0.125	1.0	0.625	1.0	79.3	25.1	136.9	1.0	79.3	25.1	0.0
925	GOB1_008.012k	0.5	1.0	0.5	0.75	1.0	80.7	33.5	136.9	1.0	80.7	33.5	0.0
926	GOB1_008.025k	0.5	0.875	1.0	0.75	1.0	80.7	33.5	136.9	1.0	80.7	33.5	0.0
927	GOB1_008.037k	0.5	0.75	1.0	0.75	1.0	80.7	33.5	136.9	1.0	80.7	33.5	0.0
928	GOB1_008.050k	0.5	0.625	1.0	0.75	1.0	80.7	33.5	136.9	1.0	80.7	33.5	0.0
929	GOB1_008.062k	0.5	0.5	1.0	0.75	1.0	80.7	33.5	136.9	1.0	80.7	33.5	0.0
930	GOB1_008.075k	0.5	0.375	1.0	0.75	1.0	80.7	33.5	136.9	1.0	80.7	33.5	0.0
931	GOB1_008.087k	0.5	0.25	1.0	0.75	1.0	80.7	33.5	136.9	1.0	80.7	33.5	0.0
932	GOB1_008.100k	0.5	0.125	1.0	0.75	1.0	80.7	33.5	136.9	1.0	80.7	33.5	0.0
933	B50R_050.025k	0.5	1.0	0.5	0.375	1.0	84.8	11.2	136.9	1.0	84.8	11.2	0.0
934	B50R_050.037k	0.5	0.875	1.0	0.375	1.0	84.8	11.2	136.9	1.0	84.8	11.2	0.0
935	B50R_050.050k	0.5	0.75	1.0	0.375	1.0	84.8	11.2	136.9	1.0	84.8	11.2	0.0
936	B50R_050.062k	0.5	0.625	1.0	0.375	1.0	84.8	11.2	136.9	1.0	84.8	11.2	0.0
937	B50R_050.075k	0.5	0.5	1.0	0.375	1.0	84.8	11.2	136.9	1.0	84.8	11.2	0.0
938	B50R_050.087k	0.5	0.375	1.0	0.375	1.0	84.8	11.2	136.9	1.0	84.8	11.2	0.0
939	B50R_050.100k	0.5	0.25	1.0	0.375	1.0	84.8	11.2	136.9	1.0	84.8	11.2	0.0
940	NW_037k	0.375	1.0	0.375	0.375	1.0	49.0	6.1	136.9	1.0	49.0	6.1	0.0
941	B50R_037.012k	0.375	0.875	1.0	0.375	1.0	49.0	6.1	136.9	1.0	49.0	6.1	0.0
942	B50R_037.025k	0.375	0.75	1.0	0.375	1.0	49.0	6.1	136.9	1.0	49.0	6.1	0.0
943	B50R_037.037k	0.375	0.625	1.0	0.375	1.0	49.0	6.1	136.9	1.0	49.0	6.1	0.0
944	B50R_037.050k	0.375	0.5	1.0	0.375	1.0	49.0	6.1	136.9	1.0	49.0	6.1	0.0
945	B50R_037.062k	0.375	0.375	1.0	0.375	1.0	49.0	6.1	136.9	1.0	49.0	6.1	0.0
946	B50R_037.075k	0.375	0.25	1.0	0.375	1.0	49.0	6.1	136.9	1.0	49.0	6.1	0.0
947	B50R_037.087k	0.375	0.125	1.0	0.375	1.0	49.0	6.1	136.9	1.0	49.0	6.1	0.0
948	GOB1_002.025k	0.25	1.0	0.25	0.25	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
949	GOB1_002.037k	0.25	0.875	1.0	0.25	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
950	GOB1_002.050k	0.25	0.75	1.0	0.25	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
951	GOB1_002.062k	0.25	0.625	1.0	0.25	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
952	GOB1_002.075k	0.25	0.5	1.0	0.25	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
953	GOB1_002.087k	0.25	0.375	1.0	0.25	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
954	GOB1_002.100k	0.25	0.25	1.0	0.25	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
955	GOB1_002.012k	0.125	1.0	0.125	0.125	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
956	GOB1_002.025k	0.125	0.875	1.0	0.125	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
957	GOB1_002.037k	0.125	0.75	1.0	0.125	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
958	GOB1_002.050k	0.125	0.625	1.0	0.125	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
959	GOB1_002.062k	0.125	0.5	1.0	0.125	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
960	GOB1_002.075k	0.125	0.375	1.0	0.125	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
961	GOB1_002.087k	0.125	0.25	1.0	0.125	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
962	GOB1_002.100k	0.125	0.125	1.0	0.125	1.0	44.0	11.2	136.9	1.0	44.0	11.2	0.0
963	B50R_010.012k	0.0	1.0	0.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
964	B50R_010.025k	0.0	0.875	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
965	B50R_010.037k	0.0	0.75	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
966	B50R_010.050k	0.0	0.625	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
967	B50R_010.062k	0.0	0.5	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
968	B50R_010.075k	0.0	0.375	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
969	B50R_010.087k	0.0	0.25	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
970	B50R_010.100k	0.0	0.125	1.0	0.875	1.0	88.6	0.0	342.7	1.0	88.6	0.0	0.0
971	NW_000k	0.0	0.0	0.0	0.0	0.0	17.7	0.0	136.9	1.0	17.7	0.0	0.0

grafico TUB-RI05; codice di tinte: H\*e=G75Bc  
 colori e la differenza, ΔE\*  
 immettere: rgb/cmyk -> rgbe  
 uscita: trasferire a cmyke

RI0501L

TUB iscrizione: 20130201-RI05/RI05LONA.TXT /PS  
la domanda per la misura uscita nella stampa di offset, separazione cmyk6 (CMYK)

TUB materiale: code=rha4ta

n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCM*Fe	rgb*Fe	LabCM*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCM*Fe	delta E** = 5,5
972	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
973	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0
974	NW_025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0
975	NW_037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0
976	NW_050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0
977	NW_062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0
978	NW_075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0
979	NW_087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0
980	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0
981	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
982	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0
983	NW_025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0
984	NW_037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0
985	NW_050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0
986	NW_062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0
987	NW_075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0
988	NW_087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0
989	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0
990	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
991	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0
992	NW_025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0
993	NW_037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0
994	NW_050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0
995	NW_062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0
996	NW_075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0
997	NW_087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0
998	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0
999	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1000	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0
1001	NW_025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0
1002	NW_037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0
1003	NW_050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0
1004	NW_062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0
1005	NW_075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0
1006	NW_087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0
1007	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0
1008	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1009	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0
1010	NW_025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0
1011	NW_037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0
1012	NW_050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0
1013	NW_062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0
1014	NW_075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0
1015	NW_087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0
1016	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0
1017	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1018	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0
1019	NW_025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0
1020	NW_037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0
1021	NW_050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0
1022	NW_062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0
1023	NW_075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0
1024	NW_087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0
1025	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0
1026	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1027	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0
1028	NW_025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0
1029	NW_037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0
1030	NW_050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0
1031	NW_062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0
1032	NW_075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0
1033	NW_087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0
1034	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0
1035	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1036	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0
1037	NW_025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0
1038	NW_037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0
1039	NW_050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0
1040	NW_062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0
1041	NW_075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0
1042	NW_087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0
1043	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0
1044	NW_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1045	NW_012a	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.0
1046	NW_025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0
1047	NW_037e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.0
1048	NW_050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0
1049	NW_062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.0
1050	NW_075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.0
1051	NW_087e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.0
1052	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI05/RI05.HTM>  
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

immettere: *rgb/cmyk* -> *rgbe*  
uscita: trasferire a *cmyke*

grafico TUB-RI05; codice di tinte: H\*\_e=G75Be  
colori e la differenza, ΔE\*

4-0133130-F0

RI050-7N\_3233-F

n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCIP*Fe	hsa*Fe	LabCIP*Fe	rgb*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCIP*Fe
1053	NW_086e	0.866	0.866	0.866	0.866	85.0	0.866	89.4	0.1	204.5	360	1.0	95.4
1054	NW_093e	0.933	0.933	0.933	0.933	90.2	0.933	92.2	0.0	177.8	360	1.0	95.4
1055	NW_100e	1.0	1.0	1.0	1.0	95.4	1.0	98.4	0.0	61.5	360	1.0	95.4
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	18.7	0.1	96.3	360	1.0	95.4
1057	NW_100e	0.066	0.066	0.066	0.066	22.8	0.066	22.3	0.0	151.6	360	1.0	95.4
1058	NW_013e	0.133	0.133	0.133	0.133	28.0	0.133	30.4	0.0	242.3	360	1.0	95.4
1059	NW_020e	0.2	0.2	0.2	0.2	33.2	0.2	38.9	0.0	240.2	360	1.0	95.4
1060	NW_026e	0.266	0.266	0.266	0.266	38.3	0.266	45.6	0.0	234.3	360	1.0	95.4
1061	NW_033e	0.333	0.333	0.333	0.333	43.6	0.333	51.9	0.0	234.3	360	1.0	95.4
1062	NW_040e	0.4	0.4	0.4	0.4	48.8	0.4	57.3	0.0	234.3	360	1.0	95.4
1063	NW_046e	0.466	0.466	0.466	0.466	53.9	0.466	61.7	0.0	234.3	360	1.0	95.4
1064	NW_053e	0.533	0.533	0.533	0.533	59.1	0.533	67.0	0.0	234.3	360	1.0	95.4
1065	NW_060e	0.6	0.6	0.6	0.6	64.3	0.6	72.1	0.0	234.3	360	1.0	95.4
1066	NW_066e	0.666	0.666	0.666	0.666	69.5	0.666	76.7	0.0	234.3	360	1.0	95.4
1067	NW_073e	0.734	0.734	0.734	0.734	74.7	0.734	80.9	0.0	234.3	360	1.0	95.4
1068	NW_080e	0.8	0.8	0.8	0.8	79.9	0.8	84.8	0.0	234.3	360	1.0	95.4
1069	NW_086e	0.866	0.866	0.866	0.866	85.0	0.866	89.3	0.0	234.3	360	1.0	95.4
1070	NW_093e	0.933	0.933	0.933	0.933	90.2	0.933	92.2	0.0	234.3	360	1.0	95.4
1071	NW_100e	1.0	1.0	1.0	1.0	95.4	1.0	98.4	0.0	234.3	360	1.0	95.4
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	20.0	0.1	78.4	360	1.0	95.4
1073	ROXY_100_100e	1.0	1.0	1.0	1.0	95.4	1.0	95.6	0.0	78.4	360	1.0	95.4
1074	ROXY_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	44.8	0.1	275.2	360	1.0	95.4
1075	GS0B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	66.8	0.0	31.4	360	1.0	95.4
1076	Y06C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	25.3	0.0	237.9	360	1.0	95.4
1077	B06C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	11.0	0.0	96.5	360	1.0	95.4
1078	B08C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	25.3	0.0	249.0	360	1.0	95.4
1079	B50R_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	48.4	0.0	357.5	360	1.0	95.4

delta E\*\* = 7.6

http://130.149.60.45/~farbmetrik/RI05/RI05LONA.TXT /.PS; uscita di trasferimento  
N: nessun 3D-linearizzazione (OL) nel file (F) o PS-startup (S), pagina 33/33

immettere: rgb/cmyk -> rgbe  
uscita: trasferire a cmyke

grafico TUB-RI05; codice di tinte: H\*\_e=G75B\_e  
colori e la differenza, ΔE\*\*

RI050-7N\_33/33-F

4-013320-F0

4-013320-F0