

$XYZ_w=84.1998, 88.59, 96.46$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D65$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für D65

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=85.421, 88.59, 73.08$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D50$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für D50

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=89.4154, 88.59, 57.3$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P40$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für P40

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=97.3152, 88.59, 31.52$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = A00$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für A00

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=88.5907, 88.59, 88.59$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für E00

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=86.8818, 88.59, 104.73$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = C00$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für C00

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=90.421, 88.59, 71.81$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P00$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für P00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=86.7591, 88.59, 105.38$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = Q00$

LABHNU1 79

Name und Spektralbereich


R_m 565_770 Y_m 495_770

G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für Q00
in Buntheitsdiagram (A^*, B^*)



$XYZ_w=84.1998, 88.59, 96.46$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D65$

LABHNU1 79

Name und Spektralbereich


R_m 565_770 Y_m 495_770

G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für D65
in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=85.421, 88.59, 73.08$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = D50$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für D50

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=89.4154, 88.59, 57.3$

$$a^* = 500 (a' - a'_n) Y^{1/3}$$

$$b^* = 500 (b' - b'_n) Y^{1/3}$$

$$a = a_2 [x/y + 1]$$

$$b = b_2 [z/y + 1/6]^{1/3}$$

$$a_2 = 1/15 = 0.06666$$

$$b_2 = -1/12 = -0.08333$$

$n = P40$

LABHNU1 79

Name und Spektralbereich


R_m 565_770 Y_m 495_770

G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für P40
in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=97.3152, 88.59, 31.52$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = A00$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für A00

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=88.5907, 88.59, 88.59$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = E00$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für E00

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=86.8818, 88.59, 104.73$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = C00$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für C00

in Buntheitsdiagramm (A^*, B^*)



$XYZ_w=90.421, 88.59, 71.81$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = P00$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770


G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für P00

in Buntheitsdiagramm (A^* , B^*)



$XYZ_w=86.7591, 88.59, 105.38$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a = a_2 [x/y + 1]$

$b = b_2 [z/y + 1/6]^{1/3}$

$a_2 = 1/15 = 0.06666$

$b_2 = -1/12 = -0.08333$

$n = Q00$

LABHNU1 79

Name und Spektralbereich

R_m 565_770 Y_m 495_770

G_o 495_565 C_m 380_565

B_m 380_495 M_o 565_495

Optimalfarben (o), $Y_w=88,6$

4 von maximalem (m) C_{AB} für Q00
in Buntheitsdiagramm (A^*, B^*)

