


Entrada i salida: Television Luminous System TLS00a

Datos del dispositivo (d) o elemental (e) color:

HIC^*_{e}
código de tono para los colores
esta página:



$$H^*_{e} = R00Y_{e}, R25Y_{e}, \dots, B75R_{e}$$

TLS00a; datos adaptados CIELAB (a)					
H^*_{e}	$L^* = L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100 _e	50.9	78.3	37.3	86.7	25
R25Y_100_100 _e	51.3	74.4	64.8	98.7	41
R50Y_100_100 _e	63.1	42.7	70.8	82.7	58
R75Y_100_100 _e	73.5	18.3	77.7	79.8	76
Y00G_100_100 _e	83.7	-3.4	84.5	84.5	92
Y25G_100_100 _e	91.0	-29.9	88.9	93.8	108
Y50G_100_100 _e	85.9	-63.0	82.8	104.1	127
Y75G_100_100 _e	84.1	-76.0	51.4	91.8	145
G00B_100_100 _e	85.1	-64.6	20.7	67.9	162
G25B_100_100 _e	86.5	-49.9	-8.4	50.6	189
G50B_100_100 _e	79.0	-34.2	-25.7	42.8	216
G75B_100_100 _e	70.0	-19.0	-39.6	43.9	244
B00R_100_100 _e	59.2	1.7	-56.6	56.6	271
B25R_100_100 _e	38.2	52.7	-90.7	104.9	300
B50R_100_100 _e	57.1	94.1	-57.4	110.3	328
B75R_100_100 _e	52.9	83.6	-11.6	84.4	352



%Gama
 $u^*_{rel} = 158$
%Regularidad
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$

TLS00a; datos adaptados CIELAB (a)					
Name	$L^* = L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
Re, Ma	50.9	78.3	37.3	86.7	25
Ye, Ma	83.7	-3.4	84.5	84.5	92
Ge, Ma	85.1	-64.6	20.7	67.9	162
Ce, Ma	79.0	-34.2	-25.7	42.8	216
Be, Ma	59.2	1.7	-56.6	56.6	271
Me, Ma	57.1	94.1	-57.4	110.3	328
Ne, Ma	0.0	0.0	0.0	0.0	0
We, Ma	95.4	0.0	0.0	0.0	0
Re, CIE	39.9	58.7	27.9	65.0	25
Ye, CIE	81.2	-2.8	71.5	71.6	92
Ge, CIE	52.2	-42.4	13.6	44.5	162
Be, CIE	30.5	1.4	-46.4	46.4	271



vea archivos semejantes: <http://130.149.60.45/~farbmetrik/SS00/SS00.L0NP.PDF>
información técnica: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB matrícula: 20130201-SS00/SS00L0NP.PDF /.PS
aplicación para la medida de display output, ninguna separación

TUB material: code=rha4ta