

$\log [\Delta L, \Delta a L, \Delta b L]$

• $L_g = 60 \text{ cd/m}^2$

3 Differenzrenschwelle

2 x y *Exp.: WDN_WN*


A 0,32 0,36 30 5s

experiments: Mittel

$F = A_3 + A_1 * L^{A_2}$

Daten & P-A3-Fit

A1	A2	A3	Δ
0.003	1.037	0.111	0.002



$\log [L/\Delta L, L/(\Delta a L), L/(\Delta b L)] \bullet L_g=60\text{cd/m}^2$
 3 Empfindlichkeitsschwellen

Exp.: WDN_WN

30 5s


Mittel

$$F=A3+A1*L^{A2}$$

Daten & P-A3-Fit

A1	A2	A3	Δ
0.003	1.037	0.111	0.002

x y
 A 0,32 0,36
 experiments:



$L/\Delta L, L/(\Delta a L), L/(\Delta b L)$

● $L_g=60\text{cd/m}^2$

Empfindlichkeitsschwellen

400 x y *Exp.: WDN_WN*

A 0,32 0,36 30 5s

experiments: Mittel

$$F=A_3+A_1*L^{A_2}$$

Daten & P-A3-Fit

A1	A2	A3	Δ
0.003	1.037	0.111	0.002

300

200

100

0

-3

-2

-1

0

1

2

$x=\log L$