

$\log [\Delta L, \Delta a L, \Delta b L]$

• $L_g = 60 \text{ cd/m}^2$

3 Differenzrenschwelle

2 x y *Exp.: WDN_BY, TM, BY*


A 0,32 0,36 30 5s

experiments: Mittel

$F = A_3 + A_1 * L^{A_2}$

Daten & P-A3-Fit

A1	A2	A3	Δ
0.0	1.388	0.113	0.001



$\log [L/\Delta L, L/(\Delta a L), L/(\Delta b L)]$ • $L_g=60\text{cd/m}^2$
 3 Empfindlichkeitsschwellen

2 *Exp.: WDN_BY, TM, P1*
 30 5s

Mittel

$$F = A_3 + A_1 * L^{A_2}$$

Daten & P-A3-Fit

A1	A2	A3	Δ
0.0	1.388	0.113	0.001

x y
 A 0,32 0,36
experiments:



$L/\Delta L, L/(\Delta a L), L/(\Delta b L)$

• $L_g=60\text{cd/m}^2$

Empfindlichkeitsschwellen

x y *Exp.: WDN_BY, TM, BY*

A 0,32 0,36 30 5s

experiments: Mittel

$$F=A3+A1*L^{A2}$$

Daten & P-A3-Fit

A1	A2	A3	Δ
0.0	1.388	0.113	0.001

