

log  $\Delta L$  Leuchtdichte-Differenzschwelle •  $L_g=630\text{cd/m}^2$

2 *AD 0,1&26s G 630cd/m<sup>2</sup>; pot3*

$$\Delta L = [A_1 + A_3 \cdot L]^t$$

$$A_1=1.96 \quad A_1=0.27$$

$$A_2=0.57=t \quad A_2=0.71=t$$

$$A_3=0.45 \quad A_3=0.04$$

$$A_4=0.0$$

$$\Delta=0.0$$

$$A_4=0.0$$

$$\Delta=0.0$$

0

-1

-2

-3

-2

-1

0

1

2

$x = \log L$

$\log(L/\Delta L)$  Leuchtdichte-Kontrast-  
Empfindlichkeitsschwelle  $L_g = 630 \text{ cd/m}^2$

*AD 0,1&26s G 630cd/m<sup>2</sup>; pot3*

$$\log(L/\Delta L) = L / [A_1 + A_3; L]^t$$


$$A_1 = 1.96 \quad A_1 = 0.27$$

$$A_2 = 0.57 = t \quad A_2 = 0.71 = t$$

$$A_3 = 0.45 \quad A_3 = 0.04$$

$$A_4 = 0.0 \quad A_4 = 0.0$$

$$\Delta = 0.0 \quad \Delta = 0.0$$



$L/\Delta L$  Leuchtdichte-Kontrast-  
 Empfindlichkeitsschwelle  $\bullet L_g = 630 \text{ cd/m}^2$

$AD\ 0,1\ \&\ 26s\ G\ 630 \text{ cd/m}^2; \text{ pot3}$

$$L/\Delta L = L / [A_1 + A_3 \cdot L]^t$$


$$A_1 = 1.96 \quad A_1 = 0.27$$

$$A_2 = 0.57 = t \quad A_2 = 0.71 = t$$

$$A_3 = 0.45 \quad A_3 = 0.04$$

$$A_4 = 0.0 \quad A_4 = 0.0$$

$$\Delta = 0.0 \quad \Delta = 0.0$$



$T^*$  Leuchtdichte-Differenz-  
renzschwellsomme

•  $L_g = 630 \text{ cd/m}^2$

80  $AD\ 0,1\&26s\ G\ 630\text{cd/m}^2; \text{pot3}$

$$T^* = [A_1 + A \cdot L]^t - 1$$

60  $A_1 = 1.96$       $A_1 = 0.27$

$A_2 = 0.57 = t$       $A_2 = 0.71 = t$

40  $A_3 = 0.45$       $A_3 = 0.04$

$A_4 = 0.0$       $A_4 = 0.0$

$\Delta = 0.0$       $\Delta = 0.0$

20

0

-3     -2     -1     0     1     2      $x = \log L$