

http://130.149.60.45/~farbmetrik/XE85/XE85L0NP.PDF /.PS; start output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/8

Table with columns: %Xn, Yn, Zn, X0, Y0, Z0, X1, Y1, Z1, DV, dE*ab, dE*76, dE*94, dE*CM, dE*00, dE*85, NR, L*0 a*, b*, c*, h0, h1, CODE %

see similar files: http://130.149.60.45/~farbmetrik/XE85/XE85L0NP.PDF /.PS; start output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: w/rgb/cmyk -> (w/rgb/cmyk)

TUB-test chart XE85; all colours of I28chromatic test chart RGB

XE850-7N.0.0

http://130.149.60.45/~farbmetrik/XE85/XE85L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/8

Table with columns: %Xn, Yn, Zn, X0, Y0, Z0, X1, Y1, Z1, DV, dE*ab, dE*76, dE*94, dE*CM, dE*00, dE*85, NR, L*0*a, a*, b*, C*, h0, h1, CODE. The table contains 100 rows of colorimetric data for various color patches.

see similar files: <http://130.149.60.45/~farbmetrik/XE85/XE85L0NP.PDF>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

input: w/rgb/cmyk -> (w/rgb/cmyk)

TUB-test chart XE85;
, all colours of I28chromatic test chart RGB

XE850-7N_0_1

1-000130-10

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*76	dE*94	dE*CM	dE*00	dE*85	NR	L*0 a*	b*0	C*0	h0	L*1 a*	b*1	C*1	h1	CODE %		
%100*(CIEXYZ & DV) for all colours (a) of experiment, limp=144, colour difference pairs ZA_L0144, xchart=3-1, xchart4=1 %																											
0.095047	0.100000	0.108883	0.32026	0.028061	0.005648	0.029277	0.028077	0.005029	0.000690	0.1069	0.1069	0.0563	0.0773	0.0703	0.2031	85000101	60	20	56	59	69	60	10	59	60	80	(%)
0.095047	0.100000	0.108883	0.329278	0.028077	0.005029	0.026588	0.028018	0.004817	0.000690	0.1048	0.1048	0.0551	0.0671	0.0683	0.2102	85000102	60	10	59	60	80	60	0	60	60	90	(%)
0.095047	0.100000	0.108883	0.353897	0.056719	0.018252	0.049875	0.056593	0.018852	0.000720	0.1033	0.1033	0.0565	0.0622	0.0667	0.1646	85000103	80	0	55	55	90	80	-10	53	54	100	(%)
0.095047	0.100000	0.108883	0.49875	0.056593	0.018852	0.049875	0.056593	0.020521	0.000720	0.1112	0.1112	0.0609	0.0617	0.0662	0.1564	85000104	80	-10	53	54	100	80	-20	50	54	112	(%)
0.095047	0.100000	0.108883	0.424272	0.056556	0.023750	0.039425	0.056518	0.028855	0.000670	0.1231	0.1232	0.0676	0.0615	0.0598	0.1653	85000105	80	-31	44	54	124	80	-40	36	54	137	(%)
0.095047	0.100000	0.108883	0.39425	0.056518	0.028856	0.037248	0.056448	0.028855	0.000670	0.1157	0.1158	0.0676	0.0615	0.0540	0.1879	85000106	80	-40	36	54	137	80	-47	27	54	149	(%)
0.095047	0.100000	0.108883	0.35995	0.056555	0.043401	0.035252	0.056448	0.051972	0.000550	0.0948	0.0948	0.0520	0.0480	0.0481	0.2476	85000107	80	-51	18	54	160	80	-53	8	54	170	(%)
0.095047	0.100000	0.108883	0.35252	0.056448	0.051972	0.035061	0.056519	0.061374	0.000550	0.0887	0.0887	0.0487	0.0442	0.0480	0.2828	85000108	80	-53	8	54	170	80	-54	0	54	179	(%)
0.095047	0.100000	0.108883	0.27414	0.040566	0.044253	0.027626	0.040574	0.050807	0.000390	0.0701	0.0701	0.0439	0.0401	0.0447	0.2713	85000109	70	-39	0	39	180	70	-38	-7	39	190	(%)
0.095047	0.100000	0.108883	0.27627	0.040574	0.050808	0.028179	0.040694	0.050807	0.000390	0.0716	0.0716	0.0449	0.0409	0.0452	0.2773	85000110	70	-38	-7	39	180	70	-37	-13	39	200	(%)
0.095047	0.100000	0.108883	0.29066	0.040695	0.056578	0.030449	0.040682	0.073974	0.000430	0.0859	0.0859	0.0539	0.0504	0.0473	0.2848	85000111	70	-33	-20	39	211	70	-28	-27	39	224	(%)
0.095047	0.100000	0.108883	0.30450	0.040682	0.073975	0.032572	0.040639	0.082208	0.000430	0.1013	0.1013	0.0635	0.0616	0.0527	0.2827	85000112	70	-28	-27	39	224	70	-20	-33	39	238	(%)
0.095047	0.100000	0.108883	0.34740	0.040653	0.087030	0.038865	0.040667	0.090339	0.000360	0.0735	0.0735	0.0460	0.0492	0.0431	0.1405	85000113	70	-12	-37	39	251	70	-5	-39	39	261	(%)
0.095047	0.100000	0.108883	0.36865	0.040667	0.090339	0.037407	0.040715	0.090544	0.000360	0.0593	0.0593	0.0370	0.0417	0.0399	0.1067	85000114	70	-5	-39	39	261	70	0	-39	39	270	(%)
0.095047	0.100000	0.108883	0.10768	0.011312	0.0234718	0.011895	0.011212	0.033936	0.000720	0.0891	0.0891	0.0557	0.0665	0.0671	0.2152	85000115	40	0	-39	39	270	40	9	-39	40	282	(%)
0.095047	0.100000	0.108883	0.11896	0.011212	0.033937	0.012919	0.011217	0.032170	0.000720	0.0734	0.0734	0.0458	0.0544	0.0608	0.2029	85000116	40	9	-39	40	282	40	15	-36	40	293	(%)
0.095047	0.100000	0.108883	0.14598	0.011205	0.030158	0.014598	0.011204	0.023790	0.000720	0.0660	0.0660	0.0411	0.0442	0.0483	0.2444	85000117	40	21	-33	40	302	40	26	-29	40	311	(%)
0.095047	0.100000	0.108883	0.14598	0.011204	0.030158	0.015498	0.011218	0.023786	0.000730	0.0788	0.0788	0.0492	0.0504	0.0487	0.3323	85000118	40	26	-29	40	311	40	32	-23	39	323	(%)
0.095047	0.100000	0.108883	0.16195	0.011214	0.020116	0.016740	0.011224	0.016006	0.000630	0.0890	0.0890	0.0556	0.0526	0.0477	0.4499	85000119	40	36	-17	40	334	40	39	-9	40	346	(%)
0.095047	0.100000	0.108883	0.16741	0.011224	0.016006	0.016932	0.011257	0.012317	0.000630	0.0895	0.0895	0.0345	0.0483	0.0459	0.85000120	40	39	-9	40	346	40	39	0	39	359	(%)	
0.095047	0.100000	0.108883	0.23574	0.018371	0.019911	0.023440	0.018354	0.016832	0.000530	0.0616	0.0616	0.0425	0.0462	0.0390	0.2517	85000121	50	29	0	29	0	50	29	6	30	12	(%)
0.095047	0.100000	0.108883	0.23449	0.018354	0.016833	0.023080	0.018412	0.014277	0.000530	0.0616	0.0616	0.0425	0.0462	0.0390	0.2517	85000122	50	29	6	30	12	50	27	12	30	23	(%)
0.095047	0.100000	0.108883	0.22391	0.018383	0.012205	0.021504	0.018375	0.010489	0.000510	0.0625	0.0625	0.0431	0.0681	0.0481	0.1508	85000123	50	24	17	29	35	50	20	22	30	47	(%)
0.095047	0.100000	0.108883	0.21504	0.018375	0.010489	0.020492	0.018372	0.009330	0.000510	0.0597	0.0597	0.0411	0.0791	0.0477	0.1308	85000124	50	20	22	30	47	50	15	25	29	58	(%)
0.095047	0.100000	0.108883	0.19519	0.018390	0.008561	0.018463	0.018385	0.008113	0.000450	0.0559	0.0559	0.0385	0.0562	0.0466	0.1214	85000125	50	10	28	30	69	50	5	29	30	79	(%)
0.095047	0.100000	0.108883	0.18464	0.018385	0.008114	0.017459	0.018317	0.007995	0.000450	0.0500	0.0500	0.0345	0.0445	0.0416	0.1112	85000126	50	5	29	30	79	50	0	29	29	89	(%)
0.095047	0.100000	0.108883	0.17460	0.018317	0.007995	0.016603	0.018388	0.008082	0.000510	0.0509	0.0509	0.0351	0.0412	0.0416	0.1100	85000127	50	0	-4	29	89	50	-4	29	30	99	(%)
0.095047	0.100000	0.108883	0.16603	0.018398	0.008082	0.015644	0.018350	0.008503	0.000510	0.0550	0.0550	0.0379	0.0411	0.0425	0.1090	85000128	50	-4	-29	30	99	50	-10	28	29	109	(%)
0.095047	0.100000	0.108883	0.14761	0.018391	0.009335	0.013918	0.018362	0.005990	0.000590	0.0652	0.0652	0.0450	0.0437	0.0428	0.1286	85000129	50	-15	-25	29	121	50	-20	21	29	133	(%)
0.095047	0.100000	0.108883	0.13919	0.018362	0.010684	0.013269	0.018366	0.012511	0.000590	0.0649	0.0649	0.0449	0.0427	0.0405	0.1488	85000130	50	-20	21	29	133	50	-24	16	29	146	(%)
0.095047	0.100000	0.108883	0.12849	0.018400	0.014671	0.012649	0.018458	0.011738	0.000450	0.0557	0.0557	0.0384	0.0374	0.0357	0.1943	85000131	50	-27	11	29	157	50	-29	5	29	168	(%)
0.095047	0.100000	0.108883	0.12649	0.018458	0.011738	0.012471	0.018330	0.019864	0.000450	0.0573	0.0573	0.0395	0.0380	0.0383	0.2419	85000132	50	-29	5	29	168	50	-29	0	29	179	(%)
0.095047	0.100000	0.108883	0.12471	0.018330	0.019864	0.012574	0.018342	0.022558	0.000360	0.0492	0.0493	0.0339	0.0323	0.0339	0.2287	85000133	50	-29	5	29	179	50	-4	29	189	(%)	
0.095047	0.100000	0.108883	0.12575	0.018342	0.022559	0.012799	0.018413	0.025528	0.000360	0.0496	0.0496	0.0343	0.0326	0.0343	0.2315	85000134	50	-29	-4	29	189	50	-28	-9	29	198	(%)
0.095047	0.100000	0.108883	0.13143	0.018376	0.028825	0.013790	0.018432	0.032568	0.000450	0.0650	0.0650	0.0450	0.0438	0.0414	0.2629	85000135	50	-25	-14	29	209	50	-21	-19	29	222	(%)
0.095047	0.100000	0.108883	0.13791	0.018432	0.032569	0.014668	0.018404	0.036252	0.000450	0.0745	0.0745	0.0516	0.0519	0.0454	0.2607	85000136	50	-21	-19	29	222	50	-16	-24	29	236	(%)
0.095047	0.100000	0.108883	0.15657	0.018386	0.038784	0.016637	0.018396	0.040109	0.000350	0.0576	0.0577	0.0398	0.0441	0.0391	0.1344	85000137	50	-10	-28	29	249	50	-4	-29	29	261	(%)
0.095047	0.100000	0.108883	0.16637	0.018396	0.040109	0.017460	0.018377	0.040283	0.000350	0.0485	0.0485	0.0335	0.0391	0.0371	0.1061	85000138	50	-4	-29	29	261	50	0	-29	29	270	(%)
0.095047	0.100000	0.108883	0.17461	0.018337	0.040284	0.018612	0.018385	0.040041	0.000600	0.0587	0.0587	0.0405	0.0501	0.0489	0.1316	85000139	50	0	-29	29	270	50	6	-29	30	281	(%)
0.095047	0.100000	0.108883	0.18612	0.018385	0.040042	0.019610	0.018380	0.038722	0.000600	0.0536	0.0536	0.0369	0.0461	0.0479	0.1362	85000140	50	6	-29	30	281	50	11	-27	30	291	(%)
0.095047	0.100000	0.108883	0.20554	0.018402	0.0369																						

http://130.149.60.45/~farbmetrik/XE85/XE85L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 4/8

%Xn Yn Zn X0 Y0 Z0 X1 Y1 Z1 DV dE*ab dE*76 dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %

Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S
iai+1 = 144, d_CIELABmin = 4.85, d_CIELABmax = 19.79, d_CIELABave = 9.91
iai+1 = 144, CIELAB_Fa = 15.8, CIELAB_STRESSa = 26.31
iai+1 = 144, d_CIELCHmin = 4.85, d_CIELCHmax = 19.79, d_CIELCHave = 9.91
iai+1 = 144, CIELCHFa = 15.81, CIELCHSTRESSa = 26.34
iai+1 = 144, d_C94LCHmin = 2.58, d_C94LCHmax = 19.55, d_C94LCHave = 6.38
iai+1 = 144, C94LCHFa = 10.64, C94LCHSTRESSa = 34.56
iai+1 = 144, d_CMCLCHmin = 3.04, d_CMCLCHmax = 21.98, d_CMCLCHave = 7.03
iai+1 = 144, CMCLCHFa = 11.67, CMCLCHSTRESSa = 38.63
iai+1 = 144, d_C00LCHmin = 2.44, d_C00LCHmax = 15.53, d_C00LCHave = 5.79
iai+1 = 144, C00LCHFa = 9.5, C00LCHSTRESSa = 31.06
iai+1 = 144, d_C85LCHmin = 9.55, d_C85LCHmax = 121.76, d_C85LCHave = 41.71
iai+1 = 144, C85LCHFa = 70.11, C85LCHSTRESSa = 36.76

input: w/rgb/cmyk -> (w/rgb/cmyk)

TUB-test chart XE85;
all colours of I28chromatic test chart RGB

XE850-7N.0.3

1-000330-10

http://130.149.60.45/~farbmetrik/XE85/XE85L0NP.PDF /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 5/8

Table with columns: %*0, a*0, b*0, C*ab0, L*1, a*1, b*1, C*ab1, hab1, DV, dE*ab, dE*94, dE*CM, dE*00, dE*85, NR, L*0 a*0, b*0, C*0, h0, L*1 a*1, b*1, C*1, h1, CODE %

see similar files: http://130.149.60.45/~farbmetrik/XE85/XE85.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: w/rgb/cmyk -> (w/rgb/cmyk)

TUB-test chart XE85;
, all colours of I28chromatic test chart RGB

XE850-7N_1.0

L-000430-1.0

http://130.149.60.45/~farbmetrik/XE85/XE85L0NP.PDF /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 6/8



%*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0 a*0	b*0	C*0	h0	L*1 a*1	b*1	C*1	h1	CODE %		
72.42	21.23	-39.72	45.04	298.12	66.46	28.18	-49.56	57.01	299.6	0.64	13.44	7.19	6.61	5.72	74.57	85000051	72	21	-39	45	298	66	28	-49	57	299	(
66.46	28.18	-49.56	57.01	299.62	61.55	34.54	-57.38	66.98	301.0	0.64	11.21	5.71	5.39	4.76	65.5	85000052	66	28	-49	57	299	62	34	-57	66	301	(
56.93	40.93	-64.39	76.3	302.44	53.28	46.36	-69.63	83.65	303.6	0.52	8.38	4.08	4.05	3.81	52.53	85000053	57	40	-64	76	302	53	46	-69	83	303	(
53.28	46.36	-69.63	83.65	303.65	49.9	51.65	-73.98	90.23	304.9	0.52	7.64	3.78	3.66	3.48	48.95	85000054	53	46	-69	83	303	50	51	-73	90	304	(
94.91	0.35	0.05	0.35	8.13	86.81	-1.73	8.73	8.9	101.2	0.75	12.06	11.96	11.59	9.25	62.5	85000055	95	0	0	0	8	87	-1	8	8	101	(
86.81	-1.73	8.73	8.9	101.26	79.88	-3.41	16.22	16.57	102.3	0.64	8.64	6.55	5.6	5.28	50.79	85000056	87	-1	8	8	101	80	-3	16	16	101	(
74.03	-4.86	22.61	23.13	102.13	68.29	-6.35	28.91	29.6	102.3	0.64	8.64	6.55	5.6	5.28	50.79	85000057	74	-4	22	23	102	68	-6	28	29	102	(
68.29	-6.35	28.91	29.6	102.39	62.93	-7.67	34.9	35.73	102.4	0.64	8.15	5.97	5.2	5.03	49.52	85000058	68	-6	28	29	102	63	-7	34	35	102	(
58.11	-8.77	40.15	41.1	102.33	53.66	-9.9	44.95	46.03	102.4	0.68	6.64	4.77	4.37	4.47	44.06	85000059	58	-8	40	41	102	54	-9	44	46	102	(
53.66	-9.9	44.95	46.03	102.42	50.05	-11.25	49.02	50.3	102.9	0.68	5.59	3.86	3.66	3.81	36.88	85000060	54	-9	44	46	102	50	-11	49	50	102	(
94.91	0.35	0.05	0.35	8.13	87.99	12.31	-7.09	14.2	330.0	0.74	15.55	15.35	14.01	13.91	56.73	85000061	95	0	0	0	8	88	12	-7	14	330	(
87.99	12.31	-7.09	14.2	330.04	81.63	23.23	-13.52	26.88	329.8	0.74	14.18	10.01	8.85	8.36	56.1	85000062	88	12	-7	14	330	82	23	-13	26	329	(
70.06	32.96	-19.27	38.18	329.68	70.31	42.86	-25.09	49.66	329.6	0.64	12.83	7.13	6.46	5.76	58.54	85000063	76	32	-19	38	329	70	42	-25	49	329	(
76.31	42.86	-25.09	49.66	329.65	64.8	52.35	-30.63	60.65	329.6	0.64	12.29	6.47	5.98	5.4	60.28	85000064	70	42	-25	49	329	65	52	-30	60	329	(
59.54	61.45	-36.08	71.26	329.58	54.53	70.2	-41.09	81.34	329.6	0.63	11.25	5.55	5.41	5.13	63.07	85000065	60	61	-36	71	329	55	70	-41	81	329	(
54.53	70.2	-41.09	81.34	329.65	49.98	77.99	-45.94	90.51	329.5	0.63	10.24	4.95	4.98	4.86	61.58	85000066	55	70	-41	81	329	50	77	-45	90	329	(
5.14	-0.19	0.26	0.33	126.22	11.12	9.11	8.16	12.23	41.8	0.8	13.58	13.43	17.04	12.49	52.12	85000067	5	0	0	0	126	11	9	8	12	41	(
11.12	9.11	8.16	12.23	41.84	17.04	18.39	15.24	23.89	39.6	0.8	13.09	9.58	13.79	8.21	59.10	85000068	11	9	8	12	41	17	18	15	23	39	(
22.47	26.26	23.05	34.95	41.27	28.35	35.28	30.62	46.72	40.9	0.78	13.15	7.44	9.6	5.99	67.5	85000069	22	26	23	34	41	28	35	30	46	40	(
28.35	35.28	30.62	46.72	40.95	34.59	44.66	38.83	59.18	41.0	0.78	13.93	7.42	8.89	6.14	71.6	85000070	28	35	30	46	40	35	44	38	59	41	(
39.89	52.71	45.72	69.78	40.93	44.81	60.11	52.33	79.7	41.0	0.68	11.07	5.47	5.93	5.02	53.31	85000071	40	52	45	69	40	45	60	52	79	41	(
44.81	60.11	52.33	79.7	41.04	50.01	67.57	59.47	90.02	41.3	0.68	11.56	5.67	5.88	5.02	53.31	85000072	45	60	52	45	69	41	50	67	59	41	(
5.14	-0.19	0.26	0.33	126.22	12.04	-8.17	7.3	10.96	138.2	0.67	12.68	12.54	17.36	11.26	58.34	85000073	5	0	0	0	126	12	-8	7	10	138	(
12.04	-8.17	7.3	10.96	138.21	18.21	-15.45	13.53	20.54	138.7	0.67	11.39	8.9	13.72	7.54	62.17	85000074	12	-8	7	10	138	18	-15	13	20	138	(
24.05	-22.37	19.49	29.67	138.92	29.79	-29.12	25.39	38.63	138.9	0.64	10.63	6.9	8.73	5.56	65.7	85000075	24	-22	19	29	138	30	-29	25	38	138	(
29.79	-29.12	25.39	38.63	138.91	35.74	-36.11	31.57	47.97	138.8	0.64	11.07	6.86	8.0	5.72	67.82	85000076	30	-29	25	38	138	36	-36	31	47	138	(
41.05	-42.33	37.02	56.24	138.82	45.86	-47.92	41.83	63.61	138.8	0.55	8.8	5.24	5.46	4.88	51.54	85000077	41	-42	37	56	138	46	-47	41	63	138	(
45.86	-47.92	41.83	63.61	138.88	50.07	-52.82	46.11	70.12	138.8	0.55	7.75	4.53	4.54	4.46	43.46	85000078	46	-47	41	63	138	50	-52	46	70	138	(
5.14	-0.19	0.26	0.33	126.22	12.5	8.36	-12.41	14.96	303.9	0.72	16.97	16.78	20.42	13.77	74.64	85000079	5	0	0	0	126	13	8	-12	14	303	(
12.5	8.36	-12.4	14.96	303.97	18.52	15.28	-22.52	27.21	304.1	0.72	13.65	9.47	13.82	7.67	69.11	85000080	13	8	-12	14	303	19	15	-22	27	304	(
24.28	21.87	-32.07	38.82	304.29	30.41	28.85	-42.15	51.08	304.3	0.68	13.71	7.58	9.54	6.12	74.49	85000081	24	21	-32	38	304	30	28	-42	51	304	(
30.41	28.85	-42.15	51.08	304.38	36.12	35.47	-51.54	62.56	304.5	0.68	12.82	6.68	7.87	5.6	67.83	85000082	30	28	-42	51	304	36	35	-51	62	304	(
41.3	41.5	-60.12	73.06	304.61	45.78	46.74	-67.4	82.02	304.7	0.65	10.02	4.95	5.31	4.6	49.28	85000083	41	41	-60	73	304	46	46	-67	82	304	(
45.78	46.74	-67.4	82.02	304.74	49.9	51.53	-74.08	90.24	304.8	0.65	9.19	4.47	4.64	4.39	43.48	85000084	46	46	-67	82	304	50	51	-74	90	304	(
5.07	-0.94	0.87	1.28	137.43	12.28	-1.69	8.03	8.21	101.9	0.63	10.19	9.93	16.16	7.48	59.55	85000085	5	0	0	0	137	12	-1	8	8	101	(
12.28	-1.69	0.87	1.28	137.43	18.42	-3.31	14.46	14.84	102.9	0.63	9.03	7.82	13.09	6.03	61.72	85000086	12	-1	8	8	101	18	-3	14	14	102	(
24.14	-4.49	20.84	21.32	102.16	30.05	-6.0	27.28	27.94	102.4	0.69	8.87	6.8	8.66	5.42	67.53	85000087	24	-4	20	21	102	30	-6	27	27	102	(
30.05	-6.0	27.28	27.94	102.4	36.13	-7.41	33.74	34.5	102.3	0.69	8.97	6.74	7.79	5.59	68.94	85000088	30	-6	27	27	102	36	-7	33	34	102	(
40.96	-8.52	39.16	40.08	102.28	45.78	-9.75	44.32	45.38	102.4	0.62	7.16	5.17	5.27	4.8	51.56	85000089	41	-8	39	40	102	46	-9	44	45	102	(
45.78	-9.75	44.32	45.38	102.41	49.99	-11.03	47.55	48.82	103.0	0.62	5.46	4.37	4.2	4.31	43.43	85000090	46	-9	44	45	102	50	-11	47	48	103	(
5.14	-0.19	0.26	0.33	126.22	12.42	13.07	-7.74	15.19	329.3	0.75	17.12	16.93	20.42	15.32	67.57	85000091	5	0	0	0	126	12	13	-7	15	329	(
12.42	13.07	-7.74	15.19	329.36	18.4	23.47	-13.8	27.23	329.5	0.75	13.43	9.31	13.67	7.79	63.95	85000092	13	0	0	0	126	12	13	-7	15	329	(
24.21	33.62	-19.75	39.0	329.57	30.4	44.11	-25.86	51.14	329.6	0.77	13.63	7.59	9.58	6.13	72.89	85000093	24	33	-19	39	329	30	44	-25	51	329	(
30.4	44.11	-25.86	51.14	329.61	35.96	53.83	-31.56	62.4	329.6	0.77	12.55	6.52	7.69	5.47	64.94	85000094	30	44	-25	51	329	36	53	-31	62	329	(
41.0	62.56	-36.78	72.57	329.54	45.55	70.35	-41.29	81.57	329.5	0.63	10.08	5.01	5.38	4.65	49.51	85000095	41	62	-36	72	329	46	70	-41	81	329	(
45.55	70.35	-41.29	81.57	329.58	49.98	77.99	-45.94	90.52	329.5	0.63	9.98	4.82	5.01	4.73	46.56	85000096	46	70	-41	81	329	50	77	-45	90	329	(
59.92	60.36	-41.29	81.57	329.58	49.98	77.99	-45.94	90.52	329.5	0.63	9.98	4.82	5.01	4.73	46.56	85000097	46	70	-41	81	329	50	77	-45	90	329	(
60.0	58.75	12.9	60.15	12.39	59.93	54.58	24.77	59.94	24.4	0.58	12.57	6.6	7.54	6.66	32.2	85000098</											

http://130.149.60.45/~farbmetrik/XE85/XE85L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/8

Table with columns: %*0, a*0, b*0, C*ab0, L*1, a*1, b*1, C*ab1, hab1, DV, dE*ab, dE*94, dE*CM, dE*00, dE*85, NR, L*0 a*0, b*0, C*0 h0, L*1 a*1, b*1, C*1 h1, CODE %

input: w/rgb/cmyk -> (w/rgb/cmyk)

TUB-test chart XE85; all colours of I28chromatic test chart RGB

XE850-7N.L.2

L-000630-L0

http://130.149.60.45/~farbmetrik/XE85/XE85L0NP.PDF /.PS; transfer output
 N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 8/8

%L*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %

%CIELAB data for all colour (a) of experiment, iimp=144, colour difference pairs ZA_L0144, xchart3=1, xchart4=1 %
 Minimum, maximum and average colour difference value
 STRESS constant F and STRESS value S
 iai+1 = 144, d_CIELABmin = 4.85, d_CIELABmax = 19.79, d_CIELABave = 9.91
 iai+1 = 144, CIELAB_Fa = 15.8, CIELAB_STRESSa = 26.31
 iai+1 = 144, d_CIELCHmin = 4.85, d_CIELCHmax = 19.79, d_CIELCHave = 9.91
 iai+1 = 144, CIELCHFa = 15.81, CIELCHSTRESSa = 26.34
 iai+1 = 144, d_C94LCHmin = 2.58, d_C94LCHmax = 19.55, d_C94LCHave = 6.38
 iai+1 = 144, C94LCHFa = 10.64, C94LCHSTRESSa = 34.56
 iai+1 = 144, d_CMCLCHmin = 3.04, d_CMCLCHmax = 21.98, d_CMCLCHave = 7.03
 iai+1 = 144, CMCLCHFa = 11.67, CMCLCHSTRESSa = 38.63
 iai+1 = 144, d_C00LCHmin = 2.44, d_C00LCHmax = 15.53, d_C00LCHave = 5.79
 iai+1 = 144, C00LCHFa = 9.5, C00LCHSTRESSa = 31.06
 iai+1 = 144, d_C85LCHmin = 9.55, d_C85LCHmax = 121.76, d_C85LCHave = 41.71
 iai+1 = 144, C85LCHFa = 70.11, C85LCHSTRESSa = 36.76

input: w/rgb/cmyk -> (w/rgb/cmyk)

TUB-test chart XE85;
 all colours of 128chromatic test chart RGB



1-000730-10

XE85-7N_L_3

1-000730-10