

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/XG47/XG47LONA.TXT> /PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV*DV	ds*DV	dE*DV	dE*DVrdE	dVrdE	dVmdE	DVm no.	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %	
%1000*(CIEXYZ & DV) for all colours (a) of experiment, (iimp=98, colour difference pairs Ks_EV098=KIT_SEPARATE_EV, ioutn=1, iouts=0 %																											
0095050	0100000	0108900	0043074	0051427	0077399	0081895	0087159	0084892	0018085	03661	0.0	0.494	0.0	0.505	47000001	77	-16	-18	24	227	95	-1	6	7	104	(CW-W) %	
0095050	0100000	0108900	0043074	0051427	0077399	0019343	0027473	0069838	0018524	03661	0.00000	0.0	0.505	1.0	0.494	47000002	77	-16	-18	24	227	59	-30	-42	52	233	(CW-C) %
0095050	0100000	0108900	0030852	0028282	0046115	0081865	0087136	0084766	0016145	03661	03661	1.0	0.441	0.0	0.559	47000003	60	15	-18	24	309	95	-1	7	7	104	(VW-W) %
0095050	0100000	0108900	0030852	0028282	0046115	0007801	0005152	0022368	0020464	03661	00000	0.0	0.559	1.0	0.441	47000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V) %
0095050	0100000	0108900	0053920	0042704	0046585	0081957	0087176	0085290	0016987	03661	03661	1.0	0.464	0.0	0.536	47000005	71	37	0	37	359	95	-1	6	6	104	(MW-W) %
0095050	0100000	0108900	0053920	0042704	0046585	0033139	0017030	0021987	0019622	03661	00000	0.0	0.536	1.0	0.464	47000006	71	37	0	37	359	48	74	-6	75	355	(MW-M) %
0095050	0100000	0108900	0052074	0043502	0024322	0082025	0087214	0085669	0016987	03661	03661	1.0	0.464	0.0	0.536	47000007	72	30	30	42	44	95	-1	6	6	104	(OW-W) %
0095050	0100000	0108900	0052074	0043502	0024322	0030662	0017102	0002671	0019622	03661	00000	0.0	0.536	1.0	0.464	47000008	72	30	30	42	44	48	65	52	84	38	(OW-O) %
0095050	0100000	0108900	0071925	0080693	0032042	0082017	0087277	0085077	0017975	03661	03661	1.0	0.491	0.0	0.508	47000009	92	-9	53	54	100	95	-1	6	7	104	(YW-W) %
0095050	0100000	0108900	0071925	0080693	0032042	0066664	0073806	0066995	0018634	03661	00000	0.0	0.508	1.0	0.491	47000010	92	-9	53	54	100	89	-7	100	100	94	(YW-Y) %
0095050	0100000	0108900	0032292	0044663	0029339	0081978	0087247	0084968	0017316	03661	03661	1.0	0.473	0.0	0.526	47000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W) %
0095050	0100000	0108900	0032292	0044663	0029339	0009712	0020830	0006418	0019293	03661	00000	0.0	0.526	1.0	0.473	47000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L) %
0095050	0100000	0108900	0008527	0010959	0021142	0019770	0027965	0070590	0017865	03661	03661	1.0	0.488	0.0	0.511	47000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C) %
0095050	0100000	0108900	0008527	0010959	0021142	0002980	0003099	0003081	0018744	03661	00000	0.0	0.511	1.0	0.488	47000014	40	-15	-20	25	232	20	0	1	1	72	(CN-N) %
0095050	0100000	0108900	0005284	0004233	0010255	0008218	0005476	0023253	0018195	03661	03661	1.0	0.497	0.0	0.503	47000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V) %
0095050	0100000	0108900	0005284	0004233	0010255	0003089	0003186	0003175	0018414	03661	00000	0.0	0.503	1.0	0.496	47000016	24	16	-21	26	307	21	1	1	2	60	(VN-N) %
0095050	0100000	0108900	0012276	0008036	0009325	0032537	0016547	0021197	0019586	03661	03661	1.0	0.535	0.0	0.464	47000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M) %
0095050	0100000	0108900	0012276	0008036	0009325	0002842	0002946	0002963	0017023	03661	00000	0.0	0.464	1.0	0.535	47000018	34	36	-1	36	357	20	0	1	1	64	(MN-N) %
0095050	0100000	0108900	0011579	0007961	0002636	0030314	0016860	0002493	0018378	03661	03661	1.0	0.502	0.0	0.497	47000019	34	32	28	43	40	48	65	53	84	39	(ON-O) %
0095050	0100000	0108900	0011579	0007961	0002636	0002902	0003013	0002999	0018231	03661	00000	0.0	0.497	1.0	0.502	47000020	34	32	28	43	40	20	0	1	1	69	(ON-N) %
0095050	0100000	0108900	0020099	0022165	0004769	0066798	0074098	0007444	0017096	03661	03661	1.0	0.467	0.0	0.533	47000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y) %
0095050	0100000	0108900	0020099	0022165	0004769	0003033	0003118	0003076	0019513	03661	00000	0.0	0.533	1.0	0.467	47000022	54	-4	50	50	95	21	1	2	2	59	(YN-N) %
0095050	0100000	0108900	0005367	0008949	0004486	0010243	0021552	0006753	0015705	03661	03661	1.0	0.429	0.0	0.571	47000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L) %
0095050	0100000	0108900	0005367	0008949	0004486	0003141	0003224	0003188	0020904	03661	00000	0.0	0.571	1.0	0.429	47000024	36	-31	20	37	147	21	1	2	2	56	(LN-N) %
0095050	0100000	0108900	0018978	0027010	0069411	0081903	0087166	0084901	0016767	03661	03661	1.0	0.458	0.0	0.541	47000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W) %
0095050	0100000	0108900	0018978	0027010	0069411	0002714	0002829	0002886	0019842	03661	00000	0.0	0.541	1.0	0.458	47000026	59	-30	-42	52	234	19	0	1	1	70	(C-N) %
0095050	0100000	0108900	0007467	0004897	0021984	0081875	0087121	0084914	0026359	03661	03661	1.0	0.72	0.0	0.279	47000027	26	31	-44	54	305	95	-1	6	7	104	(V-W) %
0095050	0100000	0108900	0007467	0004897	0021984	0002736	0002851	0002907	0010250	03661	00000	0.0	0.279	1.0	0.72	47000028	26	31	-44	54	305	19	0	1	1	69	(V-N) %
0095050	0100000	0108900	0032650	0016676	0021392	0081940	0087190	0085037	0015705	03661	03661	1.0	0.429	0.0	0.571	47000029	48	74	-6	75	355	95	-1	6	7	104	(M-W) %
0095050	0100000	0108900	0032650	0016676	0021392	0002832	0002949	0003016	0020904	03661	00000	0.0	0.571	1.0	0.429	47000030	48	74	-6	75	355	20	0	1	1	67	(M-N) %
0095050	0100000	0108900	0030215	0016816	0002562	0081966	0087204	0085258	0018378	03661	03661	1.0	0.502	0.0	0.497	47000031	48	65	53	84	39	95	-1	6	6	104	(O-W) %
0095050	0100000	0108900	0030215	0016816	0002562	0002849	0002958	0003070	0018231	03661	00000	0.0	0.497	1.0	0.502	47000032	48	65	53	84	39	20	0	0	1	55	(O-N) %
0095050	0100000	0108900	0066737	0073834	0007177	0082007	0087317	0084700	0012484	03661	03661	1.0	0.341	0.0	0.659	47000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W) %
0095050	0100000	0108900	0066737	0073834	0007177	0002672	0002786	0002857	0024125	03661	00000	0.0	0.659	1.0	0.341	47000034	89	-7	99	100	94	19	0	1	1	69	(Y-N) %
0095050	0100000	0108900	0009334	0020322	0006403	0081861	0087155	0084581	0018597	03661	03661	1.0	0.508	0.0	0.491	47000035	52	-63	39	74	147	95	-1	7	7	104	(L-W) %
0095050	0100000	0108900	0009334	0020322	0006403	0002711	0002826	0002883	0018012	03661	00000	0.0	0.491	1.0	0.508	47000036	52	-63	39	74	147	19	0	1	1	70	(L-N) %
0095050	0100000	0108900	0007648	0005037	0022249	0019131	0027146	0069686	0018488	03661	03661	1.0	0.505	0.0	0.495	47000037	27	31	-43	53	305	59	-30	-42	52	234	(V-C) %
0095050	0100000	0108900	0007648	0005037	0022249	0032775	0016792	0021389	0018121	03661	00000	0.0	0.495	1.0	0.505	47000038	27	31	-43	53	305	48	74	-5	74	355	(V-M) %
0095050	0100000	0108900	0030190	0016793	0002540	0032749	0016740	0021479	0012044	03661	03661	1.0	0.329	0.0	0.671	47000039	48	65	53	84	39	48	74	-6	75	355	(O-M) %
0095050	0100000	0108900	0030190	0016793	0002540	0066638	0073825	0007508	0024565	03661	00000	0.0	0.671	1.0	0.329	47000040	48	65	53	84	39	89	-7	98	99	94	(O-Y) %
0095050	0100000	0108900	0009237	0020192	0006398	0066640	0073753	0007320	0021416	03661	03661	1.0	0.585	0.0	0.414	47000041	52	-63	39	74	148	89	-7	99	99	94	(L-Y) %
0095050	0100000	0108900	0009237	0020192	0006398	0018964	0026976	0069349	0015193	03661	00000	0.0	0.414	1.0	0.585	47000042	52	-63	39	74	148	59	-30	-42	52	234	(L-C) %
0095050	0100000	0108900	0018934	0026937	0069287	0007531	0004955	0021877	0020391	03661	03661	1.0	0.557	0.0	0.442	47000043	59	-30	-42	52	234	27	31	-43	53	305	(C-V) %
0095050	0100000	0108900</																									

http://130.149.60.45/~farbmetrik/XG47/XG47LONA.TXT / .PS; Transfer Ausgabe
 N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 4/6

%*a	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	de*ab	de*94	de*CM	de*00	de*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %
%CHIELAB	data for all colour (a) of experiment, iimp=98, colour difference pairs Ks_EV098=KIT_SEPARATE_EV, iout=1, iouts=0																										
76.94	-16.53	-18.24	24.62	227.8	94.81	-1.83	6.97	7.21	104.7	18.08	34.22	26.08	27.49	24.57	157.5	47000001	-16	-18	24	227	95	-1	6	7	104	(CW-W)*%	
76.94	-16.53	-18.24	24.62	227.8	59.41	-30.93	-42.44	52.52	233.9	18.52	33.16	22.13	18.63	17.27	196.5	47000002	-16	-18	24	227	59	-30	-42	52	233	(CW-C)*%	
60.15	15.41	-18.9	24.39	309.2	94.8	-1.84	7.05	7.28	104.6	16.14	46.6	40.38	36.7	34.4	274.9	47000003	60	15	-18	24	309	95	-1	7	104	(VW-W)*%	
60.15	15.41	-18.9	24.39	309.2	27.19	31.2	-43.55	53.57	305.6	20.46	44.07	35.81	35.06	32.51	390.3	47000004	60	15	-18	24	309	27	31	-43	53	305	(VW-V)*%
71.36	37.37	-0.08	37.37	359.8	94.81	-1.74	6.7	6.92	104.5	16.98	46.11	30.75	31.95	30.23	184.1	47000005	71	37	0	37	359	95	-1	6	104	(MW-W)*%	
71.36	37.37	-0.08	37.37	359.8	48.31	74.74	-6.46	75.02	355.0	19.62	44.36	27.13	23.93	23.04	225.1	47000006	71	37	0	37	359	48	74	-6	75	355	(MW-M)*%
71.9	30.26	30.19	42.75	44.9	94.83	-1.67	6.45	6.67	104.5	16.98	45.93	27.97	31.72	28.31	187.3	47000007	72	30	30	42	44	95	-1	6	104	(OW-W)*%	
71.9	30.26	30.19	42.75	44.9	48.4	65.36	52.84	84.04	38.9	19.62	47.92	27.68	24.9	23.54	229.5	47000008	72	30	30	42	44	95	-1	6	104	(OW-O)*%	
91.99	-9.86	53.16	54.07	100.5	94.86	-1.81	6.92	7.16	104.6	17.97	47.02	13.98	23.19	19.84	92.1	47000009	92	-9	53	54	100	95	-1	6	7	104	(YV-W)*%
91.99	-9.86	53.16	54.07	100.5	88.83	-7.61	100.6	100.89	94.3	18.63	47.6	14.67	15.84	11.5	45.6	47000010	92	-9	53	54	100	89	-1	6	7	104	(YV-Y)*%
72.67	-33.3	23.7	40.87	144.5	94.84	-1.83	6.98	7.22	104.6	17.31	41.97	26.16	26.11	24.48	174.4	47000011	73	-33	23	40	144	95	-1	6	7	104	(LW-W)*%
72.67	-33.3	23.7	40.87	144.5	52.77	-62.6	40.69	74.67	146.9	19.29	39.28	23.23	20.49	19.33	184.5	47000012	73	-33	23	40	144	53	-62	40	74	146	(LW-L)*%
39.52	-15.42	-20.08	25.32	232.4	59.86	-30.71	-42.29	52.26	234.0	17.86	33.76	23.92	22.17	22.57	207.0	47000013	40	-15	-20	25	232	60	-30	-42	52	234	(CN-C)*%
24.45	16.55	-21.26	26.94	307.8	28.07	31.19	-43.56	53.58	305.6	18.19	26.91	12.61	12.53	10.12	113.9	47000015	24	16	-21	26	307	28	31	-43	53	305	(VN-V)*%
24.45	16.55	-21.26	26.94	307.8	20.81	1.05	1.84	2.12	60.1	18.41	28.06	14.8	21.73	19.63	130.4	47000016	24	16	-21	26	307	21	1	1	2	60	(VN-N)*%
34.07	36.95	-1.84	36.99	357.1	47.69	75.24	-6.1	75.49	355.3	19.58	40.86	19.88	19.98	16.32	153.0	47000017	34	36	-1	36	357	48	75	-6	75	355	(MN-M)*%
34.07	36.95	-1.84	36.99	357.1	19.86	0.75	1.61	1.78	64.8	17.02	39.03	20.25	29.75	25.17	173.5	47000018	34	36	-1	36	357	20	0	1	1	64	(MN-N)*%
33.92	32.74	28.13	43.17	40.6	48.09	65.37	53.64	84.56	39.3	18.37	43.76	19.98	20.55	16.57	156.6	47000019	34	32	28	43	40	48	65	53	84	39	(ON-O)*%
33.92	32.74	28.13	43.17	40.6	20.13	0.68	1.82	1.95	69.3	18.23	43.7	19.84	30.74	24.46	179.3	47000020	34	32	28	43	40	20	0	1	1	69	(ON-N)*%
54.21	-4.7	50.5	50.72	95.3	88.97	-7.91	99.17	99.48	94.5	17.09	59.89	37.8	31.22	28.64	263.4	47000021	54	-4	50	50	95	89	-7	99	99	94	(YN-Y)*%
54.21	-4.7	50.5	50.72	95.3	20.55	1.21	2.03	2.37	59.1	19.51	59.3	36.94	45.06	36.56	331.1	47000022	54	-4	50	50	95	21	1	1	2	59	(YN-N)*%
35.9	-31.79	20.36	37.75	147.3	53.55	-61.81	40.72	74.02	146.6	15.7	40.34	22.19	21.86	19.59	181.6	47000023	36	-31	20	37	147	54	-61	40	74	146	(LN-L)*%
35.9	-31.79	20.36	37.75	147.3	20.95	1.31	2.0	2.39	56.8	20.9	40.69	21.66	31.39	27.19	181.6	47000024	36	-31	20	37	147	21	1	2	2	56	(LN-N)*%
58.99	-30.95	-42.83	52.84	234.1	94.81	-1.82	6.97	7.21	104.6	16.76	67.91	43.05	42.26	39.84	345.3	47000025	59	-30	-42	52	234	95	-1	6	7	104	(C-W)*%
58.99	-30.95	-42.83	52.84	234.1	19.39	0.46	1.31	1.39	70.4	19.84	67.11	43.47	40.99	43.16	400.8	47000026	59	-30	-42	52	234	95	0	1	1	70	(C-N)*%
26.46	31.17	-44.12	54.02	305.2	94.79	-1.8	6.93	7.16	104.5	26.35	91.44	72.88	66.4	67.82	583.8	47000027	26	31	-44	54	305	95	-1	6	7	104	(V-W)*%
26.46	31.17	-44.12	54.02	305.2	19.48	0.48	1.32	1.41	69.7	10.25	55.28	18.89	30.95	26.65	243.6	47000028	26	31	-44	54	305	19	0	1	1	69	(V-N)*%
47.86	74.93	-6.17	75.18	355.2	94.82	-1.8	6.89	7.12	104.6	15.7	90.9	52.54	51.61	47.55	375.4	47000029	48	74	-6	75	355	95	-1	6	7	104	(M-W)*%
47.86	74.93	-6.17	75.18	355.2	20.9	79.83	33.13	46.36	67.0	20.9	93.32	50.83	52.84	47.55	382.2	47000030	48	74	-6	75	355	20	0	1	1	67	(M-N)*%
48.04	65.24	53.02	84.07	39.1	19.91	0.68	0.98	1.19	104.7	18.37	93.92	50.83	52.84	47.55	382.2	47000031	48	65	53	84	39	95	-1	6	6	104	(O-W)*%
48.04	65.24	53.02	84.07	39.1	19.91	0.68	0.98	1.19	55.1	18.23	87.56	33.05	47.55	36.52	320.7	47000032	48	65	53	84	39	20	0	0	1	55	(O-N)*%
88.84	-7.51	99.94	100.22	94.2	94.87	-1.9	7.23	7.47	104.7	12.48	93.07	17.98	35.33	27.52	134.7	47000033	89	-7	99	100	94	95	-1	7	7	104	(Y-W)*%
88.84	-7.51	99.94	100.22	94.2	19.2	0.45	1.19	1.27	69.2	24.12	121.0971	94.72	73.5	73.48	464.9	47000034	89	-7	99	100	94	95	0	1	1	69	(Y-N)*%
52.21	-63.24	39.78	74.72	147.8	94.8	-1.88	7.19	7.44	104.7	18.01	81.35	37.37	49.56	39.42	335.0	47000035	52	-63	39	74	147	95	-1	7	7	104	(L-W)*%
52.21	-63.24	39.78	74.72	147.8	19.37	0.46	1.3	1.39	70.3	18.01	81.35	37.37	49.56	39.42	335.0	47000036	52	-63	39	74	147	95	0	1	1	70	(L-N)*%
26.86	31.17	-43.9	53.84	305.3	59.11	-30.71	-42.84	52.71	234.3	18.48	69.79	47.03	50.52	48.93	359.8	47000037	27	31	-43	53	305	59	-30	-42	52	234	(V-C)*%
26.86	31.17	-43.9	53.84	305.3	48.01	74.74	-5.91	74.97	355.4	18.12	61.54	37.02	35.74	30.48	348.8	47000038	27	31	-43	53	305	48	74	-6	74	355	(V-M)*%
48.01	65.27	53.13	84.16	39.1	47.94	74.93	-6.19	75.19	355.2	12.04	60.1	26.33	25.21	27.24	155.6	47000039	48	65	53	84	39	48	74	-6	75	355	(O-M)*%
48.01	65.27	53.13	84.16	39.1	88.84	-7.71	98.71	99.01	94.4	24.56	95.24	55.5	66.66	56.76	343.2	47000040	48	65	53	84	39	89	-7	98	99	94	(O-Y)*%
52.06	-63.42	39.55	74.75	148.0	88.81	-7.56	99.34	99.63	94.3	21.41	89.69	52.27	44.45	42.8	291.6	47000041	52	-63	39	74	148	89	-7	99	99	94	(L-Y)*%
52.06	-63.42	39.55	74.75	148.0	58.96	-30.89	-42.83	52.81	234.1	15.19	88.84	41.34	40.73	45.86	309.9	47000042	52	-63	39	74	148	59	-30	-42	52	234	(L-C)*%
58.92	-30.89	-42.84	52.82	234.2	26.63	31.07	-43.64	53.57	305.4	20.39	69.88	47.3	50.66	49.01	360.1	47000043	59	-30	-42	52	234	27	31	-43	53	305	(C-V)*%
58.92	-30.89	-42.84	52.82	234.																							

http://130.149.60.45/~farbmetrik/XG47/XG47LONA.TXT / .PS; Transfer Ausgabe
 N: Keine 3D-Linearisierung (OL) in Datei (F) oder PS-Startup (S), Seite 5/6

%*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	de*ab	de*94	de*CM	de*00	de*85	NR	I*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE %
68.58	-23.63	-30.29	38.42	232.0	76.79	-16.56	-18.75	25.02	228.5	7.65	15.82	9.64	9.12	8.32	87.7	47000051	69	-23	-30	38	232	77	-16	-18	25	228	(WV-W)%
68.58	-23.63	-30.29	38.42	232.0	59.13	-30.86	-42.86	52.82	234.2	11.53	17.31	10.87	9.7	9.2	112.1	47000052	69	-23	-30	38	232	59	-30	-42	52	234	(WV-V)%
78.3	7.06	-7.01	9.95	315.2	94.67	-1.67	6.5	6.71	104.4	7.61	22.95	21.47	21.55	18.66	125.9	47000053	78	7	-7	9	315	95	-1	6	104	(Wm-W)%	
78.3	7.06	-7.01	9.95	315.2	60.3	15.34	-19.57	24.87	308.0	9.59	23.46	20.81	17.2	16.65	162.4	47000054	78	7	-7	9	315	60	15	-19	24	308	(Wm-V)%
44.21	22.97	-31.7	39.15	305.9	60.3	15.34	-19.57	24.87	308.0	8.0	21.53	16.91	16.01	16.97	180.8	47000055	44	22	-31	39	305	60	15	-19	24	308	(WO-W)%
44.21	22.97	-31.7	39.15	305.9	27.04	31.13	-43.94	53.85	305.3	10.47	22.61	17.98	20.05	15.04	230.9	47000056	44	22	-31	39	305	27	31	-43	53	305	(WO-V)%
83.97	17.48	2.91	17.72	9.4	94.83	-1.7	6.55	6.77	104.5	8.16	22.34	17.83	32.91	22.37	82.9	47000057	84	17	2	17	9	95	-1	6	104	(WY-W)%	
83.97	17.48	2.91	17.72	9.4	71.53	37.39	-0.61	37.39	359.0	9.15	23.73	16.97	14.13	13.11	104.4	47000058	84	17	2	17	9	72	37	0	37	359	(WY-V)%
60.11	56.15	-3.8	56.28	356.1	71.53	37.39	-0.61	37.39	359.0	7.98	22.19	12.67	11.96	11.17	108.4	47000059	60	56	-3	56	356	72	37	0	37	359	(Wl-W)%
60.11	56.15	-3.8	56.28	356.1	48.09	74.97	-6.57	75.26	354.9	11.31	22.5	13.18	12.48	12.51	127.2	47000060	60	56	-3	56	356	48	74	-6	75	354	(Wl-V)%
82.78	14.55	17.85	23.03	50.8	94.8	-1.81	7.19	7.42	104.1	8.93	22.94	16.71	20.73	19.45	94.3	47000061	83	14	17	23	50	95	-1	7	7	104	(Ch-C)%
82.78	14.55	17.85	23.03	50.8	71.22	31.5	29.96	43.48	43.5	8.27	23.82	15.59	13.74	12.08	101.7	47000062	83	14	17	23	50	71	31	29	43	43	(Ch-V)%
59.24	49.55	42.4	65.21	40.5	47.91	65.55	53.73	84.76	39.3	11.42	22.64	13.26	12.86	11.86	120.3	47000063	59	49	42	65	40	71	31	29	43	43	(Vh-V)%
59.24	49.55	42.4	65.21	40.5	71.22	31.5	29.96	43.48	43.5	8.27	23.82	15.59	13.74	12.08	101.7	47000064	59	49	42	65	40	71	31	29	43	43	(Vh-V)%
93.11	-6.36	28.57	29.27	102.5	94.84	-1.77	6.9	7.13	104.4	8.82	22.21	9.71	14.11	12.32	52.2	47000065	93	-6	28	29	102	95	-1	6	7	104	(Mm-W)%
93.11	-6.36	28.57	29.27	102.5	92.03	-9.68	51.97	52.86	100.5	9.77	23.65	10.28	10.14	8.36	38.4	47000066	93	-6	28	29	102	92	-9	51	52	100	(Mm-V)%
90.73	-10.44	77.87	78.57	97.6	92.03	-9.68	51.97	52.86	100.5	11.09	25.94	6.0	9.11	6.82	28.2	47000067	91	-10	77	78	97	92	-9	51	52	100	(Om-O)%
90.73	-10.44	77.87	78.57	97.6	88.92	-9.75	98.59	98.9	94.4	6.91	20.97	5.31	6.8	4.93	18.9	47000068	91	-10	77	78	97	89	-7	98	98	94	(Om-V)%
84.62	-17.15	14.27	22.31	140.2	94.77	-1.7	6.61	6.83	104.4	7.94	20.01	13.97	14.93	15.23	78.4	47000069	85	-17	14	22	140	95	-1	6	104	(Yn-Y)%	
84.62	-17.15	14.27	22.31	140.2	72.84	-32.92	22.13	39.67	146.0	8.56	21.19	14.79	12.32	11.24	97.1	47000070	85	-17	14	22	140	73	-32	22	39	146	(Yn-V)%
63.63	-47.75	31.25	57.07	146.7	72.84	-32.92	22.13	39.67	146.0	9.0	19.69	10.42	10.01	9.11	85.2	47000071	64	-47	31	57	146	73	-32	22	39	146	(Ln-L)%
63.63	-47.75	31.25	57.07	146.7	53.08	-62.72	39.96	74.36	147.4	11.09	20.27	11.61	10.77	10.46	103.2	47000072	64	-47	31	57	146	53	-62	22	39	147	(Ln-V)%
48.84	-23.06	-32.15	39.56	234.3	59.31	-30.82	-42.44	52.45	234.0	10.1	16.6	11.44	10.6	10.89	103.6	47000073	49	-23	-32	39	234	59	-30	-42	52	234	(Wn-W)%
48.84	-23.06	-32.15	39.56	234.3	38.56	-15.5	-20.87	25.99	233.3	8.38	17.03	11.92	12.05	11.01	114.2	47000074	49	-23	-32	39	234	39	-15	-20	25	233	(Wn-V)%
28.6	-8.71	-9.93	13.21	228.7	19.44	0.57	1.06	1.21	61.6	8.26	16.27	12.84	13.98	10.72	120.0	47000075	29	-8	-9	13	228	19	-15	-20	25	233	(CV-C)%
28.6	-8.71	-9.93	13.21	228.7	19.44	0.57	1.06	1.21	61.6	8.26	16.27	12.84	13.98	10.72	120.0	47000076	29	-8	-9	13	228	19	0	-1	61	(CV-V)%	
25.04	24.12	-33.9	41.61	305.4	26.77	31.43	-43.88	53.97	305.6	6.22	12.49	4.64	5.46	4.1	47.7	47000077	25	24	-33	41	305	27	31	-43	53	305	(WV-V)%
25.04	24.12	-33.9	41.61	305.4	23.23	16.42	-22.23	27.64	306.4	11.78	14.09	5.2	6.99	5.73	60.5	47000078	25	24	-33	41	305	23	16	-22	27	306	(WV-M)%
21.59	8.2	-9.86	12.83	309.7	23.23	16.42	-22.23	27.64	306.4	12.48	14.93	9.57	9.32	8.23	68.4	47000079	22	8	-9	12	309	23	16	-22	27	306	(MO-M)%
39.95	56.6	-5.2	56.84	354.7	47.96	75.02	-6.12	75.27	355.3	10.32	20.1	9.54	10.14	8.79	86.4	47000081	40	56	-5	56	354	48	75	-6	75	355	()
39.95	56.6	-5.2	56.84	354.7	34.33	37.05	-2.58	37.14	356.0	7.98	20.51	7.9	10.0	7.93	69.7	47000082	40	56	-5	56	354	34	37	-2	37	356	()
27.14	19.88	0.09	19.88	0.2	34.33	37.05	-2.58	37.14	356.0	8.49	18.8	11.71	12.52	9.71	87.4	47000083	27	19	0	19	0	34	37	-2	37	356	()
27.14	19.88	0.09	19.88	0.2	20.32	0.86	1.64	1.85	62.3	9.81	20.26	12.66	19.8	17.63	87.2	47000084	27	19	0	19	0	20	0	1	1	62	()
40.17	49.15	39.85	63.27	39.0	47.89	65.54	53.53	84.62	39.2	10.32	22.7	9.5	10.36	8.73	83.7	47000085	40	49	39	63	49	48	65	53	84	39	()
40.17	49.15	39.85	63.27	39.0	33.47	32.53	27.42	42.55	40.1	7.32	21.8	8.6	10.78	8.35	79.0	47000086	40	49	39	63	39	33	32	27	42	40	()
26.6	17.98	15.0	23.41	39.8	33.47	32.53	27.42	42.55	40.1	8.34	20.33	11.57	12.47	9.4	84.4	47000087	27	17	15	23	39	30	0	1	1	73	()
26.6	17.98	15.0	23.41	39.8	19.55	0.34	1.14	1.19	73.0	10.61	23.51	13.1	20.74	17.99	98.6	47000088	27	17	15	23	39	20	0	1	1	73	()
72.42	-8.18	74.48	74.93	96.2	88.85	-7.73	98.52	98.82	94.4	10.94	29.12	17.36	14.2	12.38	123.5	47000089	72	-8	74	74	96	89	-7	98	98	94	()
72.42	-8.18	74.48	74.93	96.2	53.86	-4.99	49.58	49.83	95.7	7.35	31.21	19.42	17.57	16.97	161.5	47000090	72	-8	74	74	96	54	-4	49	49	95	()
37.38	-2.16	26.01	26.1	94.7	53.86	-4.99	49.58	49.83	95.7	7.39	28.89	19.76	19.08	18.03	168.5	47000091	37	-2	26	26	94	54	-4	49	49	95	()
37.38	-2.16	26.01	26.1	94.7	19.78	0.58	1.51	1.51	67.2	10.39	30.39	21.03	29.02	20.54	202.0	47000092	37	-2	26	26	94	20	0	1	1	67	()
44.04	-47.55	30.17	56.32	147.6	53.0	-62.87	39.82	74.42	147.6	9.95	20.2	10.32	10.42	10.01	91.7	47000093	44	-47	30	56	147	53	-62	39	74	147	()
44.04	-47.55	30.17	56.32	147.6	35.23	-32.23	19.13	37.48	149.3	6.55	20.83	10.32	11.94	9.83	97.8	47000094											

%L*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %

%CIELAB data for all colour (a) of experiment, iimp=98, colour difference pairs Ks_EV098=KIT_SEPARATE_EV, ioutn=1, iouts=0 %

Minimum, maximum and average colour difference value

STRESS constant F and STRESS value S

iai+1 = 98, d_CIELABmin = 12.49, d_CIELABmax = 121.09, d_CIELABave = 41.14

iai+1 = 98, CIELAB_Fa = 3.06, CIELAB_STRESSa = 36.98

iai+1 = 98, d_CIELCHmin = 12.49, d_CIELCHmax = 121.11, d_CIELCHave = 41.15

iai+1 = 98, CIELCH_Fa = 3.06, CIELCH_STRESSa = 36.98

iai+1 = 98, d_C94LCHmin = 4.64, d_C94LCHmax = 72.88, d_C94LCHave = 23.66

iai+1 = 98, C94LCH_Fa = 1.77, C94LCH_STRESSa = 35.84

iai+1 = 98, d_CMCLCHmin = 5.46, d_CMCLCHmax = 72.5, d_CMCLCHave = 25.47

iai+1 = 98, CMCLCH_Fa = 1.89, CMCLCH_STRESSa = 34.72

iai+1 = 98, d_C00LCHmin = 4.1, d_C00LCHmax = 73.48, d_C00LCHave = 22.81

iai+1 = 98, C00LCH_Fa = 1.7, C00LCH_STRESSa = 36.6

iai+1 = 98, d_C85LCHmin = 18.94, d_C85LCHmax = 583.86, d_C85LCHave = 182.82

iai+1 = 98, C85LCH_Fa = 13.68, C85LCH_STRESSa = 34.86