



see similar files: <http://130.149.60.45/~farbmetrik/YE81/YE81.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-YE81/YE81L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*76	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=128, colour difference pairs OS_L0128, xchart3=1, xchart4=0 %																												
0094811	0100000	0107304	0036030	0028650	0035150	0033865	0028770	0042369	0002093	01170	01167	00746	00760	00676	04010	81000101	60	32	-6	33	349	61	24	-14	28	329	()	%
0094811	0100000	0107304	0036710	0027920	0030330	0032542	0028120	0025273	0002525	01713	01710	00822	00941	00915	04167	81000102	60	37	0	37	359	60	22	7	23	18	()	%
0094811	0100000	0107304	0036710	0027920	0030330	0035869	0028500	0021057	0002945	01671	01664	01066	00987	01088	05611	81000103	60	37	0	37	359	60	32	15	36	25	()	%
0094811	0100000	0107304	0036710	0027920	0030330	0036023	0028650	0035146	0001275	00752	00749	00421	00441	00387	02567	81000104	60	37	0	37	359	60	32	-6	33	349	()	%
0094811	0100000	0107304	0016150	0010600	0004480	0014566	0010300	0004636	0001611	00733	00733	00268	00353	00287	01540	81000105	39	40	25	47	31	38	33	23	40	35	()	%
0094811	0100000	0107304	0016150	0010600	0004480	0023003	0017270	0006717	0003150	01376	01375	01122	01256	01105	10577	81000106	39	40	25	47	31	49	33	31	46	43	()	%
0094811	0100000	0107304	0025340	0018100	0013840	0016150	0010600	0004610	0003497	01651	01648	01283	01342	01231	12122	81000107	50	39	12	41	17	39	40	24	47	31	()	%
0094811	0100000	0107304	0025340	0018100	0013840	0014562	0010300	0004761	0003538	01667	01665	01357	01459	01321	12411	81000108	50	39	12	41	17	38	33	22	40	34	()	%
0094811	0100000	0107304	0022990	0017270	0006910	0014561	0010300	0004759	0002590	01313	01310	01103	01182	01057	10875	81000109	49	33	31	45	43	38	33	22	40	34	()	%
0094811	0100000	0107304	0022990	0017270	0006910	0025337	0018100	0013837	0003253	02001	01993	01168	01547	01288	05051	81000110	49	33	31	45	43	50	39	12	41	17	()	%
0094811	0100000	0107304	0073380	0079950	0044570	0071950	0080150	0032580	0002498	01533	01526	00580	00633	00515	02223	81000111	92	-4	36	36	97	92	-8	51	52	99	()	%
0094811	0100000	0107304	0073380	0079950	0044570	0051628	0058850	0023000	0003701	01655	01652	01166	00935	00834	07967	81000112	92	-4	36	36	97	81	-10	47	49	102	()	%
0094811	0100000	0107304	0054510	0058270	0021670	0073386	0079950	0044561	0003365	01739	01734	01174	00982	00878	08227	81000113	81	-1	49	49	92	92	-4	36	36	97	()	%
0094811	0100000	0107304	0054510	0058270	0021670	0071956	0080150	0032572	0002773	01277	01276	01146	00873	00822	07910	81000114	81	-1	49	49	92	92	-8	51	52	99	()	%
0094811	0100000	0107304	0051630	0058850	0023000	0071951	0080150	0032579	0002610	01133	01132	01071	00780	00714	07623	81000115	81	-10	47	49	102	92	-8	51	52	99	()	%
0094811	0100000	0107304	0051630	0058850	0023000	0054506	0058270	0021675	0002253	00901	00900	00518	00560	00597	01418	81000116	81	-10	47	49	102	81	-1	49	49	92	()	%
0094811	0100000	0107304	0022020	0028850	0031470	0020132	0030070	0032503	0001733	01368	01367	00679	00685	00604	02028	81000117	61	-23	0	23	181	62	-36	0	36	180	()	%
0094811	0100000	0107304	0022020	0028850	0031470	0012437	0018700	0023768	0002804	01480	01479	01185	01072	01112	10397	81000118	61	-23	0	23	181	50	-31	-6	32	191	()	%
0094811	0100000	0107304	0011980	0018370	0016440	0022019	0028850	0031464	0003375	01657	01656	01229	01169	01202	10875	81000119	50	-33	6	33	168	61	-23	0	23	181	()	%
0094811	0100000	0107304	0011980	0018370	0016440	0020132	0030070	0032497	0003803	01409	01407	01276	01120	01199	11541	81000120	50	-33	6	33	168	62	-36	0	36	180	()	%
0094811	0100000	0107304	0012440	0018700	0023770	0020136	0030070	0032504	0003375	01387	01385	01086	01164	01185	11185	81000121	50	-31	-6	32	191	62	-36	0	36	180	()	%
0094811	0100000	0107304	0012440	0018700	0023770	0011982	0018370	0016443	0002508	01339	01333	00897	00835	00889	05843	81000122	50	-31	-6	32	191	50	-33	6	33	168	()	%
0094811	0100000	0107304	0007080	0006480	0023130	0005964	0006040	0014531	0001835	01692	01685	00641	00865	00457	08050	81000123	31	9	-39	40	283	30	2	-24	24	276	()	%
0094811	0100000	0107304	0007080	0006480	0023130	0012069	0010980	0026585	0003151	01343	01340	00998	01153	01018	13050	81000124	31	9	-39	40	283	40	12	-29	32	292	()	%
0094811	0100000	0107304	0010540	0011740	0027070	0007081	0006480	0023133	0002467	02068	02065	01480	01641	01097	15211	81000125	41	-4	-28	28	261	31	9	-39	40	283	()	%
0094811	0100000	0107304	0010540	0011740	0027070	0005965	0006040	0014533	0002641	01397	01396	01243	01424	01188	12618	81000126	41	-4	-28	28	261	30	2	-24	24	276	()	%
0094811	0100000	0107304	0012070	0010980	0026590	0005964	0006040	0014534	0002936	01486	01484	01172	01392	00985	11338	81000127	40	12	-29	32	292	30	2	-24	24	276	()	%
0094811	0100000	0107304	0012070	0010980	0026590	0010538	0011740	0027071	0003008	01662	01661	01109	01397	01264	04276	81000128	40	12	-29	32	292	41	-4	-28	28	261	()	%



%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV	dE*ab	dE*76	dE*94	dE*CM	dE*00	dE*85	NR	L*0 a*0	b*0	C*0	h0	L*1 a*1	b*1	C*1	h1	CODE %
%1000*(CIEXYZ & DV) for all colours (a) of experiment, iimp=128, colour difference pairs OS_L0128, xchart3=1, xchart4=0 %																									
Minimum, maximum and average colour difference value																									
STRESS constant F and STRESS value S																									
iai+1 = 128, d_CIELABmina = 7.33, d_CIELABmaxa = 21.64, d_CIELABavea = 14.32																									
iai+1 = 128, CIELAB_Fa = 5.88, CIELAB_STRESSa = 24.54																									
iai+1 = 128, d_CIELCHmina = 7.33, d_CIELCHmaxa = 21.61, d_CIELCHavea = 14.29																									
iai+1 = 128, CIELCHFa = 5.86, CIELCHSTRESSa = 24.51																									
iai+1 = 128, d_C94LCHmina = 2.68, d_C94LCHmaxa = 14.8, d_C94LCHavea = 8.75																									
iai+1 = 128, C94LCHFa = 3.68, C94LCHSTRESSa = 21.6																									
iai+1 = 128, d_CMCLCHmina = 3.53, d_CMCLCHmaxa = 20.01, d_CMCLCHavea = 10.08																									
iai+1 = 128, CMCLCHFa = 4.2, CMCLCHSTRESSa = 27.05																									
iai+1 = 128, d_C00LCHmina = 2.87, d_C00LCHmaxa = 15.55, d_C00LCHavea = 8.84																									
iai+1 = 128, C00LCHFa = 3.71, C00LCHSTRESSa = 22.18																									
iai+1 = 128, d_C85LCHmina = 14.18, d_C85LCHmaxa = 152.11, d_C85LCHavea = 44.66																									
iai+1 = 128, C85LCHFa = 19.54, C85LCHSTRESSa = 44.22																									

see similar files: <http://130.149.60.45/~farbmetrik/YE81/YE81L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20140801-YE81/YE81L0NP.PDF /.PS TUB material: code=rha4ta
application for measurement of display or printer output, no separation

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
%CIELAB	data for all colour (a) of experiment, iimp=128, colour difference pairs OS_L0128, xchart3=1, xchart4=0 %																											
61.62	-44.65	31.99	54.93	144.37	62.09	-51.41	49.48	71.35	136.0	2.31	18.75	6.86	7.14	5.81	27.51	81000001	62	-44	31	54	144	62	-51	49	71	136	()	%
61.62	-44.65	31.99	54.93	144.37	61.29	-44.35	15.88	47.1	160.2	2.16	16.11	8.05	7.8	7.31	37.04	81000002	62	-44	31	54	144	61	-44	15	47	160	()	%
61.03	-30.83	42.81	52.76	125.76	62.09	-51.39	49.48	71.34	136.0	2.6	21.64	8.33	8.45	7.07	26.37	81000003	61	-30	42	52	125	62	-51	49	71	136	()	%
61.03	-30.83	42.81	52.76	125.76	61.62	-44.63	31.99	54.91	144.3	2.17	17.53	9.74	8.75	8.4	25.12	81000004	61	-30	42	52	125	62	-44	31	54	144	()	%
61.03	-30.83	42.81	52.76	125.76	59.12	-16.98	51.35	54.08	108.3	2.56	16.38	9.26	8.76	9.06	28.95	81000005	61	-30	42	52	125	59	-16	51	54	108	()	%
59.75	-31.78	23.15	39.32	143.92	61.62	-44.67	31.99	54.95	144.3	1.81	15.74	5.94	6.45	5.27	28.27	81000006	60	-31	23	39	143	62	-44	31	54	144	()	%
59.75	-31.78	23.15	39.32	143.92	61.03	-30.88	42.8	52.78	125.8	2.78	19.71	10.32	9.49	8.72	37.37	81000007	60	-31	23	39	143	61	-30	42	52	125	()	%
59.75	-31.78	23.15	39.32	143.92	61.29	-44.37	15.88	47.13	160.3	2.26	14.62	8.35	7.6	7.17	28.13	81000008	60	-31	23	39	143	61	-44	15	47	160	()	%
59.13	-18.7	33.23	38.13	119.37	61.03	-30.84	42.8	52.76	125.7	2.03	15.58	6.54	6.77	5.82	27.92	81000009	59	-18	33	38	119	61	-30	42	52	125	()	%
59.13	-18.7	33.23	38.13	119.37	59.12	-16.98	51.34	54.08	108.3	1.87	18.19	8.09	8.18	7.38	26.34	81000010	59	-18	33	38	119	59	-16	51	54	108	()	%
59.13	-18.7	33.23	38.13	119.37	59.75	-31.75	23.15	39.3	143.8	2.03	16.49	10.48	9.66	9.43	28.79	81000011	59	-18	33	38	119	60	-31	23	39	143	()	%
57.14	-8.58	39.57	40.49	102.24	59.12	-17.02	51.35	54.09	108.3	2.12	14.61	6.06	6.42	5.67	27.05	81000012	57	-8	39	40	102	59	-17	51	54	108	()	%
57.14	-8.58	39.57	40.49	102.24	59.13	-18.74	33.23	38.15	119.4	2.23	12.13	7.61	7.66	7.95	27.84	81000013	57	-8	39	40	102	59	-18	33	38	119	()	%
57.14	-8.58	39.57	40.49	102.24	58.78	2.73	54.8	54.87	87.1	2.94	19.04	9.38	9.94	9.71	32.56	81000014	57	-8	39	40	102	59	2	54	54	87	()	%
61.23	-39.25	-0.6	39.25	180.88	61.29	-44.35	15.87	47.1	160.3	2.6	17.25	10.07	9.19	9.34	56.67	81000015	61	-39	0	39	180	61	-44	15	47	160	()	%
61.23	-39.25	-0.6	39.25	180.88	61.68	-29.76	-12.19	32.16	202.2	2.53	14.98	8.69	8.56	9.14	50.26	81000016	61	-39	0	39	180	62	-29	-12	32	202	()	%
60.13	-27.95	6.73	28.75	166.45	61.29	-44.35	15.88	47.11	160.2	1.74	18.81	8.54	8.53	7.26	35.91	81000017	60	-27	6	28	166	61	-44	15	47	160	()	%
60.13	-27.95	6.73	28.75	166.45	59.75	-31.77	23.16	39.32	143.9	2.05	16.87	10.28	9.53	8.84	48.02	81000018	60	-27	6	28	166	60	-31	23	39	143	()	%
60.13	-27.95	6.73	28.75	166.45	61.23	-39.25	-0.59	39.26	180.8	1.7	13.51	7.54	7.25	6.94	32.97	81000019	60	-27	6	28	166	61	-39	0	39	180	()	%
59.49	-17.38	15.07	23.01	139.07	59.75	-31.79	23.15	39.33	143.9	1.24	16.52	8.24	8.13	7.09	29.46	81000020	59	-17	15	23	139	60	-31	23	39	143	()	%
59.49	-17.38	15.07	23.01	139.07	59.13	-18.74	33.23	38.15	119.4	1.56	18.21	10.58	10.01	9.01	42.33	81000021	59	-17	15	23	139	59	-18	33	38	119	()	%
59.49	-17.38	15.07	23.01	139.07	60.13	-27.98	6.72	28.78	166.4	2.12	13.5	9.51	9.15	8.63	31.43	81000022	59	-17	15	23	139	60	-27	6	28	166	()	%
60.5	-7.15	25.23	26.23	105.82	59.13	-18.73	33.23	38.15	119.4	1.95	14.14	7.78	7.78	7.34	29.3	81000023	61	-7	25	26	105	59	-18	33	38	119	()	%
60.5	-7.15	25.23	26.23	105.82	57.14	-8.58	39.58	40.5	102.2	1.7	14.8	7.5	7.45	6.61	43.16	81000024	61	-7	25	26	105	57	-8	39	40	102	()	%
60.5	-7.15	25.23	26.23	105.82	59.49	-17.37	15.08	23.01	139.0	1.94	14.44	10.23	10.71	10.65	32.04	81000025	61	-7	25	26	105	59	-17	15	23	139	()	%
59.48	2.18	33.74	33.81	86.29	57.14	-8.57	39.57	40.49	102.2	2.52	12.45	7.66	8.3	8.3	32.77	81000026	59	2	33	33	86	57	-8	39	40	102	()	%
59.48	2.18	33.74	33.81	86.29	58.78	2.74	54.8	54.87	87.1	2.13	21.08	8.39	8.7	7.07	30.23	81000027	59	2	33	33	86	59	2	54	54	87	()	%
59.48	2.18	33.74	33.81	86.29	60.5	-7.14	25.23	26.22	105.8	2.12	12.66	7.41	8.92	8.81	27.15	81000028	59	2	33	33	86	61	-7	25	26	105	()	%
59.26	12.21	44.13	45.79	74.52	58.78	2.73	54.79	54.86	87.1	2.72	14.27	7.18	8.75	8.16	23.38	81000029	59	12	44	45	74	59	2	54	54	87	()	%
59.26	12.21	44.13	45.79	74.52	59.48	2.17	33.73	33.8	86.3	2.46	14.45	6.19	8.39	7.43	26.2	81000030	59	12	44	45	74	59	2	33	33	86	()	%
59.26	12.21	44.13	45.79	74.52	58.55	3.03	36.49	36.61	85.2	1.73	11.96	5.48	7.32	6.55	22.36	81000031	59	12	44	45	74	59	3	36	36	85	()	%
61.25	-23.07	-7.16	24.15	197.24	61.23	-39.27	-0.59	39.27	180.8	2.17	17.48	9.69	9.2	8.74	34.73	81000032	61	-23	-7	24	197	61	-39	0	39	180	()	%
61.25	-23.07	-7.16	24.15	197.24	60.13	-27.97	6.73	28.77	166.4	2.72	14.77	10.56	10.11	10.13	56.95	81000033	61	-23	-7	24	197	60	-27	6	28	166	()	%
61.25	-23.07	-7.16	24.15	197.24	61.68	-29.79	-12.18	32.18	202.2	1.7	8.39	4.26	4.44	3.98	23.39	81000034	61	-23	-7	24	197	62	-29	-12	32	202	()	%
60.24	-13.29	-0.61	13.3	182.62	60.13	-27.96	6.73	28.76	166.4	1.65	16.4	10.69	10.11	9.58	35.99	81000035	60	-13	0	13	182	60	-27	6	28	166	()	%
60.24	-13.29	-0.61	13.3	182.62	59.49	-17.36	15.07	22.99	139.0	2.27	16.22	12.43	12.66	10.66	55.78	81000036	60	-13	0	13	182	59	-17	15	22	139	()	%
60.24	-13.29	-0.61	13.3	182.62	61.25	-23.05	-7.16	24.14	197.2	2.24	11.8	7.84	7.8	7.43	32.44	81000037	60	-13	0	13	182	61	-23	-7	24	197	()	%
60.64	-4.95	8.25	9.63	120.99	59.49	-17.35	15.07	22.99	139.0	1.97	14.19	10.23	9.9	10.24	32.56	81000038	61	-4	8	9	120	59	-17	15	22	139	()	%
60.64	-4.95	8.25	9.63	120.99	60.5	-7.13	25.23	26.22	105.7	1.86	17.11	12.14	11.27	9.76	47.04	81000039	61	-4	8	9	120	61	-7	25	26	105	()	%
60.64	-4.95	8.25	9.63	120.99	60.24	-13.28	-0.6	13.3	182.6	2.34	12.16	10.45	12.17	10.84	36.62	81000040	61	-4	8	9	120	60	-13	0	13	182	()	%
60.56	3.55	16.39	16.77	77.75	60.5	-7.15	25.22	26.21	105.8	1.99	13.88	9.75	11.34	11.59	30.34	81000041	61	3	16	16	77	61	-7	25	26	105	()	%
60.56	3.55	16.39	16.77	77.75	59.48	2.17	33.73	33.8	86.3	1.68	17.42	10.16	9.9	8.62	41.1	81000042	61	3	16	16	77	59	2	33	33	86	()	%
60.56	3.55	16.39	16.77	77.75	60.64	-4.98	8.24	9.63	121.1	2.25	11.8	8.54	11.87	12.2	30.08	81000043	61	3	16	16	77	61	-4	8	9	121	()	%
60.08	12.33	26.51	29.24	65.05	59.48	2.16	33.73	33.8	86.3	2.39	12.48	8.32	11.45	9.65	25.61	81000044	60	12	26	29	65	59	2	33	33	86	()	%
60.08	12.33	26.51	29.24	65.05	59.26	12.2	44.13	45.79	74.5	2.31	17.64	8.33	9.43	7.7	32.21	81000045	60	12	26	29	65	59	12	44	45	74	()	%
60.08	12.33	26.51	29.24	65.05	60.56	3.54	16.4	16.78	77.7	1.59	13.4	6.39	9.18	8.07	30.91	81000046	60	12	26	29	65	61	3	16	16	77	()	%
60.1	21.59	34.72	40.89	58.11	59.26	12.22	44.14	45.81	74.5	2.43	13.32	7.89	11.92	9.12	24.81	81000047	60	21	34	40	58	59	12	44	45	74	()	%
60.1	21.59	34.72	40.89	58.11	58.55	20.85	52																					

Table with columns: %L*0, a*0, b*0, C*ab0, hab0, L*1, a*1, b*1, C*ab1, hab1, DV, dE*ab, dE*94, dE*CM, dE*00, dE*85, NR, L*0, a*0, b*0, C*0, h0, L*1, a*1, b*1, C*1, h1, CODE %

see similar files: http://130.149.60.45/~farbmetrik/YE81/YE81L0NP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



TUB registration: 20140801-YE81/YE81L0NP.PDF /.PS
application for measurement of display or printer output, no separation
TUB material: code=rh4ta



see similar files: <http://130.149.60.45/~farbmetrik/YE81/YE81L0NP.PDF> / .PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-YE81/YE81L0NP.PDF /.PS
 application for measurement of display or printer output, no separation
 TUB material: code=rh4ta

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	DV	dE*ab	dE*94	dE*CM	dE*00	dE*85	NR	L*0	a*0	b*0	C*0	h0	L*1	a*1	b*1	C*1	h1	CODE	%
%CIELAB data for all colour (a) of experiment, iimp=128, colour difference pairs OS_L0128, xchart3=1, xchart4=0 %																												
60.48	32.53	-6.02	33.09	349.51	60.58	24.67	-14.69	28.71	329.2	2.09	11.7	7.46	7.6	6.76	40.1	81000101	60	32	-6	33	349	61	24	-14	28	329	()	%
59.82	37.62	-0.53	37.62	359.18	60.0	22.5	7.51	23.72	18.4	2.52	17.13	8.22	9.41	9.15	41.67	81000102	60	37	0	37	359	60	22	7	23	18	()	%
59.82	37.62	-0.53	37.62	359.18	60.34	32.57	15.39	36.02	25.2	2.94	16.71	10.66	9.87	10.88	56.11	81000103	60	37	0	37	359	60	32	15	36	25	()	%
59.82	37.62	-0.53	37.62	359.18	60.48	32.51	-6.01	33.06	349.5	1.27	7.52	4.21	4.41	3.87	25.67	81000104	60	37	0	37	359	60	32	-6	33	349	()	%
38.91	40.51	25.24	47.73	31.92	38.39	33.39	23.54	40.86	35.1	1.61	7.33	2.68	3.53	2.87	15.4	81000105	39	40	25	47	31	38	33	23	40	35	()	%
38.91	40.51	25.24	47.73	31.92	48.61	33.39	31.94	46.21	43.7	3.15	13.76	11.22	12.56	11.05	105.7781000106	39	40	25	47	31	49	33	31	46	43	()	%	
49.62	39.22	12.07	41.04	17.11	38.91	40.51	24.58	47.38	31.2	3.49	16.51	12.83	13.42	12.31	121.2281000107	50	39	12	41	17	39	40	24	47	31	()	%	
49.62	39.22	12.07	41.04	17.11	38.39	33.37	22.92	40.48	34.4	3.53	16.67	13.57	14.59	13.21	124.1181000108	50	39	12	41	17	38	33	22	40	34	()	%	
48.61	33.33	31.19	45.65	43.09	38.39	33.36	22.93	40.48	34.5	2.59	13.13	11.03	11.82	10.57	108.7581000109	49	33	31	45	43	38	33	22	40	34	()	%	
48.61	33.33	31.19	45.65	43.09	49.62	39.21	12.08	41.03	17.1	3.25	20.01	11.68	15.47	12.88	50.51	81000110	49	33	31	45	43	50	39	12	41	17	()	%
91.66	-4.99	36.39	36.73	97.81	91.75	-8.38	51.34	52.02	99.2	2.49	15.33	5.8	6.33	5.15	22.23	81000111	92	-4	36	36	97	92	-8	51	52	99	()	%
91.66	-4.99	36.39	36.73	97.81	81.21	-10.7	47.9	49.08	102.5	3.7	16.55	11.66	9.35	8.34	79.67	81000112	92	-4	36	36	97	81	-10	47	49	102	()	%
80.89	-1.86	49.7	49.73	92.14	91.66	-4.98	36.4	36.74	97.7	3.36	17.39	11.74	9.82	8.78	82.27	81000113	81	-1	49	49	92	92	-4	36	36	97	()	%
80.89	-1.86	49.7	49.73	92.14	91.75	-8.36	51.36	52.03	99.2	2.77	12.77	11.46	8.73	8.22	79.1	81000114	81	-1	49	49	92	92	-8	51	52	99	()	%
81.21	-10.69	47.9	49.08	102.59	91.75	-8.38	51.35	52.02	99.2	2.61	11.33	10.71	7.8	7.14	76.23	81000115	81	-10	47	49	102	92	-8	51	52	99	()	%
81.21	-10.69	47.9	49.08	102.59	80.89	-1.87	49.69	49.72	92.1	2.25	9.01	5.18	5.6	5.97	14.18	81000116	81	-10	47	49	102	81	-1	49	49	92	()	%
60.65	-23.03	-0.72	23.04	181.8	61.72	-36.67	-0.32	36.67	180.5	1.73	13.68	6.79	6.85	6.04	20.28	81000117	61	-23	0	23	181	62	-36	0	36	180	()	%
60.65	-23.03	-0.72	23.04	181.8	50.34	-31.85	-6.63	32.54	191.7	2.8	14.8	11.85	10.72	11.12	103.9781000118	61	-23	0	23	181	50	-31	-6	32	191	()	%	
49.95	-33.31	6.67	33.97	168.67	60.65	-23.03	-0.71	23.05	181.7	3.37	16.57	12.29	11.69	12.02	108.7581000119	50	-33	6	33	168	61	-23	0	23	181	()	%	
49.95	-33.31	6.67	33.97	168.67	61.72	-36.67	-0.31	36.67	180.4	3.8	14.09	12.76	11.2	11.99	115.4181000120	50	-33	6	33	168	62	-36	0	36	180	()	%	
50.34	-31.83	-6.64	32.52	191.78	61.72	-36.65	-0.32	36.65	180.5	3.37	13.87	12.37	10.86	11.64	111.8581000121	50	-31	-6	32	191	62	-36	0	36	180	()	%	
50.34	-31.83	-6.64	32.52	191.78	49.95	-33.3	6.66	33.96	168.6	2.5	13.39	8.97	8.35	8.89	58.43	81000122	50	-31	-6	32	191	50	-33	6	33	168	()	%
30.61	9.71	-39.56	40.73	283.79	29.53	2.67	-24.21	24.36	276.2	1.83	16.92	6.41	8.65	4.57	80.5	81000123	31	9	-39	40	283	30	2	-24	24	276	()	%
30.61	9.71	-39.56	40.73	283.79	39.56	12.08	-29.83	32.18	292.0	3.15	13.43	9.98	11.53	10.18	130.5	81000124	31	9	-39	40	283	40	12	-29	32	292	()	%
40.81	-4.4	-28.43	28.77	261.18	30.61	9.72	-39.56	40.74	283.8	2.46	20.68	14.8	16.41	10.97	152.1181000125	41	-4	-28	28	261	31	9	-39	40	283	()	%	
40.81	-4.4	-28.43	28.77	261.18	29.53	2.68	-24.22	24.36	276.3	2.64	13.97	12.43	14.24	11.88	126.1881000126	41	-4	-28	28	261	30	2	-24	24	276	()	%	
39.56	12.09	-29.83	32.19	292.06	29.53	2.67	-24.22	24.36	276.2	2.93	14.86	11.72	13.92	9.85	113.3881000127	40	12	-29	32	292	30	2	-24	24	276	()	%	
39.56	12.09	-29.83	32.19	292.06	40.81	-4.42	-28.43	28.77	261.1	3.0	16.62	11.09	13.97	12.64	42.76	81000128	40	12	-29	32	292	41	-4	-28	28	261	()	%



```
%L*0 a*0 b*0 C*ab0 hab0 L*1 a*1 b*1 C*ab1 hab1 DV dE*ab dE*94 dE*CM dE*00 dE*85 NR L*0 a*0 b*0 C*0 h0 L*1 a*1 b*1 C*1 h1 CODE %  
%CIELAB data for all colour (a) of experiment, iimp=128, colour difference pairs OS_L0128, xchart3=1, xchart4=0 %  
Minimum, maximum and average colour difference value  
STRESS constant F and STRESS value S  
iai+1 = 128, d_CIELABmina = 7.33, d_CIELABmaxa = 21.64, d_CIELABavea = 14.32  
iai+1 = 128, CIELAB_Fa = 5.88, CIELAB_STRESSa = 24.54  
  
iai+1 = 128, d_CIELCHmina = 7.33, d_CIELCHmaxa = 21.61, d_CIELCHavea = 14.29  
iai+1 = 128, CIELCHFa = 5.86, CIELCHSTRESSa = 24.51  
  
iai+1 = 128, d_C94LCHmina = 2.68, d_C94LCHmaxa = 14.8, d_C94LCHavea = 8.75  
iai+1 = 128, C94LCHFa = 3.68, C94LCHSTRESSa = 21.6  
  
iai+1 = 128, d_CMCLCHmina = 3.53, d_CMCLCHmaxa = 20.01, d_CMCLCHavea = 10.08  
iai+1 = 128, CMCLCHFa = 4.2, CMCLCHSTRESSa = 27.05  
  
iai+1 = 128, d_C00LCHmina = 2.87, d_C00LCHmaxa = 15.55, d_C00LCHavea = 8.84  
iai+1 = 128, C00LCHFa = 3.71, C00LCHSTRESSa = 22.18  
  
iai+1 = 128, d_C85LCHmina = 14.18, d_C85LCHmaxa = 152.11, d_C85LCHavea = 44.66  
iai+1 = 128, C85LCHFa = 19.54, C85LCHSTRESSa = 44.22
```

see similar files: <http://130.149.60.45/~farbmetrik/YE81/YE81L0NP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20140801-YE81/YE81L0NP.PDF /.PS TUB material: code=rha4ta
application for measurement of display or printer output, no separation

