

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV	
iimp=60, colour difference pairs WA_EW060, xchart3=0, xchart4=0 %										
0095050	0100000	0108880	0019170	0026000	0068570	0081450	0085450	0091950	0064170	13000001 % (C-W)
0095050	0100000	0108880	0019170	0026000	0068570	0004440	0004620	0005160	0061500	13000002 % (C-N)
0095050	0100000	0108880	0044450	0051720	0081960	0081450	0085450	0091950	0026450	13000003 % (CW-W)
0095050	0100000	0108880	0044450	0051720	0081960	0019170	0026000	0068570	0026390	13000004 % (CW-C)
0095050	0100000	0108880	0009490	0011740	0024060	0004440	0004620	0005160	0035470	13000005 % (CN-N)
0095050	0100000	0108880	0009490	0011740	0024060	0019170	0026000	0068570	0025800	13000006 % (CN-C)
0095050	0100000	0108880	0044450	0051720	0081960	0009490	0011740	0024060	0034610	13000007 % (CW-CN)
0095050	0100000	0108880	0019170	0026000	0068570	0025350	0026540	0028860	0044010	13000008 % (C-NW)
0095050	0100000	0108880	0019170	0026000	0068570	0009240	0006900	0024940	0041670	13000009 % (C-V)
0095050	0100000	0108880	0013600	0017760	0042310	0019510	0016330	0038200	0035940	13000010 % (Cn-Vn)
0095050	0100000	0108880	0009240	0006900	0024940	0081450	0085450	0091950	0067030	13000011 % (V-W)
0095050	0100000	0108880	0009240	0006900	0024940	0004440	0004620	0005160	0032910	13000012 % (V-N)
0095050	0100000	0108880	0033430	0030620	0052030	0081450	0085450	0091950	0029540	13000013 % (VW-W)
0095050	0100000	0108880	0033430	0030620	0052030	0009240	0006900	0024940	0041950	13000014 % (VW-V)
0095050	0100000	0108880	0006670	0005940	0012800	0004440	0004620	0005160	0016620	13000015 % (VN-N)
0095050	0100000	0108880	0006670	0005940	0012800	0009240	0006900	0024940	0009300	13000016 % (VN-V)
0095050	0100000	0108880	0033430	0030620	0052030	0006670	0005940	0012800	0031720	13000017 % (VW-VN)
0095050	0100000	0108880	0033430	0030620	0052030	0025350	0026540	0028860	0020130	13000018 % (VW-NW)
0095050	0100000	0108880	0009240	0006900	0024940	0031640	0016780	0019250	0045010	13000019 % (V-M)
0095050	0100000	0108880	0007950	0006450	0018640	0014420	0009900	0012180	0033110	13000020 % (Vn-MN)
0095050	0100000	0108880	0031640	0016780	0019250	0081450	0085450	0091950	0074480	13000021 % (M-W)
0095050	0100000	0108880	0031640	0016780	0019250	0004440	0004620	0005160	0061260	13000022 % (M-N)
0095050	0100000	0108880	0055390	0044170	0051880	0081450	0085450	0091950	0031000	13000023 % (MW-W)
0095050	0100000	0108880	0055390	0044170	0051880	0031640	0016780	0019250	0032740	13000024 % (MW-M)
0095050	0100000	0108880	0014420	0009900	0012180	0004440	0004620	0005160	0029680	13000025 % (MN-N)
0095050	0100000	0108880	0014420	0009900	0012180	0031640	0016780	0019250	0026800	13000026 % (MN-M)
0095050	0100000	0108880	0055390	0044170	0051880	0014420	0009900	0012180	0033080	13000027 % (MW-MN)
0095050	0100000	0108880	0042990	0028020	0034740	0025350	0026540	0028860	0046660	13000028 % (Mw-NW)
0095050	0100000	0108880	0031640	0016780	0019250	0031890	0018900	0005610	0028410	13000029 % (M-O)
0095050	0100000	0108880	0021860	0012980	0016690	0021070	0013720	0005510	0024800	13000030 % (Mn-On)
0095050	0100000	0108880	0031890	0018900	0005610	0081450	0085450	0091950	0071770	13000031 % (O-W)
0095050	0100000	0108880	0031890	0018900	0005610	0004440	0004620	0005160	0067210	13000032 % (O-N)
0095050	0100000	0108880	0052200	0043410	0027810	0081450	0085450	0091950	0028010	13000033 % (OW-W)
0095050	0100000	0108880	0052200	0043410	0027810	0031890	0018900	0005610	0037640	13000034 % (OW-O)
0095050	0100000	0108880	0013410	0010050	0005710	0004440	0004620	0005160	0034580	13000035 % (ON-N)
0095050	0100000	0108880	0013410	0010050	0005710	0031890	0018900	0005610	0030620	13000036 % (ON-O)
0095050	0100000	0108880	0052200	0043410	0027810	0013410	0010050	0005710	0038570	13000037 % (OW-ON)
0095050	0100000	0108880	0041230	0029130	0012710	0025350	0026540	0028860	0035240	13000038 % (Ow-NW)
0095050	0100000	0108880	0031890	0018900	0005610	0065480	0072390	0010850	0072320	13000039 % (O-Y)
0095050	0100000	0108880	0041230	0029130	0012710	0040430	0045160	0009860	0039780	13000040 % (Ow-Yn)
0095050	0100000	0108880	0065480	0072390	0010850	0081450	0085450	0091950	0037260	13000041 % (Y-W)
0095050	0100000	0108880	0065480	0072390	0010850	0004440	0004620	0005160	0086100	13000042 % (Y-N)
0095050	0100000	0108880	0071150	0079190	0037830	0081450	0085450	0091950	0016990	13000043 % (YW-W)
0095050	0100000	0108880	0071150	0079190	0037830	0065480	0072390	0010850	0011010	13000044 % (YW-Y)
0095050	0100000	0108880	0021850	0024060	0008250	0004440	0004620	0005160	0041770	13000045 % (YN-N)
0095050	0100000	0108880	0021850	0024060	0008250	0065480	0072390	0010850	0029850	13000046 % (YN-Y)
0095050	0100000	0108880	0071150	0079190	0037830	0021850	0024060	0008250	0030560	13000047 % (YW-YN)
0095050	0100000	0108880	0021850	0024060	0008250	0025350	0026540	0028860	0021790	13000048 % (YN-NW)
0095050	0100000	0108880	0065480	0072390	0010850	0009850	0019310	0007710	0064800	13000049 % (Y-L)
0095050	0100000	0108880	0021850	0024060	0008250	0020680	0032750	0018600	0029620	13000050 % (Y-Lw)

%Xn	Yn	Zn	X0	Y0	Z0	X1	Y1	Z1	DV
iimp=60, colour difference pairs WA_EW060, xchart3=0, xchart4=0 %									
0095050	0100000	0108880	0009850	0019310	0007710	0081450	0085450	0091950	0050890 13000051 % (L-W)
0095050	0100000	0108880	0009850	0019310	0007710	0004440	0004620	0005160	0056110 13000052 % (L-N)
0095050	0100000	0108880	0034100	0045600	0033770	0081450	0085450	0091950	0025440 13000053 % (LW-W)
0095050	0100000	0108880	0034100	0045600	0033770	0009850	0019310	0007710	0028390 13000054 % (LW-L)
0095050	0100000	0108880	0006220	0009550	0007170	0004440	0004620	0005160	0035120 13000055 % (LN-N)
0095050	0100000	0108880	0006220	0009550	0007170	0009850	0019310	0007710	0018790 13000056 % (LN-L)
0095050	0100000	0108880	0034100	0045600	0033770	0006220	0009550	0007170	0035680 13000057 % (LW-LN)
0095050	0100000	0108880	0020680	0032750	0018600	0025350	0026540	0028860	0029950 13000058 % (Lw-NW)
0095050	0100000	0108880	0009850	0019310	0007710	0019170	0026000	00688570	0040720 13000059 % (L-C)
0095050	0100000	0108880	0020680	0032750	0018600	0019170	0026000	00688570	0041360 13000060 % (Lw-C)

```
%Xn      Yn      Zn      X0      Y0      Z0      X1      Y1      Z1      DV
iimp=60, colour difference pairs WA_EW060, xchart3=0, xchart4=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S
iai+1 = 60, d_CIELABmina = 22.26, d_CIELABmaxa = 107.78, d_CIELABavea = 50.28
iai+1 = 60, CIELAB_Fa = 1.26, CIELAB_STRESSa = 22.08

iai+1 = 60, d_CIELCHmina = 22.28, d_CIELCHmaxa = 107.79, d_CIELCHavea = 50.29
iai+1 = 60, CIELCHFa = 1.26, CIELCHSTRESSa = 22.08

iai+1 = 60, d_C94LCHmina = 11.45, d_C94LCHmaxa = 65.31, d_C94LCHavea = 28.81
iai+1 = 60, C94LCHFa = 0.72, C94LCHSTRESSa = 26.04

iai+1 = 60, d_CMCLCHmina = 11.68, d_CMCLCHmaxa = 67.84, d_CMCLCHavea = 31.32
iai+1 = 60, CMCLCHFa = 0.78, CMCLCHSTRESSa = 19.0

iai+1 = 60, d_C00LCHmina = 9.39, d_C00LCHmaxa = 65.06, d_C00LCHavea = 29.37
iai+1 = 60, C00LCHFa = 0.73, C00LCHSTRESSa = 20.81

iai+1 = 60, d_C85LCHmina = 49.44, d_C85LCHmaxa = 514.71, d_C85LCHavea = 221.9
iai+1 = 60, C85LCHFa = 5.6, C85LCHSTRESSa = 26.73
```

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*abl	hab1	
iimp=60, colour difference pairs WA_EW060, xchart3=0, xchart4=0 %										
58.04	-25.89	-43.77	50.86	239.39	94.08	0.44	0.74	0.86	58.9	13000001 % (C-W)
58.04	-25.89	-43.77	50.86	239.39	25.65	0.65	-0.61	0.89	317.2	13000002 % (C-N)
77.11	-13.24	-21.39	25.16	238.23	94.08	0.44	0.74	0.86	58.9	13000003 % (CW-W)
77.11	-13.24	-21.39	25.16	238.23	58.04	-25.89	-43.77	50.86	239.3	13000004 % (CW-C)
40.81	-12.86	-22.97	26.32	240.75	25.65	0.65	-0.61	0.89	317.2	13000005 % (CN-N)
40.81	-12.86	-22.97	26.32	240.75	58.04	-25.89	-43.77	50.86	239.3	13000006 % (CN-C)
77.11	-13.24	-21.39	25.16	238.23	40.81	-12.86	-22.97	26.32	240.7	13000007 % (CW-CN)
58.04	-25.89	-43.77	50.86	239.39	58.55	0.52	0.05	0.52	5.9	13000008 % (C-NW)
58.04	-25.89	-43.77	50.86	239.39	31.6	24.8	-40.31	47.33	301.5	13000009 % (C-V)
49.21	-19.52	-33.51	38.79	239.77	47.41	21.64	-31.73	38.4	304.2	13000010 % (Cn-Vn)
31.6	24.8	-40.31	47.33	301.59	94.08	0.44	0.74	0.86	58.9	13000011 % (V-W)
31.6	24.8	-40.31	47.33	301.59	25.65	0.65	-0.61	0.89	317.2	13000012 % (V-N)
62.19	15.92	-21.55	26.8	306.46	94.08	0.44	0.74	0.86	58.9	13000013 % (VW-W)
62.19	15.92	-21.55	26.8	306.46	31.6	24.8	-40.31	47.33	301.5	13000014 % (VW-V)
29.28	11.13	-19.92	22.82	299.19	25.65	0.65	-0.61	0.89	317.2	13000015 % (VN-N)
29.28	11.13	-19.92	22.82	299.19	31.6	24.8	-40.31	47.33	301.5	13000016 % (VN-V)
62.19	15.92	-21.55	26.8	306.46	29.28	11.13	-19.92	22.82	299.1	13000017 % (VW-VN)
62.19	15.92	-21.55	26.8	306.46	58.55	0.52	0.05	0.52	5.9	13000018 % (VW-NW)
31.6	24.8	-40.31	47.33	301.59	47.99	70.71	-1.93	70.74	358.4	13000019 % (V-M)
30.54	18.12	-30.82	35.75	300.45	37.68	35.34	-3.84	35.55	353.7	13000020 % (Vn-MN)
47.99	70.71	-1.93	70.74	358.43	94.08	0.44	0.74	0.86	58.9	13000021 % (M-W)
47.99	70.71	-1.93	70.74	358.43	25.65	0.65	-0.61	0.89	317.2	13000022 % (M-N)
72.34	36.84	-3.89	37.05	353.96	94.08	0.44	0.74	0.86	58.9	13000023 % (MW-W)
72.34	36.84	-3.89	37.05	353.96	47.99	70.71	-1.93	70.74	358.4	13000024 % (MW-M)
37.68	35.34	-3.84	35.55	353.79	25.65	0.65	-0.61	0.89	317.2	13000025 % (MN-N)
37.68	35.34	-3.84	35.55	353.79	47.99	70.71	-1.93	70.74	358.4	13000026 % (MN-M)
72.34	36.84	-3.89	37.05	353.96	37.68	35.34	-3.84	35.55	353.7	13000027 % (MW-MN)
59.91	56.6	-5.78	56.9	354.16	58.55	0.52	0.05	0.52	5.9	13000028 % (Mw-NW)
47.99	70.71	-1.93	70.74	358.43	50.58	60.47	40.32	72.68	33.6	13000029 % (M-O)
42.74	53.15	-5.77	53.47	353.8	43.84	44.7	29.15	53.36	33.1	13000030 % (Mn-On)
50.58	60.47	40.32	72.68	33.69	94.08	0.44	0.74	0.86	58.9	13000031 % (O-W)
50.58	60.47	40.32	72.68	33.69	25.65	0.65	-0.61	0.89	317.2	13000032 % (O-N)
71.83	30.86	24.53	39.42	38.47	94.08	0.44	0.74	0.86	58.9	13000033 % (OW-W)
71.83	30.86	24.53	39.42	38.47	50.58	60.47	40.32	72.68	33.6	13000034 % (OW-O)
37.94	27.81	18.1	33.18	33.06	25.65	0.65	-0.61	0.89	317.2	13000035 % (ON-N)
37.94	27.81	18.1	33.18	33.06	50.58	60.47	40.32	72.68	33.6	13000036 % (ON-O)
71.83	30.86	24.53	39.42	38.47	37.94	27.81	18.1	33.18	33.0	13000037 % (OW-ON)
60.9	47.03	34.82	58.52	36.51	58.55	0.52	0.05	0.52	5.9	13000038 % (Ow-NW)
50.58	60.47	40.32	72.68	33.69	88.16	-7.35	86.83	87.14	94.8	13000039 % (O-Y)
60.9	47.03	34.82	58.52	36.51	73.0	-7.57	63.6	64.05	96.7	13000040 % (Ow-Yn)
88.16	-7.35	86.83	87.14	94.84	94.08	0.44	0.74	0.86	58.9	13000041 % (Y-W)
88.16	-7.35	86.83	87.14	94.84	25.65	0.65	-0.61	0.89	317.2	13000042 % (Y-N)
91.32	-8.59	44.42	45.25	100.95	94.08	0.44	0.74	0.86	58.9	13000043 % (YW-W)
91.32	-8.59	44.42	45.25	100.95	88.16	-7.35	86.83	87.14	94.8	13000044 % (YW-Y)
56.15	-4.68	39.74	40.01	96.72	25.65	0.65	-0.61	0.89	317.2	13000045 % (YN-N)
56.15	-4.68	39.74	40.01	96.72	88.16	-7.35	86.83	87.14	94.8	13000046 % (YN-Y)
91.32	-8.59	44.42	45.25	100.95	56.15	-4.68	39.74	40.01	96.7	13000047 % (YW-YN)
56.15	-4.68	39.74	40.01	96.72	58.55	0.52	0.05	0.52	5.9	13000048 % (YN-NW)
88.16	-7.35	86.83	87.14	94.84	51.05	-54.12	32.83	63.3	148.7	13000049 % (Y-L)
56.15	-4.68	39.74	40.01	96.72	63.96	-43.91	26.87	51.48	148.5	13000050 % (Y-Lw)

%L*0	a*0	b*0	C*ab0	hab0	L*1	a*1	b*1	C*ab1	hab1	
iimp=60, colour difference pairs WA_EW060, xchart3=0, xchart4=0 %										
51.05	-54.12	32.83	63.3	148.75	94.08	0.44	0.74	0.86	58.9	13000051 % (L-W)
51.05	-54.12	32.83	63.3	148.75	25.65	0.65	-0.61	0.89	317.2	13000052 % (L-N)
73.29	-29.56	18.55	34.9	147.88	94.08	0.44	0.74	0.86	58.9	13000053 % (LW-W)
73.29	-29.56	18.55	34.9	147.88	51.05	-54.12	32.83	63.3	148.7	13000054 % (LW-L)
37.04	-27.03	10.64	29.05	158.5	25.65	0.65	-0.61	0.89	317.2	13000055 % (LN-N)
37.04	-27.03	10.64	29.05	158.5	51.05	-54.12	32.83	63.3	148.7	13000056 % (LN-L)
73.29	-29.56	18.55	34.9	147.88	37.04	-27.03	10.64	29.05	158.5	13000057 % (LW-LN)
63.96	-43.91	26.87	51.48	148.52	58.55	0.52	0.05	0.52	5.9	13000058 % (Lw-NW)
51.05	-54.12	32.83	63.3	148.75	58.04	-25.89	-43.77	50.86	239.3	13000059 % (L-C)
63.96	-43.91	26.87	51.48	148.52	58.04	-25.89	-43.77	50.86	239.3	13000060 % (Lw-C)

```
%L*0   a*0   b*0   C*ab0   hab0   L*1   a*1   b*1   C*ab1   hab1
iimp=60, colour difference pairs WA_EW060, xchart3=0, xchart4=0 %
Minimum, maximum and average colour difference value
STRESS constant F and STRESS value S
iai+1 = 60, d_CIELABmina = 22.26, d_CIELABmaxa = 107.78, d_CIELABavea = 50.28
iai+1 = 60, CIELAB_Fa = 1.26, CIELAB_STRESSa = 22.08

iai+1 = 60, d_CIELCHmina = 22.28, d_CIELCHmaxa = 107.79, d_CIELCHavea = 50.29
iai+1 = 60, CIELCHFa = 1.26, CIELCHSTRESSa = 22.08

iai+1 = 60, d_C94LCHmina = 11.45, d_C94LCHmaxa = 65.31, d_C94LCHavea = 28.81
iai+1 = 60, C94LCHFa = 0.72, C94LCHSTRESSa = 26.04

iai+1 = 60, d_CMCLCHmina = 11.68, d_CMCLCHmaxa = 67.84, d_CMCLCHavea = 31.32
iai+1 = 60, CMCLCHFa = 0.78, CMCLCHSTRESSa = 19.0

iai+1 = 60, d_C00LCHmina = 9.39, d_C00LCHmaxa = 65.06, d_C00LCHavea = 29.37
iai+1 = 60, C00LCHFa = 0.73, C00LCHSTRESSa = 20.81

iai+1 = 60, d_C85LCHmina = 49.44, d_C85LCHmaxa = 514.71, d_C85LCHavea = 221.9
iai+1 = 60, C85LCHFa = 5.6, C85LCHSTRESSa = 26.73
```