

$\log[\text{sensitivity}]$

$$\log G_o = -0,35[u_\lambda - u_{520}]^2$$

$$\log G_a = \log G_o + 0,00$$

$\log [L_a, B_a]$


$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log B_o = -0,35[u_\lambda - u_{470}]^2$$

$$\log L_a = \log L_o + 0,00$$

$$\log B_a = \log B_o + 0,00$$

$$u_\lambda = (\lambda - 550)/50$$



feq91-1a

$\log[\text{sensitivity}]$

$$\log G_o = -0,35[u_\lambda - u_{520}]^2$$

$$\log G_a = \log G_o - 0,35$$

$\log [G_a, L_a, B_a]$


$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log B_o = -0,35[u_\lambda - u_{470}]^2$$

$$\log L_a = \log L_o + 0,00$$

$$\log B_a = \log B_o + 0,00$$

$$u_\lambda = (\lambda - 550)/50$$



feq91-3n

$\log[\text{saturation}]$

$$\log G_o = -0,35[u_\lambda - u_{520}]^2$$

$$\log G_a = \log G_o + 0,00$$

$\log [L_a/G_a, B_a/G_a]$


$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log B_o = -0,35[u_\lambda - u_{470}]^2$$

$$\log L_a = \log L_o + 0,00$$

$$\log B_a = \log B_o + 0,00$$

$$\text{saturation L}$$



feq91-2a

$\log[\text{saturation}]$

$$\log G_o = -0,35[u_\lambda - u_{520}]^2$$

$$\log G_a = \log G_o - 0,35$$

$\log [G_a, L_a, B_a]$


$$\log L_o = -0,35[u_\lambda - u_{570}]^2$$

$$\log B_o = -0,35[u_\lambda - u_{470}]^2$$

$$\log L_a = \log L_o + 0,00$$

$$\log B_a = \log B_o + 0,00$$

$$\text{saturation L}$$



feq91-4a