




$$\begin{aligned} \log[\text{Empfindlichkeit}] & \quad \log L_o = -0,35[u_\lambda - u_{570}]^2 \\ \log V_o = -0,35[u_\lambda - u_{557}]^2 & \quad \log M_o = -0,35[u_\lambda - u_{545}]^2 \\ \log S_a = -0,35[u_\lambda - u_{445}]^2 + 1,17 & \quad \log L_a = \log L_o + 0,17 \\ \log [V_o, L_a, M_a, S_a] & \quad \log M_a = \log M_o - 0,13 \end{aligned}$$



$$\begin{aligned} \log[\text{Sättigung}] & \quad \log L_o = -0,35[u_\lambda - u_{570}]^2 \\ \log V_o = -0,35[u_\lambda - u_{557}]^2 & \quad \log M_o = -0,35[u_\lambda - u_{545}]^2 \\ \log S_a = -0,35[u_\lambda - u_{445}]^2 - 1,17 & \quad \log L_a = \log L_o + 0,17 \\ \log [V_o/V_o, L_a/V_o, M_a/V_o, S_a/V_o] & \quad \log M_a = \log M_o - 0,13 \end{aligned}$$



$$\begin{aligned} \log[\text{Empfindlichkeit}] & \quad \log L_o = -0,35[u_\lambda - u_{570}]^2 \\ \log V_o = -0,35[u_\lambda - u_{557}]^2 & \quad \log M_o = -0,35[u_\lambda - u_{545}]^2 \\ \log S_a = -0,35[u_\lambda - u_{445}]^2 + 0,02 & \quad \log L_a = \log L_o + 0,17 \\ \log [V_o, L_a, M_a, S_a] & \quad \log M_a = \log M_o - 0,13 \end{aligned}$$



$$\begin{aligned} \log[\text{Sättigung}] & \quad \log L_o = -0,35[u_\lambda - u_{570}]^2 \\ \log V_o = -0,35[u_\lambda - u_{557}]^2 & \quad \log M_o = -0,35[u_\lambda - u_{545}]^2 \\ \log S_a = -0,35[u_\lambda - u_{445}]^2 + 0,02 & \quad \log L_a = \log L_o + 0,17 \\ \log [V_o/V_o, L_a/V_o, M_a/V_o, S_a/V_o] & \quad \log M_a = \log M_o - 0,13 \end{aligned}$$

