

Line-element examples for grey samples (0.2<=x<=5)
 $F(x)$ is called the line-element function of $f(x)$.
 The following relations are valid for $x=Y/Y_0=Y/18$:

$$\frac{dF(x)}{dx} = f(x) \quad (1)$$

$$F(x) = \int \frac{f(x)}{f(x_0)} dx \quad (2)$$

Example for the normalized tristimulus value $x=Y/Y_0$:

$$\frac{d[aln(1+b/x)]}{dx} = \frac{ab}{1+b \cdot x} \quad (3)$$

$$aln(1+b \cdot x) = \int \frac{ab}{1+b \cdot x} dx \quad (4)$$

http://farbe.li.tu-berlin.de/

Line-element examples for grey samples (0.2<=x<=5)
 $F_0(x)$ is called the line-element function of $f_0(x)$.
 Both functions are normalized to the surround value:
 The following relations are valid for $Y_0=Y/Y_0=1/18$:

$$\frac{dF_0(x)}{dx} = f_0(x) \quad (1)$$

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx \quad (2)$$

Example for the normalized functions with $x_0=1$:

$$F_0(x) = \frac{F(x)}{F(x_0)} = \frac{aln(1+b \cdot x)}{aln(1+b)} \quad (3)$$

$$f_0(x) = \frac{f(x)}{f(x_0)} = \frac{1+b \cdot x}{1+b} \quad (4)$$

http://farbe.li.tu-berlin.de/

Line-element examples for grey samples (0.2<=Y<=5)
 $F(Y)$ is called the line-element function of $f(Y)$.
 The following relations are valid for $Y_0=Y/Y_0=1/18$:

$$\frac{dF(Y)}{dY} = f(Y) \quad (1)$$

$$F(Y) = \int \frac{f(Y)}{f(Y_0)} dY \quad (2)$$

Example for the normalized tristimulus value $Y_0=Y/Y_0$:

$$\frac{d[aln(1+b \cdot Y)]}{dY} = \frac{ab}{1+b \cdot Y} \quad (3)$$

$$aln(1+b \cdot Y) = \int \frac{ab}{1+b \cdot Y} dY \quad (4)$$

http://farbe.li.tu-berlin.de/

Line-element examples for grey samples (0.2<=Y<=5)
 $F_0(Y)$ is called the line-element function of $f_0(Y)$.
 Both functions are normalized to the surround value:
 The following relations are valid for $Y_0=Y/Y_0=1/18$:

$$\frac{dF_0(Y)}{dY} = f_0(Y) \quad (1)$$

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY \quad (2)$$

Example for the normalized functions with $Y_0=1$:

$$F_0(Y) = \frac{F(Y)}{F(Y_0)} = \frac{aln(1+b \cdot Y)}{aln(1+b)} \quad (3)$$

$$f_0(Y) = \frac{f(Y)}{f(Y_0)} = \frac{1+b \cdot Y}{1+b} \quad (4)$$

http://farbe.li.tu-berlin.de/

Line-element examples for grey samples (0.2<=x<=5)
 $F_0(x)$ is called the line-element function of $f_0(x)$.
 Both functions are normalized to the surround value:
 The following relations are valid for $x=Y/Y_0=1$:

$$\frac{dF_0(x)}{dx} = f_0(x) \quad (1)$$

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx = \int \frac{b}{1+b \cdot x} dx \quad (2)$$

Example for $L^*(x)$ & ΔY with $x=Y/Y_0$, $x_0=1$, $b=6,141$:

$$L^*(x) = \frac{L^*(x)}{L^*(x_0)} = \frac{aln(1+b \cdot x)}{aln(1+b)} \quad (3)$$

$$f_0(x) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot x}{1+b} \quad (4)$$

http://farbe.li.tu-berlin.de/

Line-element equations according to CIE 230:2019
 Colour-threshold (1) function $f_0(x) = \Delta Y_1 = \Delta x \cdot Y_0$ [10]
 $\Delta Y_1 = (\Delta_1 + A_1 \cdot Y_0) / A_0$, $A_0 = 1.5$, $A_1 = 0.0170$, $A_2 = 0.0058$
 $f_0(x) = \frac{\Delta Y_1}{\Delta Y_0} = \frac{1+b \cdot x}{1+b}$, $b = A_2 \cdot Y_0 / A_1$, $x = Y/Y_0$ [1]

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx = \int \frac{b}{1+b \cdot x} dx \quad (1)$$

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx = \int \frac{b}{1+b \cdot x} dx \quad (2)$$

Example for $L^*(x)$ & ΔY with $x=Y/Y_0$, $x_0=1$, $b=6,141$:

$$L^*(x) = \frac{L^*(x)}{L^*(x_0)} = \frac{aln(1+b \cdot x)}{aln(1+b)} \quad (3)$$

$$f_0(x) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot x}{1+b} \quad (4)$$

http://farbe.li.tu-berlin.de/

Line-element examples for grey samples (0.2<=Y<=5)
 $F_0(Y)$ is called the line-element function of $f_0(Y)$.
 Both functions are normalized to the surround value:
 The following relations are valid for $Y_0=Y/Y_0=1/18$:

$$\frac{dF_0(Y)}{dY} = f_0(Y) \quad (1)$$

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY = \int \frac{b}{1+b \cdot Y} dY \quad (2)$$

Example for $L^*(Y)$ & ΔY with $Y_0=1$, $b=6,141$:

$$L^*(Y) = \frac{L^*(Y)}{L^*(Y_0)} = \frac{aln(1+b \cdot Y)}{aln(1+b)} \quad (3)$$

$$f_0(Y) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot Y}{1+b} \quad (4)$$

http://farbe.li.tu-berlin.de/

Line-element equations according to CIE 230:2019
 Colour-threshold (1) function $f_0(Y) = \Delta Y_1 = \Delta Y \cdot Y_0$ [10]
 $\Delta Y_1 = (\Delta_1 + A_1 \cdot Y_0) / A_0$, $A_0 = 1.5$, $A_1 = 0.0170$, $A_2 = 0.0058$
 $f_0(Y) = \frac{\Delta Y_1}{\Delta Y_0} = \frac{1+b \cdot Y}{1+b}$, $b = A_2 \cdot Y_0 / A_1$, $Y = Y/Y_0$ [1]

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY = \int \frac{b}{1+b \cdot Y} dY \quad (1)$$

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY = \int \frac{b}{1+b \cdot Y} dY \quad (2)$$

Example for $L^*(Y)$ & ΔY with $Y_0=1$, $b=6,141$:

$$L^*(Y) = \frac{L^*(Y)}{L^*(Y_0)} = \frac{aln(1+b \cdot Y)}{aln(1+b)} \quad (3)$$

$$f_0(Y) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot Y}{1+b} \quad (4)$$

http://farbe.li.tu-berlin.de/

Line-element equations according to CIE 230:2019
 Colour-discrimination function $f(x) = \Delta Y = \Delta x \cdot Y_0$ [10]
 $\Delta Y = [(\Delta_1 + A_1 \cdot Y_0) / A_0] = [1/(1+x)] \cdot [1/(2+x)]$, $x = \sqrt{2} \cdot e^{0.10 \cdot x}$
 $f_0(x) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot x}{1+b}$, $b = A_2 \cdot Y_0 / A_1$, $x = Y/Y_0$ [1]

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx = \int \frac{b}{1+b \cdot x} dx \quad (1)$$

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx = \int \frac{b}{1+b \cdot x} dx \quad (2)$$

Example for $L^*(x)$ & ΔY with $x=Y/Y_0$, $x_0=1$, $b=6,141$:

$$L^*(x) = \frac{L^*(x)}{L^*(x_0)} = \frac{aln(1+b \cdot x)}{aln(1+b)} \quad (3)$$

$$f_0(x) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot x}{1+b} \quad (4)$$

http://farbe.li.tu-berlin.de/

Line-element equations for thresholds and scaling
 Colour-discrimination function $f(x) = \Delta Y = \Delta x \cdot Y_0$ [10]
 $\Delta Y = [(\Delta_1 + A_1 \cdot Y_0) / A_0] = [1/(1+x)] \cdot [1/(2+x)]$, $x = \sqrt{2} \cdot e^{0.10 \cdot x}$
 $f_0(x) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot x}{1+b}$, $b = A_2 \cdot Y_0 / A_1$, $x = Y/Y_0$ [1]

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx = \int \frac{b}{1+b \cdot x} dx = \int \frac{0.5b \cdot dx}{1+0.5b \cdot dx} \quad (1)$$

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx = \int \frac{b}{1+b \cdot x} dx = \int \frac{0.5b \cdot dx}{1+0.5b \cdot dx} \quad (2)$$

Example for $L^*(x)$ & ΔY with $x=Y/Y_0$, $x_0=1$, $b=1$:

$$L^*(x) = \frac{L^*(x)}{L^*(x_0)} = \frac{aln(1+b \cdot x)}{aln(1+b)} = \frac{aln(1+0.5b \cdot x)}{aln(1+0.5b)} \quad (3)$$

$$f_0(x) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot x}{1+b} = \frac{1+0.5b \cdot x}{1+0.5b} \quad (4)$$

see K. Richter (1996), Computer Graphic and Colorimetry, p. 113-127
<http://color.li.tu-berlin.de/BI/AMF/PDF>

Line-element equations according to CIE 230:2019
 Colour-discrimination function $f(Y) = \Delta Y$, [10]
 $\Delta Y = (\Delta_1 + A_1 \cdot Y_0) / A_0$, $A_0 = 1.5$, $A_1 = 0.0170$, $A_2 = 0.0058$
 $f_0(Y) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot Y}{1+b}$, $b = A_2 \cdot Y_0 / A_1$, $Y = Y/Y_0$ [1]

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY = \int \frac{b}{1+b \cdot Y} dY \quad (1)$$

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY = \int \frac{b}{1+b \cdot Y} dY \quad (2)$$

Example for $L^*(Y)$ & ΔY with $Y_0=1$, $b=6,141$:

$$L^*(Y) = \frac{L^*(Y)}{L^*(Y_0)} = \frac{aln(1+b \cdot Y)}{aln(1+b)} \quad (3)$$

$$f_0(Y) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot Y}{1+b} \quad (4)$$

http://farbe.li.tu-berlin.de/

Line-element equations for thresholds and scaling
 Colour-discrimination function $f(Y) = \Delta Y = \Delta Y \cdot \ln Y$ [10]
 $\Delta Y = [(\Delta_1 + A_1 \cdot Y_0) / A_0] = [1/(1+Y)] \cdot [1/(2+Y)]$, $Y = \sqrt{2} \cdot e^{0.10 \cdot Y}$
 $f_0(Y) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot Y}{1+b}$, $b = A_2 \cdot Y_0 / A_1$, $Y = Y/Y_0$ [1]

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY = \int \frac{b}{1+b \cdot Y} dY = \int \frac{0.5b \cdot dY}{1+0.5b \cdot Y} \quad (1)$$

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY = \int \frac{b}{1+b \cdot Y} dY = \int \frac{0.5b \cdot dY}{1+0.5b \cdot Y} \quad (2)$$

Example for $L^*(Y)$ & ΔY with $Y_0=1$, $b=1$:

$$L^*(Y) = \frac{L^*(Y)}{L^*(Y_0)} = \frac{aln(1+b \cdot Y)}{aln(1+b)} = \frac{aln(1+0.5b \cdot Y)}{aln(1+0.5b)} \quad (3)$$

$$f_0(Y) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+b \cdot Y}{1+b} = \frac{1+0.5b \cdot Y}{1+0.5b} \quad (4)$$

see K. Richter (1996), Computer Graphic and Colorimetry, p. 113-127
<http://color.li.tu-berlin.de/BI/AMF/PDF>

Line-element equations for thresholds and scaling
 Colour-discrimination function $f(x) = \Delta Y = \Delta x \cdot Y_0$ [10]
 $\Delta Y = [(\Delta_1 + A_1 \cdot Y_0) / A_0] = [1/(1+x)] \cdot [1/(2+x)]$, $x = \sqrt{2} \cdot e^{0.10 \cdot x}$
 $f_0(x) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+x}{2}$, $x = Y/Y_0$ [1]

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx = \int \frac{1}{1+x} dx = \int \frac{1}{1+x} dx \quad (1)$$

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx = \int \frac{1}{1+x} dx = \int \frac{1}{1+x} dx \quad (2)$$

Example for $L^*(x)$ & ΔY with $x=Y/Y_0$, $x_0=1$:

$$L^*(x) = \frac{L^*(x)}{L^*(x_0)} = \frac{aln(1+x)}{aln(2)} = \frac{aln(1+0.5x)}{aln(1.5)} \quad (3)$$

$$f_0(x) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+x}{2} = \frac{1+0.5x}{1.5} \quad (4)$$

see K. Richter (1996), Computer Graphic and Colorimetry, p. 113-127
<http://color.li.tu-berlin.de/BI/AMF/PDF>

Line-element equations for thresholds and scaling
 Colour-discrimination function $f(x) = \Delta Y = \Delta x \cdot Y_0$ [10]
 $\Delta Y = [(\Delta_1 + A_1 \cdot Y_0) / A_0] = [1/(1+Y)] \cdot [1/(2+Y)]$, $Y = \sqrt{2} \cdot e^{0.10 \cdot Y}$
 $f_0(x) = \frac{\Delta Y}{\Delta Y_0} = \frac{Y}{2}$, $Y = Y/Y_0$, $dx = dY$ [1]

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx = \int \frac{1}{1+Y} dY = \int \frac{1}{1+Y} dY \quad (1)$$

$$F_0(x) = \int \frac{f_0(x)}{f_0(x_0)} dx = \int \frac{1}{1+Y} dY = \int \frac{1}{1+Y} dY \quad (2)$$

Example for $L^*(Y)$ & ΔY with $Y_0=1$, $Y_0=2$:

$$L^*(Y) = \frac{L^*(Y)}{L^*(Y_0)} = \frac{aln(1+Y)}{aln(2)} = \frac{aln(1+0.5Y)}{aln(1.5)} \quad (3)$$

$$f_0(Y) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+Y}{2} = \frac{1+0.5Y}{1.5} \quad (4)$$

see K. Richter (1996), Computer Graphic and Colorimetry, p. 113-127
<http://color.li.tu-berlin.de/BI/AMF/PDF>

Line-element equations for thresholds and scaling
 Colour-discrimination function $f(Y) = \Delta Y = \Delta Y \cdot \ln Y$ [10]
 $\Delta Y = [(\Delta_1 + A_1 \cdot Y_0) / A_0] = [1/(1+Y)] \cdot [1/(2+Y)]$, $Y = \sqrt{2} \cdot e^{0.10 \cdot Y}$
 $f_0(Y) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+Y}{2}$, $Y = Y/Y_0$, $dY = dY$ [1]

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY = \int \frac{1}{1+Y} dY = \int \frac{1}{1+Y} dY \quad (1)$$

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY = \int \frac{1}{1+Y} dY = \int \frac{1}{1+Y} dY \quad (2)$$

Example for $L^*(Y)$ & ΔY with $Y_0=1$:

$$L^*(Y) = \frac{L^*(Y)}{L^*(Y_0)} = \frac{aln(1+Y)}{aln(2)} = \frac{aln(1+0.5Y)}{aln(1.5)} \quad (3)$$

$$f_0(Y) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+Y}{2} = \frac{1+0.5Y}{1.5} \quad (4)$$

see K. Richter (1996), Computer Graphic and Colorimetry, p. 113-127
<http://color.li.tu-berlin.de/BI/AMF/PDF>

Line-element equations for thresholds and scaling
 Colour-discrimination function $f(Y) = \Delta Y = \Delta Y \cdot \ln Y$ [10]
 $\Delta Y = [(\Delta_1 + A_1 \cdot Y_0) / A_0] = [1/(1+Y)] \cdot [1/(2+Y)]$, $Y = \sqrt{2} \cdot e^{0.10 \cdot Y}$, $\ln Y = \ln Y$
 $f_0(Y) = \frac{\Delta Y}{\Delta Y_0} = \frac{Y}{2}$, $Y = Y/Y_0$, $dY = dY$ [1]

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY = \int \frac{1}{1+Y} dY = \int \frac{1}{1+Y} dY \quad (1)$$

$$F_0(Y) = \int \frac{f_0(Y)}{f_0(Y_0)} dY = \int \frac{1}{1+Y} dY = \int \frac{1}{1+Y} dY \quad (2)$$

Example for $L^*(Y)$ & ΔY with $Y_0=1$, $Y_0=2$:

$$L^*(Y) = \frac{L^*(Y)}{L^*(Y_0)} = \frac{aln(1+Y)}{aln(2)} = \frac{aln(1+0.5Y)}{aln(1.5)} \quad (3)$$

$$f_0(Y) = \frac{\Delta Y}{\Delta Y_0} = \frac{1+Y}{2} = \frac{1+0.5Y}{1.5} \quad (4)$$

see K. Richter (1996), Computer Graphic and Colorimetry, p. 113-127
<http://color.li.tu-berlin.de/BI/AMF/PDF>