

```
*****  
/proc05_gammaL_xyreh {%BEG proc05_gammaL_xyreh %BEG proc05_gammaL_xyreh  
%BEG Local (L) gamma and calculation of xyreh1024  
/gammaLi 21 array def  
/gammaLi {rel, gamma according to ISO 9241-306:2018  
%0 1 2 3 4 5 6 7  
[0.475 0.550 0.625 0.700 0.775 0.849 0.924 1.000  
%8 9 10 11 12 13 14 15  
1.000 1.081 1.176 1.290 1.428 1.600 1.818 2.105  
%16 17 18 19 20  
2.000 0.500 1.500 0.666 1.000] def  
  
/gamma gammaLi indexPi get def  
/xrehj 1024 array def /yrehj 1024 array def  
/xinhj 1024 array def /yinhj 1024 array def  
  
%calculation of the table xyreh1024 (h=hex) of real values (reh) with gamma  
0 1 1023 {/j exch def %j=0,1023  
xrehj j j put  
yrehj j j 1023 div gamma exp 1023 mul cvi put  
} for %j=0,1023  
  
/proc06_FF_LM_FLVLF {%BEG proc06_FF_LM_FLVLF %BEG proc06_FF_LM_FLVLF  
/yeh yeh 1023 mul cvi def  
/xinh yrehj yeh get def  
/xinhj 1024 div  
} def %END proc06_FF_LM_FLVLF %END proc06_FF_LM_FLVLF  
  
} def %END proc05_gammaL_xyreh %END proc05_gammaL_xyreh  
*****  
/proc00_LMR_FLVLF {%BEG proc00_LMR_FLVLF %BEG proc00_FF_LM_FLVLF  
%main procedure Fast Linear Visual Local File (FLVLF)  
  
/FF_LM_setgrayFLVLF0 {setgray} bind def  
/FF_LM_setrgbcolorFLVLF0 {setrgbcolor} bind def  
/FF_LM_setcmykcolorFLVLF0 {setcmykcolor} bind def  
/FF_LM_transferFLVLF0 {settransfer} bind def  
/FF_LM_colortransferFLVLF0 {setcolortransfer} bind def  
  
/setgray {%BEG procedure setgrayFLVLF setgray -> FF_LM_setrgbcolorG  
dup dup FF_LM_setrgbcolorFLVLF  
} def %END procedure setgrayFLVLF  
  
/setcmykcolor {%BEG procedure setcmykcolorFLVLF setcmykcolor -> FF_LM_setrgbcolorG  
/FF_LM_kFLVLF exch def /FF_LM_yFLVLF exch def  
/FF_LM_mFLVLF exch def /FF_LM_cFLVLF exch def  
FF_LM_kFLVLF 0 eq {1 FF_LM_cFLVLF sub 1 FF_LM_mFLVLF sub  
1 FF_LM_yFLVLF sub FF_LM_setrgbcolorFLVLF}  
{1 FF_LM_kFLVLF sub dup dup  
1 FF_LM_setrgbcolorFLVLF} ifelse  
} def %END procedure setcmykcolorFLVLF  
  
/setrgbcolor {%BEG procedure setrgbcolorFLVLF setrgbcolor -> FF_LM_setrgbcolorG  
/FF_LM_bFLVLF exch def /FF_LM_gFLVLF exch def  
/FF_LM_rFLVLF exch def  
FF_LM_rFLVLF FF_LM_gFLVLF FF_LM_bFLVLF  
FF_LM_setrgbcolorFLVLF  
} def %BEG procedure setrgbcolorFLVLF  
  
/FF_LM_setrgbcolorFLVLF {%BEG FF_LM_setrgbcolorFLVLF FF_LM_setrgbcolorG -> FF_LM_setrgbcolorG0  
/FF_LM_b0FLVLF exch def /FF_LM_g0FLVLF exch def  
/FF_LM_r0FLVLF exch def  
FF_LM_r0FLVLF 0 le {/FF_LM_r0FLVLF 0.0001 def} if  
FF_LM_g0FLVLF 0 le {/FF_LM_g0FLVLF 0.0001 def} if  
FF_LM_b0FLVLF 0 le {/FF_LM_b0FLVLF 0.0001 def} if  
/FF_LM_r1FLVLF FF_LM_r0FLVLF proc06_FF_LM_FLVLF def  
/FF_LM_g1FLVLF FF_LM_g0FLVLF proc06_FF_LM_FLVLF def  
/FF_LM_b1FLVLF FF_LM_b0FLVLF proc06_FF_LM_FLVLF def  
FF_LM_r1FLVLF FF_LM_g1FLVLF FF_LM_b1FLVLF  
FF_LM_setrgbcolorFLVLF0} def %END FF_LM_setrgbcolorFLVLF  
  
/FF_LM_transferFLVLF {%BEG FF_LM_transferFLVLF settransferG -> FF_LM_settransferG0  
{proc06_FF_LM_FLVLF}  
/FF_LM_transferFLVLF0} def %END FF_LM_transferFLVLF  
/settransfer {FF_LM_transferFLVLF} def  
  
/FF_LM_colortransferFLVLF {%BEG FF_LM_colortransferFLVLF setcolortransferG -> FF_LM_setcolortransferG0  
{proc06_FF_LM_FLVLF} {proc06_FF_LM_FLVLF}  
{proc06_FF_LM_FLVLF}  
/FF_LM_colortransferFLVLF0} def  
/setcolortransfer {FF_LM_colortransferFLVLF} def  
} def %END proc00_LMR_FLVLF %END proc00_FF_LM_FLVLF  
*****  
0 1 20 {/indexLi exch def %loop for 21 Local gammaL values  
/iproclMR 1 def %optional application example  
iproclMR 1 eq {%main Frame_File_Linearisation_Method (FF_LM)%Beispiel: kombinierte Prozedur  
proc00_LMR_FLVLF proc05_gammaL_xyreh} if  
*****
```

hgc40-7n

```
*****  
/proc04_7data_FLVLF {%BEG proc04_7data_FLVLF %BEG proc04_7data_FLVLF  
%The procedure proc04_7data_FLVLF is used only once in local File  
/VisevEi 07 array def %for real data (i=0,6) of visual evaluation  
%0,e08 1,e24 2,e48 3,e02 4,e24 5,e46 6,e68 %indexL  
[0.500 0.500 0.500 0.500 0.500 0.500 0.500] %7data, for manual change  
/al VisevEx 0 get def %BEG calculation VisevLi (i=0,8) from 7data  
/b1 al VisevEx 1 get mul def %b1  
/b2 al def %b2  
/b3 1 b2 sub VisevEx 2 get mul b2 add def %b3  
/VisevLi 09 array def %for real data (i=0,8) of visual evaluation  
VisevLi 0 0 put  
VisevLi 1 b1 0 sub VisevEi 3 get mul put %c1  
VisevLi 2 b1 put %c2  
VisevLi 3 b2 b1 sub VisevEi 4 get mul b1 add put %c3  
VisevLi 4 b2 put %c4  
VisevLi 5 b3 b2 sub VisevEi 5 get mul b2 add put %c5  
VisevLi 6 b3 put %c6  
VisevLi 7 1 b3 sub VisevEi 6 get mul b3 add put %c7  
VisevLi 8 1 put  
} def %END proc04_7data_FLVLF %END proc04_7data_FLVLF  
*****  
/proc02_Visev_FLVLF {%BEG proc02_Visev_FLVLF %BEG proc02_Visev_FLVLF  
%For visual data with Fast Linear Visual Local File (FLVLF)  
%The procedure proc01_7data_FLVLF is used only once in Local File  
/xreh8 10 array def /yreh8 10 array def %re=real, j=0,8  
/xinh8 10 array def /yinh8 10 array def %in=invers, j=0,8  
/xrehj 1025 array def /yrehj 1025 array def  
/xinhj 1025 array def /yinhj 1025 array def  
/xred8 10 array def /yred8 10 array def %re=real, j=0,8  
/xind8 10 array def /yind8 10 array def %in=invers, j=0,8  
/xredj 1025 array def /yredj 1025 array def  
/xindj 1025 array def /yindj 1025 array def  
0 1 8 {/j exch def %j=0,8  
xred8 j j 0.125 mul put  
yred8 j VisevF1 j get put  
xind8 j yred8 j get put  
yind8 j xred8 j get put  
  
xreh8 j xred8 j get 255 mul put  
yreh8 j yred8 j get 255 mul put  
xinh8 j yreh8 j get put  
yinh8 j xreh8 j get put  
} for %j=0,8  
  
xred8 9 1 put yred8 9 1 put  
xind8 9 1 put yind8 9 1 put  
xreh8 9 255 put yreh8 9 255 put  
xind8 9 255 put yind8 9 255 put  
  
%j=0,1023  
0 1 7 {/k exch def %k=0,8  
0 1 127 {/n exch def %n=0,127  
/j k 128 mul n add def  
xredj j j 1023 div put  
yredj j yred8 k 1 add get yred8 k get sub  
n 128 div mul yred8 k get add put  
xindj j yredj j get put  
yindj j xredj j get put  
} for %k=1,8  
} for %j=0,1023  
  
xredj 1024 1 put yredj 1024 1 put  
xindj 1024 1 put yindj 1024 1 put  
xrehj 1024 1023 put yrehj 1024 1023 put  
xinhj 1024 1023 put yinhj 1024 1023 put  
} def %END proc01_Visev_FLVLF %END proc02_Visev_FLVLF  
*****  
/proc00_FF_LM_FLVLF {%BEG proc00_FF_LM_FLVLF %BEG proc00_FF_LM_FLVLF  
%This procedure is used for any rgb data in proc00_LMR_FLVLF  
/yeh yeh 1023 mul cvi def  
/xinh yrehj yeh get def  
/xinhj 1023 div  
} def %END proc00_FF_LM_FLVLF %END proc00_FF_LM_FLVLF  
*****  
%default experimental, no gammaL value  
/iproclMR 1 def %optional application example  
iproclMR 1 eq {%main program Frame_File_Linearisation_Method (FF_LM) %Beispiel: kombinierte Prozedur  
proc00_LMR_FLVLF proc04_7data_FLVLF proc02_Visev_FLVLF} if  
*****
```

hgc41-7n