









http://130.149.60.45/~farbmetrik/ME32/ME32L0N1.TXT /PS; start output
 N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See original or copy: http://web.me.com/klaus_richter/ME32/ME32L0N1.TXT /PS
 Technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



PSL1-program code: horizontal rectangular graphic elements

```


%!PS-Adobe-3.0 B8260-6n.eps 20.10.94
%%BoundingBox: 72 90 226 206
% transformation owner -> device coordinates
/Mt { % x y snaptopixel sx sy
  transform
  .25 sub round .25 add exch
  .25 sub round .25 add exch
  itransform moveto) bind def
/HQR { % draw basic rectangle horizontal (x0 y0 w h)
  4 -2 roll Mt % (x0,y0) lower left corner rectangle
  dtransform round exch round exch idtransform
  % transformation owner -> device coordinates
  dup 0 exch rlineto % (0,h) to upper left
  exch 0 rlineto % (w,0) to upper right
  neg 0 exch rlineto % (0,-h) to lower right
  closepath fill) bind def
/HQRr {HQR /x0 r x0 add def} bind def %r-square & x0-transl.
/t { % x y -> x0 y0 start line, row, diagonal
  /y0 exch def /x0 exch def) bind def
/O { %fully filled basic rectangle with w&r h=1
  /r exch def %repeating factor r
  x0 y0 r 1 HQRr) bind def %r-fold square
  /@ {/r exch def /x0 r x0 add def} bind def %only x0-Transl.

72 90 translate 0.0 setlinewidth
72 300 div 20 mul dup scale

1 8 t 1 0 1 13 t 10 0 2 @ 2 0 1 18 t 5 0
20 1 22 { 2 exch t 16 0 } for

showpage
  
```

ME321-5_B8_21



TUB-test chart ME32; Richter: Computer graphics, colorimetry
 Colour book series: PostScript and CIE colour spaces no. 6

input: *cmly setcmykcolor*
 output: no colour data change

TUB registration: 20101101-ME32/ME32L0N1.TXT /PS
 application for measurement of printer or monitor systems

TUB material: code=thata