




http://130.149.60.45/~farbmetrik/RE50/RE50L0FP.PDF /.PS; start output
F: 3D-linearization RE50/RE50LE30FP.DAT in file (F), page 1/2



see similar files: <http://130.149.60.45/~farbmetrik/RE50/RE50L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-RE50/RE50L0FP.PDF /.PS
application for measurement of display output

TUB material: code=rha4ta



1-103030-L0 RE500-7N


Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb + cmy0$ (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

TUB-test chart RE50; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change






http://130.149.60.45/~farbmetrik/RE50/RE50L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization RE50/RE50LE30FP.DAT in file (F), page 2/2



see similar files: <http://130.149.60.45/~farbmetrik/RE50/RE50L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-RE50/RE50L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta



1-103130-L0 RE500-72

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n), 3D = 1

TUB-test chart RE50; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, sRGB*


input: *rgb/cmyk* -> *rgb_{dd}*
output: 3D-linearization to *rgb*_{dd}*

1-103130-F0

C M Y O L V






http://130.149.60.45/~farbmetrik/RE50/RE50L0FP.PDF /.PS; start output
F: 3D-linearization RE50/RE50LE30FP.DAT in file (F), page 1/2



see similar files: <http://130.149.60.45/~farbmetrik/RE50/RE50L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-RE50/RE50L0FP.PDF /.PS
application for measurement of display output

TUB material: code=rh4ta



1-113030-L0 RE500-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb + cmy0$ (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

TUB-test chart RE50; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change






http://130.149.60.45/~farbmetrik/RE50/RE50L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization RE50/RE50LE30FP.DAT in file (F), page 2/2



see similar files: <http://130.149.60.45/~farbmetrik/RE50/RE50L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-RE50/RE50L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta



1-113130-L0 RE500-73

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n), 3D = 1

TUB-test chart RE50; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *rgb*_{de}*

1=113130-F0

C M Y O L V

